

Site Abbreviation: MOCO
Time Period: 02/01/10 - 02/28/10
Preliminary Validation
Site Number: 446
AIRS Site Number: 08-083-0006

DATE	TIME	O3-4	STP-1
DATE	TIME	hourly	hourly
DATE	TIME	ppb	degC
2/1/2010	0	-9980	25.9
2/1/2010	100	-9980	26.1
2/1/2010	200	-9980	26
2/1/2010	300	-9980	25.8
2/1/2010	400	-9980	25.9
2/1/2010	500	-9980	25.8
2/1/2010	600	-9980	25.7
2/1/2010	700	-9980	25.9
2/1/2010	800	-9980	25.8
2/1/2010	900	-9980	25.9
2/1/2010	1000	-9980	26.2
2/1/2010	1100	-9980	26.3
2/1/2010	1200	-9980	26.3
2/1/2010	1300	-9980	26.5
2/1/2010	1400	-9980	26.8
2/1/2010	1500	-9980	26.8
2/1/2010	1600	-9980	26.7
2/1/2010	1700	-9980	26.8
2/1/2010	1800	-9980	26.9
2/1/2010	1900	-9980	26.8
2/1/2010	2000	-9980	26.9
2/1/2010	2100	-9980	27
2/1/2010	2200	-9980	26.9
2/1/2010	2300	-9980	26.9
2/2/2010	0	-9980	26.8
2/2/2010	100	-9980	26.6
2/2/2010	200	-9980	26.5
2/2/2010	300	-9980	26.4
2/2/2010	400	-9980	26.1
2/2/2010	500	-9980	26
2/2/2010	600	-9980	26
2/2/2010	700	-9980	25.9
2/2/2010	800	-9980	25.8
2/2/2010	900	-9980	26
2/2/2010	1000	-9980	25.9
2/2/2010	1100	-9980	26
2/2/2010	1200	-9980	26.3
2/2/2010	1300	-9980	26.3
2/2/2010	1400	-9980	26.3
2/2/2010	1500	-9980	26.6
2/2/2010	1600	-9980	26.7
2/2/2010	1700	-9980	26.7

2/2/2010	1800	-9980	26.6
2/2/2010	1900	-9980	26.8
2/2/2010	2000	-9980	26.9
2/2/2010	2100	-9980	26.9
2/2/2010	2200	-9980	26.8
2/2/2010	2300	-9980	26.9
2/3/2010	0	-9980	26.9
2/3/2010	100	-9980	26.9
2/3/2010	200	-9980	26.6
2/3/2010	300	-9980	26.6
2/3/2010	400	-9980	26.7
2/3/2010	500	-9980	26.5
2/3/2010	600	-9980	26.3
2/3/2010	700	-9980	26.4
2/3/2010	800	-9980	25.6
2/3/2010	900	-9980	25.2
2/3/2010	1000	-9980	25.5
2/3/2010	1100	-9980	26.1
2/3/2010	1200	-9980	26.4
2/3/2010	1300	-9980	26.5
2/3/2010	1400	-9980	26.6
2/3/2010	1500	-9980	26.8
2/3/2010	1600	-9980	26.8
2/3/2010	1700	-9980	26.7
2/3/2010	1800	-9980	26.8
2/3/2010	1900	-9980	26.9
2/3/2010	2000	-9980	26.8
2/3/2010	2100	-9980	26.9
2/3/2010	2200	-9980	27
2/3/2010	2300	-9980	26.9
2/4/2010	0	-9980	26.9
2/4/2010	100	-9980	27
2/4/2010	200	-9980	27.1
2/4/2010	300	-9980	26.8
2/4/2010	400	-9980	26.8
2/4/2010	500	-9980	26.9
2/4/2010	600	-9980	26.8
2/4/2010	700	-9980	26.6
2/4/2010	800	-9980	25.9
2/4/2010	900	-9980	26.2
2/4/2010	1000	-9980	26.4
2/4/2010	1100	-9980	26.7
2/4/2010	1200	-9980	26.7
2/4/2010	1300	-9980	26.7
2/4/2010	1400	-9980	26.9
2/4/2010	1500	-9980	26.9
2/4/2010	1600	-9980	26.8
2/4/2010	1700	-9980	27
2/4/2010	1800	-9980	26.9
2/4/2010	1900	-9980	26.9
2/4/2010	2000	-9980	27
2/4/2010	2100	-9980	27

2/4/2010	2200	-9980	26.9
2/4/2010	2300	-9980	27
2/5/2010	0	-9980	26.8
2/5/2010	100	-9980	26.7
2/5/2010	200	-9980	26.6
2/5/2010	300	-9980	26.4
2/5/2010	400	-9980	26.3
2/5/2010	500	-9980	26.2
2/5/2010	600	-9980	26.1
2/5/2010	700	-9980	26.1
2/5/2010	800	-9980	26.1
2/5/2010	900	-9980	26.2
2/5/2010	1000	-9980	26.5
2/5/2010	1100	-9980	26.5
2/5/2010	1200	-9980	26.5
2/5/2010	1300	-9980	26.8
2/5/2010	1400	-9980	26.8
2/5/2010	1500	-9980	26.8
2/5/2010	1600	-9980	27
2/5/2010	1700	-9980	27
2/5/2010	1800	-9980	26.9
2/5/2010	1900	-9980	27
2/5/2010	2000	-9980	27
2/5/2010	2100	-9980	26.9
2/5/2010	2200	-9980	27
2/5/2010	2300	-9980	27
2/6/2010	0	-9980	26.8
2/6/2010	100	-9980	26.9
2/6/2010	200	-9980	26.9
2/6/2010	300	-9980	26.8
2/6/2010	400	-9980	26.6
2/6/2010	500	-9980	26.6
2/6/2010	600	-9980	26.7
2/6/2010	700	-9980	26.5
2/6/2010	800	-9980	26.4
2/6/2010	900	-9980	26.5
2/6/2010	1000	-9980	26.5
2/6/2010	1100	-9980	26.4
2/6/2010	1200	-9980	26.4
2/6/2010	1300	-9980	26.4
2/6/2010	1400	-9980	26.3
2/6/2010	1500	-9980	26.3
2/6/2010	1600	-9980	26.3
2/6/2010	1700	-9980	26.2
2/6/2010	1800	-9980	26.3
2/6/2010	1900	-9980	26.3
2/6/2010	2000	-9980	26.2
2/6/2010	2100	-9980	26.3
2/6/2010	2200	-9980	26.3
2/6/2010	2300	-9980	26.2
2/7/2010	0	-9980	26.3
2/7/2010	100	-9980	26.3

2/7/2010	200	-9980	26.2
2/7/2010	300	-9980	26.3
2/7/2010	400	-9980	26.2
2/7/2010	500	-9980	26.2
2/7/2010	600	-9980	26.2
2/7/2010	700	-9980	26.1
2/7/2010	800	-9980	26.1
2/7/2010	900	-9980	26.1
2/7/2010	1000	-9980	26
2/7/2010	1100	-9980	26
2/7/2010	1200	-9980	26.1
2/7/2010	1300	-9980	26
2/7/2010	1400	-9980	25.9
2/7/2010	1500	-9980	26
2/7/2010	1600	-9980	26
2/7/2010	1700	-9980	26
2/7/2010	1800	-9980	26
2/7/2010	1900	-9980	26
2/7/2010	2000	-9980	26
2/7/2010	2100	-9980	26
2/7/2010	2200	-9980	25.9
2/7/2010	2300	-9980	26.1
2/8/2010	0	-9980	26
2/8/2010	100	-9980	26
2/8/2010	200	-9980	26.1
2/8/2010	300	-9980	26
2/8/2010	400	-9980	25.9
2/8/2010	500	-9980	26
2/8/2010	600	-9980	25.9
2/8/2010	700	-9980	25.8
2/8/2010	800	-9980	25.9
2/8/2010	900	-9980	25.8
2/8/2010	1000	-9980	26
2/8/2010	1100	-9980	26.3
2/8/2010	1200	-9980	26.2
2/8/2010	1300	-9980	26.4
2/8/2010	1400	-9980	26.5
2/8/2010	1500	-9980	26.4
2/8/2010	1600	-9980	26.5
2/8/2010	1700	-9980	26.5
2/8/2010	1800	-9980	26.4
2/8/2010	1900	-9980	26.5
2/8/2010	2000	-9980	26.6
2/8/2010	2100	-9980	26.5
2/8/2010	2200	-9980	26.6
2/8/2010	2300	-9980	26.5
2/9/2010	0	-9980	26.5
2/9/2010	100	-9980	26.6
2/9/2010	200	-9980	26.4
2/9/2010	300	-9980	26.3
2/9/2010	400	-9980	26.3
2/9/2010	500	-9980	26.1

2/9/2010	600	-9980	26.1
2/9/2010	700	-9980	26.1
2/9/2010	800	-9980	26
2/9/2010	900	-9980	26
2/9/2010	1000	-9980	26.3
2/9/2010	1100	-9980	26.4
2/9/2010	1200	-9980	26.4
2/9/2010	1300	-9980	26.6
2/9/2010	1400	-9980	26.6
2/9/2010	1500	-9980	26.5
2/9/2010	1600	-9980	26.7
2/9/2010	1700	-9980	26.7
2/9/2010	1800	-9980	26.6
2/9/2010	1900	-9980	26.8
2/9/2010	2000	-9980	26.8
2/9/2010	2100	-9980	26.7
2/9/2010	2200	-9980	26.8
2/9/2010	2300	-9980	26.9
2/10/2010	0	-9980	26.8
2/10/2010	100	-9980	26.8
2/10/2010	200	-9980	26.9
2/10/2010	300	-9980	26.8
2/10/2010	400	-9980	26.8
2/10/2010	500	-9980	26.9
2/10/2010	600	-9980	26.9
2/10/2010	700	-9980	26.8
2/10/2010	800	-9980	26.8
2/10/2010	900	-9980	26.6
2/10/2010	1000	-9980	26.8
2/10/2010	1100	-9980	26.8
2/10/2010	1200	-9980	26.8
2/10/2010	1300	-9980	26.9
2/10/2010	1400	-9980	26.9
2/10/2010	1500	-9980	26.9
2/10/2010	1600	-9980	27.1
2/10/2010	1700	-9980	27.3
2/10/2010	1800	-9980	27.2
2/10/2010	1900	-9980	27.2
2/10/2010	2000	-9980	27.1
2/10/2010	2100	-9980	27
2/10/2010	2200	-9980	27.1
2/10/2010	2300	-9980	27.2
2/11/2010	0	-9980	27
2/11/2010	100	-9980	27
2/11/2010	200	-9980	27
2/11/2010	300	-9980	26.7
2/11/2010	400	-9980	26.6
2/11/2010	500	-9980	26.5
2/11/2010	600	-9980	26.3
2/11/2010	700	-9980	26.2
2/11/2010	800	-9980	26.2
2/11/2010	900	-9980	26.1

2/11/2010	1000	-9980	26.2
2/11/2010	1100	-9980	26.4
2/11/2010	1200	-9980	26.4
2/11/2010	1300	-9980	26.3
2/11/2010	1400	-9980	26.4
2/11/2010	1500	-9980	26.4
2/11/2010	1600	-9980	26.3
2/11/2010	1700	-9980	26.3
2/11/2010	1800	-9980	26.4
2/11/2010	1900	-9980	26.3
2/11/2010	2000	-9980	26.4
2/11/2010	2100	-9980	26.4
2/11/2010	2200	-9980	26.3
2/11/2010	2300	-9980	26.3
2/12/2010	0	-9980	26.2
2/12/2010	100	-9980	26
2/12/2010	200	-9980	26
2/12/2010	300	-9980	25.9
2/12/2010	400	-9980	25.7
2/12/2010	500	-9980	25.7
2/12/2010	600	-9980	25.6
2/12/2010	700	-9980	25.5
2/12/2010	800	-9980	25.6
2/12/2010	900	-9980	25.7
2/12/2010	1000	-9980	25.7
2/12/2010	1100	-9980	26
2/12/2010	1200	-9980	26.1
2/12/2010	1300	-9980	26.1
2/12/2010	1400	-9980	26.3
2/12/2010	1500	-9980	26.4
2/12/2010	1600	-9980	26.4
2/12/2010	1700	-9980	26.4
2/12/2010	1800	-9980	26.5
2/12/2010	1900	-9980	26.4
2/12/2010	2000	-9980	26.3
2/12/2010	2100	-9980	26.4
2/12/2010	2200	-9980	26.4
2/12/2010	2300	-9980	26.3
2/13/2010	0	-9980	26.3
2/13/2010	100	-9980	26.3
2/13/2010	200	-9980	26
2/13/2010	300	-9980	26
2/13/2010	400	-9980	26
2/13/2010	500	-9980	25.8
2/13/2010	600	-9980	25.7
2/13/2010	700	-9980	25.8
2/13/2010	800	-9980	25.6
2/13/2010	900	-9980	25.6
2/13/2010	1000	-9980	25.8
2/13/2010	1100	-9980	25.7
2/13/2010	1200	-9980	25.9
2/13/2010	1300	-9980	26

2/13/2010	1400	-9980	25.9
2/13/2010	1500	-9980	26
2/13/2010	1600	-9980	26
2/13/2010	1700	-9980	25.9
2/13/2010	1800	-9980	26
2/13/2010	1900	-9980	26
2/13/2010	2000	-9980	25.9
2/13/2010	2100	-9980	26.1
2/13/2010	2200	-9980	26
2/13/2010	2300	-9980	26
2/14/2010	0	-9980	26.1
2/14/2010	100	-9980	25.9
2/14/2010	200	-9980	25.9
2/14/2010	300	-9980	25.9
2/14/2010	400	-9980	25.8
2/14/2010	500	-9980	25.7
2/14/2010	600	-9980	25.8
2/14/2010	700	-9980	25.6
2/14/2010	800	-9980	25.5
2/14/2010	900	-9980	25.6
2/14/2010	1000	-9980	25.4
2/14/2010	1100	-9980	25.4
2/14/2010	1200	-9980	25.4
2/14/2010	1300	-9980	25.3
2/14/2010	1400	-9980	25.4
2/14/2010	1500	-9980	25.3
2/14/2010	1600	-9980	25.3
2/14/2010	1700	-9980	25.5
2/14/2010	1800	-9980	25.4
2/14/2010	1900	-9980	25.3
2/14/2010	2000	-9980	25.4
2/14/2010	2100	-9980	25.3
2/14/2010	2200	-9980	25.2
2/14/2010	2300	-9980	25.2
2/15/2010	0	-9980	25.1
2/15/2010	100	-9980	25
2/15/2010	200	-9980	25
2/15/2010	300	-9980	24.8
2/15/2010	400	-9980	24.9
2/15/2010	500	-9980	24.7
2/15/2010	600	-9980	24.7
2/15/2010	700	-9980	24.7
2/15/2010	800	-9980	24.5
2/15/2010	900	-9980	24.6
2/15/2010	1000	-9980	24.8
2/15/2010	1100	-9980	24.9
2/15/2010	1200	-9980	25.2
2/15/2010	1300	-9980	25.1
2/15/2010	1400	-9980	25.3
2/15/2010	1500	-9980	25.3
2/15/2010	1600	-9980	25.4
2/15/2010	1700	-9980	25.6

2/15/2010	1800	-9980	25.5
2/15/2010	1900	-9980	25.5
2/15/2010	2000	-9980	25.6
2/15/2010	2100	-9980	25.6
2/15/2010	2200	-9980	25.7
2/15/2010	2300	-9980	25.6
2/16/2010	0	-9980	25.5
2/16/2010	100	-9980	25.6
2/16/2010	200	-9980	25.5
2/16/2010	300	-9980	25.4
2/16/2010	400	-9980	25.4
2/16/2010	500	-9980	25.2
2/16/2010	600	-9980	25
2/16/2010	700	-9980	25.1
2/16/2010	800	-9980	25
2/16/2010	900	-9980	24.9
2/16/2010	1000	-9980	25.1
2/16/2010	1100	-9980	25.2
2/16/2010	1200	-9980	25.3
2/16/2010	1300	-9980	25.5
2/16/2010	1400	-9980	25.5
2/16/2010	1500	-9980	25.7
2/16/2010	1600	-9980	25.8
2/16/2010	1700	-9980	25.8
2/16/2010	1800	-9980	25.9
2/16/2010	1900	-9980	26.1
2/16/2010	2000	-9980	26
2/16/2010	2100	-9980	26
2/16/2010	2200	-9980	26.1
2/16/2010	2300	-9980	25.9
2/17/2010	0	-9980	25.9
2/17/2010	100	-9980	25.8
2/17/2010	200	-9980	25.6
2/17/2010	300	-9980	25.6
2/17/2010	400	-9980	25.5
2/17/2010	500	-9980	25.3
2/17/2010	600	-9980	25.4
2/17/2010	700	-9980	25.2
2/17/2010	800	-9980	25
2/17/2010	900	-9980	25
2/17/2010	1000	-9980	25.3
2/17/2010	1100	-9980	25.4
2/17/2010	1200	-9980	25.5
2/17/2010	1300	-9980	25.8
2/17/2010	1400	-9980	25.8
2/17/2010	1500	-9980	25.7
2/17/2010	1600	-9980	25.9
2/17/2010	1700	-9980	26
2/17/2010	1800	-9980	25.9
2/17/2010	1900	-9980	26
2/17/2010	2000	-9980	26.2
2/17/2010	2100	-9980	26.1

2/17/2010	2200	-9980	26
2/17/2010	2300	-9980	26.1
2/18/2010	0	-9980	26.1
2/18/2010	100	-9980	25.9
2/18/2010	200	-9980	25.9
2/18/2010	300	-9980	25.9
2/18/2010	400	-9980	25.8
2/18/2010	500	-9980	25.5
2/18/2010	600	-9980	25.6
2/18/2010	700	-9980	25.6
2/18/2010	800	-9980	25.3
2/18/2010	900	-9980	25.3
2/18/2010	1000	-9980	25.6
2/18/2010	1100	-9980	25.7
2/18/2010	1200	-9980	25.7
2/18/2010	1300	-9980	25.8
2/18/2010	1400	-9998	26
2/18/2010	1500	-9993	26.3
2/18/2010	1600	-9991	26.2
2/18/2010	1700	39	26.4
2/18/2010	1800	29	26.6
2/18/2010	1900	21	26.5
2/18/2010	2000	28	26.4
2/18/2010	2100	24	26.5
2/18/2010	2200	36	26.6
2/18/2010	2300	37	26.5
2/19/2010	0	33	26.6
2/19/2010	100	-9998	26.6
2/19/2010	200	27	26.4
2/19/2010	300	24	26.4
2/19/2010	400	25	26.4
2/19/2010	500	29	26.2
2/19/2010	600	21	26.1
2/19/2010	700	18	26.1
2/19/2010	800	21	25.9
2/19/2010	900	23	26
2/19/2010	1000	31	26.2
2/19/2010	1100	35	26.3
2/19/2010	1200	36	26.4
2/19/2010	1300	38	26.6
2/19/2010	1400	39	26.6
2/19/2010	1500	36	26.6
2/19/2010	1600	35	26.7
2/19/2010	1700	28	26.8
2/19/2010	1800	28	26.7
2/19/2010	1900	36	26.8
2/19/2010	2000	37	26.8
2/19/2010	2100	22	26.7
2/19/2010	2200	23	26.8
2/19/2010	2300	29	26.9
2/20/2010	0	38	26.7
2/20/2010	100	-9998	26.7

2/20/2010	200	42	26.6
2/20/2010	300	41	26.6
2/20/2010	400	34	26.4
2/20/2010	500	35	26.2
2/20/2010	600	34	26.3
2/20/2010	700	25	26.2
2/20/2010	800	29	26
2/20/2010	900	35	26
2/20/2010	1000	37	26.1
2/20/2010	1100	42	25.9
2/20/2010	1200	43	25.9
2/20/2010	1300	44	25.7
2/20/2010	1400	44	25.7
2/20/2010	1500	44	25.6
2/20/2010	1600	44	25.8
2/20/2010	1700	37	25.8
2/20/2010	1800	33	25.7
2/20/2010	1900	36	25.8
2/20/2010	2000	30	25.9
2/20/2010	2100	32	25.8
2/20/2010	2200	34	25.8
2/20/2010	2300	32	26
2/21/2010	0	34	25.9
2/21/2010	100	-9998	26
2/21/2010	200	36	26
2/21/2010	300	38	26
2/21/2010	400	39	25.9
2/21/2010	500	37	25.8
2/21/2010	600	39	25.9
2/21/2010	700	35	25.8
2/21/2010	800	38	25.7
2/21/2010	900	41	25.7
2/21/2010	1000	44	25.7
2/21/2010	1100	43	25.6
2/21/2010	1200	43	25.7
2/21/2010	1300	42	25.8
2/21/2010	1400	41	25.7
2/21/2010	1500	39	25.7
2/21/2010	1600	38	25.8
2/21/2010	1700	34	25.7
2/21/2010	1800	27	25.7
2/21/2010	1900	35	25.8
2/21/2010	2000	38	25.7
2/21/2010	2100	37	25.7
2/21/2010	2200	30	25.8
2/21/2010	2300	29	25.7
2/22/2010	0	32	25.7
2/22/2010	100	-9998	25.8
2/22/2010	200	28	25.8
2/22/2010	300	31	25.6
2/22/2010	400	27	25.7
2/22/2010	500	25	25.7

2/22/2010	600	33	25.6
2/22/2010	700	33	25.4
2/22/2010	800	35	25.5
2/22/2010	900	37	25.6
2/22/2010	1000	40	25.5
2/22/2010	1100	44	25.8
2/22/2010	1200	44	26
2/22/2010	1300	43	26
2/22/2010	1400	45	26
2/22/2010	1500	47	26.1
2/22/2010	1600	47	26.1
2/22/2010	1700	47	26
2/22/2010	1800	47	26.1
2/22/2010	1900	46	26.3
2/22/2010	2000	47	26.2
2/22/2010	2100	48	26.1
2/22/2010	2200	45	26.3
2/22/2010	2300	47	26.2
2/23/2010	0	46	26
2/23/2010	100	-9998	26.1
2/23/2010	200	28	25.9
2/23/2010	300	34	25.7
2/23/2010	400	36	25.7
2/23/2010	500	37	25.5
2/23/2010	600	27	25.4
2/23/2010	700	18	25.4
2/23/2010	800	26	25.3
2/23/2010	900	35	25.3
2/23/2010	1000	42	25.6
2/23/2010	1100	47	25.7
2/23/2010	1200	46	25.7
2/23/2010	1300	45	25.9
2/23/2010	1400	46	26
2/23/2010	1500	47	26
2/23/2010	1600	46	26.1
2/23/2010	1700	45	26.3
2/23/2010	1800	38	26.2
2/23/2010	1900	39	26.1
2/23/2010	2000	39	26.3
2/23/2010	2100	31	26.3
2/23/2010	2200	30	26.2
2/23/2010	2300	30	26.2
2/24/2010	0	31	26.1
2/24/2010	100	-9998	26.1
2/24/2010	200	30	26
2/24/2010	300	30	26
2/24/2010	400	31	25.7
2/24/2010	500	30	25.7
2/24/2010	600	24	25.7
2/24/2010	700	19	25.5
2/24/2010	800	22	25.5
2/24/2010	900	31	25.6

2/24/2010	1000	36	25.5
2/24/2010	1100	41	25.9
2/24/2010	1200	43	26.2
2/24/2010	1300	39	26.4
2/24/2010	1400	39	26.6
2/24/2010	1500	35	26.8
2/24/2010	1600	33	26.7
2/24/2010	1700	36	26.6
2/24/2010	1800	38	26.6
2/24/2010	1900	33	26.8
2/24/2010	2000	27	26.8
2/24/2010	2100	29	26.8
2/24/2010	2200	28	26.9
2/24/2010	2300	29	27
2/25/2010	0	24	26.9
2/25/2010	100	-9998	27
2/25/2010	200	32	27.1
2/25/2010	300	28	27.1
2/25/2010	400	30	27
2/25/2010	500	31	27.1
2/25/2010	600	23	27.1
2/25/2010	700	25	26.9
2/25/2010	800	28	27
2/25/2010	900	35	27
2/25/2010	1000	42	26.9
2/25/2010	1100	44	27
2/25/2010	1200	46	27.1
2/25/2010	1300	46	27.1
2/25/2010	1400	45	27
2/25/2010	1500	44	27.1
2/25/2010	1600	42	27.2
2/25/2010	1700	43	27.1
2/25/2010	1800	41	27
2/25/2010	1900	42	27.1
2/25/2010	2000	41	27.1
2/25/2010	2100	39	27
2/25/2010	2200	41	27
2/25/2010	2300	40	27.1
2/26/2010	0	37	27.1
2/26/2010	100	-9998	27
2/26/2010	200	26	27.1
2/26/2010	300	19	27.1
2/26/2010	400	24	26.9
2/26/2010	500	22	27
2/26/2010	600	26	27.1
2/26/2010	700	16	27
2/26/2010	800	26	26.8
2/26/2010	900	33	26.9
2/26/2010	1000	40	27
2/26/2010	1100	42	26.8
2/26/2010	1200	44	26.9
2/26/2010	1300	44	27.1

2/26/2010	1400	44	27.1
2/26/2010	1500	45	27
2/26/2010	1600	43	27.1
2/26/2010	1700	33	27.2
2/26/2010	1800	10	27.1
2/26/2010	1900	15	27
2/26/2010	2000	24	27.2
2/26/2010	2100	24	27.2
2/26/2010	2200	18	27.1
2/26/2010	2300	22	27.2
2/27/2010	0	23	27.3
2/27/2010	100	-9998	27.3
2/27/2010	200	29	27.2
2/27/2010	300	30	27.2
2/27/2010	400	28	27.1
2/27/2010	500	28	27
2/27/2010	600	29	27.1
2/27/2010	700	25	27.2
2/27/2010	800	22	27.1
2/27/2010	900	37	26.9
2/27/2010	1000	39	27
2/27/2010	1100	44	27.1
2/27/2010	1200	45	27.1
2/27/2010	1300	47	26.9
2/27/2010	1400	44	27
2/27/2010	1500	48	27.1
2/27/2010	1600	49	27.1
2/27/2010	1700	48	27
2/27/2010	1800	45	27.1
2/27/2010	1900	45	27.2
2/27/2010	2000	41	27.1
2/27/2010	2100	42	27.1
2/27/2010	2200	41	27.3
2/27/2010	2300	38	27.2
2/28/2010	0	41	27.2
2/28/2010	100	-9998	27.4
2/28/2010	200	40	27.3
2/28/2010	300	34	27.2
2/28/2010	400	32	27.2
2/28/2010	500	31	27.3
2/28/2010	600	33	27.1
2/28/2010	700	34	27.2
2/28/2010	800	33	27.3
2/28/2010	900	41	27.2
2/28/2010	1000	44	27.1
2/28/2010	1100	45	27.2
2/28/2010	1200	47	27.3
2/28/2010	1300	47	27.3
2/28/2010	1400	49	27.1
2/28/2010	1500	50	27.3
2/28/2010	1600	50	27.4
2/28/2010	1700	48	27.3

2/28/2010	1800	46	27.2
2/28/2010	1900	45	27.4
2/28/2010	2000	45	27.5
2/28/2010	2100	47	27.3
2/28/2010	2200	48	27.3
2/28/2010	2300	46	27.5

Site Abbreviation: MOCO
Time Period: 1/01/10 - 1/31/10
Preliminary Validation
Site Number: 446
AIRS Site Number: 08-083-0006

DATE	TIME	O3-4	STP-1
DATE	TIME	hourly	hourly
DATE	TIME	ppb	degC
1/1/2010	0	27	27.1
1/1/2010	100	27	27.1
1/1/2010	200	29	27
1/1/2010	300	26	27.1
1/1/2010	400	25	26.9
1/1/2010	500	29	26.8
1/1/2010	600	28	26.9
1/1/2010	700	31	26.7
1/1/2010	800	23	26.6
1/1/2010	900	33	26.8
1/1/2010	1000	37	26.9
1/1/2010	1100	36	26.9
1/1/2010	1200	42	27.2
1/1/2010	1300	43	27.2
1/1/2010	1400	39	27.1
1/1/2010	1500	38	27.3
1/1/2010	1600	33	27.3
1/1/2010	1700	23	27.1
1/1/2010	1800	17	27.3
1/1/2010	1900	21	27.3
1/1/2010	2000	18	27.2
1/1/2010	2100	11	27.4
1/1/2010	2200	18	27.3
1/1/2010	2300	23	27.2
1/2/2010	0	25	27.3
1/2/2010	100	22	27.2
1/2/2010	200	26	27.1
1/2/2010	300	21	27.1
1/2/2010	400	20	27
1/2/2010	500	21	26.7
1/2/2010	600	15	26.7
1/2/2010	700	14	26.7
1/2/2010	800	23	26.5
1/2/2010	900	28	26.3
1/2/2010	1000	32	26.4
1/2/2010	1100	34	26.3
1/2/2010	1200	41	26.2
1/2/2010	1300	41	26.3
1/2/2010	1400	37	26.2
1/2/2010	1500	38	26.1
1/2/2010	1600	30	26.2
1/2/2010	1700	15	26.1

1/2/2010	1800	20	26.1
1/2/2010	1900	27	26.2
1/2/2010	2000	23	26.1
1/2/2010	2100	20	26
1/2/2010	2200	19	26.1
1/2/2010	2300	25	26.2
1/3/2010	0	21	26.1
1/3/2010	100	22	26.2
1/3/2010	200	22	26.2
1/3/2010	300	28	26.1
1/3/2010	400	21	26.1
1/3/2010	500	26	26
1/3/2010	600	28	25.9
1/3/2010	700	27	26
1/3/2010	800	26	25.8
1/3/2010	900	27	25.9
1/3/2010	1000	29	25.8
1/3/2010	1100	40	25.8
1/3/2010	1200	41	26
1/3/2010	1300	40	25.9
1/3/2010	1400	41	25.9
1/3/2010	1500	42	26
1/3/2010	1600	40	25.9
1/3/2010	1700	32	25.9
1/3/2010	1800	20	26
1/3/2010	1900	15	25.9
1/3/2010	2000	25	26
1/3/2010	2100	24	26
1/3/2010	2200	27	25.9
1/3/2010	2300	29	26.1
1/4/2010	0	29	25.9
1/4/2010	100	28	26
1/4/2010	200	31	26.1
1/4/2010	300	32	25.9
1/4/2010	400	31	25.8
1/4/2010	500	27	25.9
1/4/2010	600	18	25.8
1/4/2010	700	17	25.7
1/4/2010	800	15	25.7
1/4/2010	900	22	25.8
1/4/2010	1000	26	26
1/4/2010	1100	31	25.6
1/4/2010	1200	32	26.3
1/4/2010	1300	38	26.6
1/4/2010	1400	39	26.8
1/4/2010	1500	34	26.7
1/4/2010	1600	25	26.7
1/4/2010	1700	15	26.9
1/4/2010	1800	6	26.9
1/4/2010	1900	11	27
1/4/2010	2000	16	27.1
1/4/2010	2100	18	27

1/4/2010	2200	28	26.9
1/4/2010	2300	29	26.8
1/5/2010	0	24	26.8
1/5/2010	100	30	26.7
1/5/2010	200	30	26.5
1/5/2010	300	29	26.5
1/5/2010	400	29	26.4
1/5/2010	500	31	26.1
1/5/2010	600	27	26.1
1/5/2010	700	18	26.1
1/5/2010	800	19	26
1/5/2010	900	21	26.1
1/5/2010	1000	30	26.3
1/5/2010	1100	37	26.3
1/5/2010	1200	40	26.4
1/5/2010	1300	41	26.6
1/5/2010	1400	40	26.9
1/5/2010	1500	32	27.1
1/5/2010	1600	20	27.3
1/5/2010	1700	8	27.5
1/5/2010	1800	9	27.7
1/5/2010	1900	7	27.8
1/5/2010	2000	7	27.9
1/5/2010	2100	15	27.8
1/5/2010	2200	14	27.8
1/5/2010	2300	25	27.8
1/6/2010	0	28	27.6
1/6/2010	100	26	27.8
1/6/2010	200	24	27.8
1/6/2010	300	29	27.6
1/6/2010	400	27	27.6
1/6/2010	500	29	27.6
1/6/2010	600	22	27.4
1/6/2010	700	10	27.5
1/6/2010	800	20	27.6
1/6/2010	900	16	27.5
1/6/2010	1000	32	27.7
1/6/2010	1100	39	27.9
1/6/2010	1200	39	28.1
1/6/2010	1300	41	28.1
1/6/2010	1400	35	28.3
1/6/2010	1500	33	28.7
1/6/2010	1600	29	28.6
1/6/2010	1700	29	28.4
1/6/2010	1800	28	28.5
1/6/2010	1900	15	28.6
1/6/2010	2000	9	28.7
1/6/2010	2100	13	28.7
1/6/2010	2200	12	28.6
1/6/2010	2300	19	28.5
1/7/2010	0	19	28.6
1/7/2010	100	18	28.7

1/7/2010	200	19	28.5
1/7/2010	300	20	28.4
1/7/2010	400	21	28.4
1/7/2010	500	13	28.3
1/7/2010	600	12	28.2
1/7/2010	700	12	28.2
1/7/2010	800	11	28.2
1/7/2010	900	8	28.1
1/7/2010	1000	20	28.1
1/7/2010	1100	30	28.3
1/7/2010	1200	43	28.5
1/7/2010	1300	44	28.6
1/7/2010	1400	43	28.8
1/7/2010	1500	41	29
1/7/2010	1600	39	29
1/7/2010	1700	27	28.9
1/7/2010	1800	26	28.7
1/7/2010	1900	25	28.8
1/7/2010	2000	18	28.9
1/7/2010	2100	23	28.9
1/7/2010	2200	23	28.8
1/7/2010	2300	22	28.7
1/8/2010	0	28	28.8
1/8/2010	100	24	28.9
1/8/2010	200	26	28.9
1/8/2010	300	28	28.6
1/8/2010	400	25	28.6
1/8/2010	500	27	28.6
1/8/2010	600	22	28.4
1/8/2010	700	19	28.5
1/8/2010	800	23	28.6
1/8/2010	900	26	28.6
1/8/2010	1000	27	28.5
1/8/2010	1100	29	28.7
1/8/2010	1200	34	28.9
1/8/2010	1300	40	28.9
1/8/2010	1400	41	28.8
1/8/2010	1500	41	28.9
1/8/2010	1600	35	29
1/8/2010	1700	21	28.9
1/8/2010	1800	13	28.8
1/8/2010	1900	9	28.9
1/8/2010	2000	17	28.9
1/8/2010	2100	18	28.9
1/8/2010	2200	23	28.7
1/8/2010	2300	22	28.7
1/9/2010	0	29	28.7
1/9/2010	100	30	28.7
1/9/2010	200	25	28.7
1/9/2010	300	26	28.7
1/9/2010	400	30	28.7
1/9/2010	500	29	28.5

1/9/2010	600	22	28.5
1/9/2010	700	27	28.5
1/9/2010	800	20	28.3
1/9/2010	900	26	28.4
1/9/2010	1000	27	28.5
1/9/2010	1100	38	28.4
1/9/2010	1200	42	28.5
1/9/2010	1300	43	28.6
1/9/2010	1400	42	28.6
1/9/2010	1500	40	28.6
1/9/2010	1600	34	28.7
1/9/2010	1700	25	28.7
1/9/2010	1800	16	28.6
1/9/2010	1900	12	28.8
1/9/2010	2000	20	28.8
1/9/2010	2100	26	28.7
1/9/2010	2200	18	28.8
1/9/2010	2300	17	28.9
1/10/2010	0	21	29
1/10/2010	100	25	29
1/10/2010	200	29	29
1/10/2010	300	29	29.2
1/10/2010	400	25	29.2
1/10/2010	500	22	29
1/10/2010	600	30	29.1
1/10/2010	700	24	29.2
1/10/2010	800	19	29.2
1/10/2010	900	25	29
1/10/2010	1000	34	29.1
1/10/2010	1100	39	29.2
1/10/2010	1200	39	29.3
1/10/2010	1300	37	29.2
1/10/2010	1400	40	29.2
1/10/2010	1500	32	29.3
1/10/2010	1600	18	29.2
1/10/2010	1700	10	29.1
1/10/2010	1800	7	29.1
1/10/2010	1900	0	29.2
1/10/2010	2000	18	29.1
1/10/2010	2100	10	29
1/10/2010	2200	11	29.1
1/10/2010	2300	25	29
1/11/2010	0	18	28.9
1/11/2010	100	9	29.1
1/11/2010	200	20	29
1/11/2010	300	24	28.8
1/11/2010	400	33	28.8
1/11/2010	500	22	28.8
1/11/2010	600	14	28.7
1/11/2010	700	13	28.7
1/11/2010	800	11	28.7
1/11/2010	900	17	28.1

1/11/2010	1000	29	28.4
1/11/2010	1100	32	28.7
1/11/2010	1200	44	28.8
1/11/2010	1300	38	28.9
1/11/2010	1400	40	29.1
1/11/2010	1500	37	29.2
1/11/2010	1600	23	29.2
1/11/2010	1700	7	29.3
1/11/2010	1800	7	29.4
1/11/2010	1900	7	29.3
1/11/2010	2000	17	29.4
1/11/2010	2100	30	29.4
1/11/2010	2200	28	29.3
1/11/2010	2300	26	29.2
1/12/2010	0	25	29.3
1/12/2010	100	24	29.4
1/12/2010	200	28	29.2
1/12/2010	300	29	29.1
1/12/2010	400	26	29.1
1/12/2010	500	22	29
1/12/2010	600	22	28.9
1/12/2010	700	17	28.9
1/12/2010	800	18	28.9
1/12/2010	900	25	28.7
1/12/2010	1000	37	28.5
1/12/2010	1100	29	28.6
1/12/2010	1200	37	28.6
1/12/2010	1300	39	28.5
1/12/2010	1400	40	28.5
1/12/2010	1500	33	28.6
1/12/2010	1600	18	28.7
1/12/2010	1700	6	28.6
1/12/2010	1800	4	28.5
1/12/2010	1900	5	28.6
1/12/2010	2000	10	28.6
1/12/2010	2100	16	28.4
1/12/2010	2200	17	28.4
1/12/2010	2300	29	28.3
1/13/2010	0	32	28
1/13/2010	100	31	28
1/13/2010	200	31	28
1/13/2010	300	30	28
1/13/2010	400	28	27.8
1/13/2010	500	29	27.6
1/13/2010	600	23	27.6
1/13/2010	700	17	27.6
1/13/2010	800	19	27.4
1/13/2010	900	24	27.5
1/13/2010	1000	-9980	27.4
1/13/2010	1100	-9980	27.4
1/13/2010	1200	-9980	27.5
1/13/2010	1300	-9980	27.7

1/13/2010	1400	-9980	27.9
1/13/2010	1500	-9980	28
1/13/2010	1600	-9980	28
1/13/2010	1700	-9980	28
1/13/2010	1800	-9980	28
1/13/2010	1900	-9980	28
1/13/2010	2000	-9980	28
1/13/2010	2100	-9980	27.8
1/13/2010	2200	-9980	27.7
1/13/2010	2300	-9980	27.7
1/14/2010	0	-9980	27.8
1/14/2010	100	-9980	27.9
1/14/2010	200	-9980	27.7
1/14/2010	300	-9980	27.5
1/14/2010	400	-9980	27.5
1/14/2010	500	-9980	27.3
1/14/2010	600	-9980	27.3
1/14/2010	700	-9980	27.4
1/14/2010	800	-9980	27.3
1/14/2010	900	-9980	27.3
1/14/2010	1000	-9980	27.5
1/14/2010	1100	-9980	27.7
1/14/2010	1200	-9980	27.8
1/14/2010	1300	-9980	27.6
1/14/2010	1400	-9980	27.7
1/14/2010	1500	-9980	27.8
1/14/2010	1600	-9980	27.9
1/14/2010	1700	-9980	27.7
1/14/2010	1800	-9980	27.6
1/14/2010	1900	-9980	27.8
1/14/2010	2000	-9980	27.9
1/14/2010	2100	-9980	27.9
1/14/2010	2200	-9980	27.7
1/14/2010	2300	-9980	27.7
1/15/2010	0	-9980	27.7
1/15/2010	100	-9980	27.7
1/15/2010	200	-9980	27.4
1/15/2010	300	-9980	27.2
1/15/2010	400	-9980	27.2
1/15/2010	500	-9980	27
1/15/2010	600	-9980	26.9
1/15/2010	700	-9980	27
1/15/2010	800	-9980	27
1/15/2010	900	-9980	26.9
1/15/2010	1000	-9980	27
1/15/2010	1100	-9980	27.3
1/15/2010	1200	-9980	27.5
1/15/2010	1300	-9980	27.5
1/15/2010	1400	-9980	27.4
1/15/2010	1500	-9980	27.5
1/15/2010	1600	-9980	27.6
1/15/2010	1700	-9980	27.5

1/15/2010	1800	-9980	27.4
1/15/2010	1900	-9980	27.5
1/15/2010	2000	-9980	27.6
1/15/2010	2100	-9980	27.4
1/15/2010	2200	-9980	27.3
1/15/2010	2300	-9980	27.4
1/16/2010	0	-9980	27.5
1/16/2010	100	-9980	27.3
1/16/2010	200	-9980	27.1
1/16/2010	300	-9980	27.1
1/16/2010	400	-9980	27.2
1/16/2010	500	-9980	27
1/16/2010	600	-9980	26.8
1/16/2010	700	-9980	26.8
1/16/2010	800	-9980	26.8
1/16/2010	900	-9980	26.7
1/16/2010	1000	-9980	26.6
1/16/2010	1100	-9980	26.7
1/16/2010	1200	-9980	26.6
1/16/2010	1300	-9980	26.6
1/16/2010	1400	-9980	26.7
1/16/2010	1500	-9980	26.8
1/16/2010	1600	-9980	26.7
1/16/2010	1700	-9980	26.6
1/16/2010	1800	-9980	26.7
1/16/2010	1900	-9980	26.6
1/16/2010	2000	-9980	26.5
1/16/2010	2100	-9980	26.7
1/16/2010	2200	-9980	26.7
1/16/2010	2300	-9980	26.5
1/17/2010	0	-9980	26.6
1/17/2010	100	-9980	26.7
1/17/2010	200	-9980	26.6
1/17/2010	300	-9980	26.5
1/17/2010	400	-9980	26.6
1/17/2010	500	-9980	26.5
1/17/2010	600	-9980	26.4
1/17/2010	700	-9980	26.5
1/17/2010	800	-9980	26.5
1/17/2010	900	-9980	26.3
1/17/2010	1000	-9980	26.3
1/17/2010	1100	-9980	26.4
1/17/2010	1200	-9980	26.3
1/17/2010	1300	-9980	26.2
1/17/2010	1400	-9980	26.4
1/17/2010	1500	-9980	26.4
1/17/2010	1600	-9980	26.3
1/17/2010	1700	-9980	26.3
1/17/2010	1800	-9980	26.4
1/17/2010	1900	-9980	26.3
1/17/2010	2000	-9980	26.2
1/17/2010	2100	-9980	26.3

1/17/2010	2200	-9980	26.3
1/17/2010	2300	-9980	26.2
1/18/2010	0	-9980	26.3
1/18/2010	100	-9980	26.3
1/18/2010	200	-9980	26.2
1/18/2010	300	-9980	26.2
1/18/2010	400	-9980	26.1
1/18/2010	500	-9980	26
1/18/2010	600	-9980	26.2
1/18/2010	700	-9980	26
1/18/2010	800	-9980	25.9
1/18/2010	900	-9980	25.6
1/18/2010	1000	-9980	26.1
1/18/2010	1100	-9980	26.3
1/18/2010	1200	-9980	26.6
1/18/2010	1300	-9980	26.7
1/18/2010	1400	-9980	26.7
1/18/2010	1500	-9980	27
1/18/2010	1600	-9980	27
1/18/2010	1700	-9980	26.9
1/18/2010	1800	-9980	27
1/18/2010	1900	-9980	27
1/18/2010	2000	-9980	27
1/18/2010	2100	-9980	27.1
1/18/2010	2200	-9980	27
1/18/2010	2300	-9980	27.2
1/19/2010	0	-9980	27.2
1/19/2010	100	-9980	27.1
1/19/2010	200	-9980	27.1
1/19/2010	300	-9980	27.1
1/19/2010	400	-9980	26.9
1/19/2010	500	-9980	26.8
1/19/2010	600	-9980	26.9
1/19/2010	700	-9980	26.9
1/19/2010	800	-9980	26.7
1/19/2010	900	-9980	26.8
1/19/2010	1000	-9980	27
1/19/2010	1100	-9980	27.1
1/19/2010	1200	-9980	27
1/19/2010	1300	-9980	27
1/19/2010	1400	-9980	27.2
1/19/2010	1500	-9980	27.3
1/19/2010	1600	-9980	27.2
1/19/2010	1700	-9980	27.1
1/19/2010	1800	-9980	27.1
1/19/2010	1900	-9980	27.3
1/19/2010	2000	-9980	27.3
1/19/2010	2100	-9980	27.2
1/19/2010	2200	-9980	27.4
1/19/2010	2300	-9980	27.5
1/20/2010	0	-9980	27.4
1/20/2010	100	-9980	27.3

1/20/2010	200	-9980	27.2
1/20/2010	300	-9980	27.3
1/20/2010	400	-9980	27.3
1/20/2010	500	-9980	27
1/20/2010	600	-9980	27
1/20/2010	700	-9980	27.1
1/20/2010	800	-9980	27.1
1/20/2010	900	-9980	27
1/20/2010	1000	-9980	27
1/20/2010	1100	-9980	27.1
1/20/2010	1200	-9980	27.2
1/20/2010	1300	-9980	27.2
1/20/2010	1400	-9980	27.1
1/20/2010	1500	-9980	27.1
1/20/2010	1600	-9980	27.1
1/20/2010	1700	-9980	27.1
1/20/2010	1800	-9980	27
1/20/2010	1900	-9980	27.2
1/20/2010	2000	-9980	27.2
1/20/2010	2100	-9980	27.1
1/20/2010	2200	-9980	27.2
1/20/2010	2300	-9980	27.3
1/21/2010	0	-9980	27.4
1/21/2010	100	-9980	27.3
1/21/2010	200	-9980	27.1
1/21/2010	300	-9980	27.1
1/21/2010	400	-9980	27.2
1/21/2010	500	-9980	27.3
1/21/2010	600	-9980	27.1
1/21/2010	700	-9980	26.9
1/21/2010	800	-9980	27
1/21/2010	900	-9980	27.1
1/21/2010	1000	-9980	27.3
1/21/2010	1100	-9980	27.2
1/21/2010	1200	-9980	27.1
1/21/2010	1300	-9980	27.2
1/21/2010	1400	-9980	27.4
1/21/2010	1500	-9980	27.3
1/21/2010	1600	-9980	27.1
1/21/2010	1700	-9980	27.2
1/21/2010	1800	-9980	27.3
1/21/2010	1900	-9980	27.4
1/21/2010	2000	-9980	27.4
1/21/2010	2100	-9980	27.3
1/21/2010	2200	-9980	27.4
1/21/2010	2300	-9980	27.4
1/22/2010	0	-9980	27.5
1/22/2010	100	-9980	27.5
1/22/2010	200	-9980	27.3
1/22/2010	300	-9980	27.2
1/22/2010	400	-9980	27.3
1/22/2010	500	-9980	27.3

1/22/2010	600	-9980	27.2
1/22/2010	700	-9980	27
1/22/2010	800	-9980	27
1/22/2010	900	-9980	27.1
1/22/2010	1000	-9980	27.2
1/22/2010	1100	-9980	27.2
1/22/2010	1200	-9980	27.2
1/22/2010	1300	-9980	27.4
1/22/2010	1400	-9980	27.5
1/22/2010	1500	-9980	27.3
1/22/2010	1600	-9980	27.3
1/22/2010	1700	-9980	27.4
1/22/2010	1800	-9980	27.5
1/22/2010	1900	-9980	27.5
1/22/2010	2000	-9980	27.3
1/22/2010	2100	-9980	27.4
1/22/2010	2200	-9980	27.5
1/22/2010	2300	-9980	27.5
1/23/2010	0	-9980	27.3
1/23/2010	100	-9980	27.4
1/23/2010	200	-9980	27.4
1/23/2010	300	-9980	27.3
1/23/2010	400	-9980	27.1
1/23/2010	500	-9980	27
1/23/2010	600	-9980	27.1
1/23/2010	700	-9980	27
1/23/2010	800	-9980	26.8
1/23/2010	900	-9980	26.7
1/23/2010	1000	-9980	26.8
1/23/2010	1100	-9980	26.8
1/23/2010	1200	-9980	26.6
1/23/2010	1300	-9980	26.6
1/23/2010	1400	-9980	26.7
1/23/2010	1500	-9980	26.6
1/23/2010	1600	-9980	26.5
1/23/2010	1700	-9980	26.5
1/23/2010	1800	-9980	26.6
1/23/2010	1900	-9980	26.5
1/23/2010	2000	-9980	26.5
1/23/2010	2100	-9980	26.7
1/23/2010	2200	-9980	26.7
1/23/2010	2300	-9980	26.6
1/24/2010	0	-9980	26.7
1/24/2010	100	-9980	26.8
1/24/2010	200	-9980	26.8
1/24/2010	300	-9980	26.6
1/24/2010	400	-9980	26.5
1/24/2010	500	-9980	26.7
1/24/2010	600	-9980	26.5
1/24/2010	700	-9980	26.4
1/24/2010	800	-9980	26.6
1/24/2010	900	-9980	26.5

1/24/2010	1000	-9980	26.4
1/24/2010	1100	-9980	26.5
1/24/2010	1200	-9980	26.5
1/24/2010	1300	-9980	26.4
1/24/2010	1400	-9980	26.5
1/24/2010	1500	-9980	26.6
1/24/2010	1600	-9980	26.4
1/24/2010	1700	-9980	26.5
1/24/2010	1800	-9980	26.6
1/24/2010	1900	-9980	26.5
1/24/2010	2000	-9980	26.3
1/24/2010	2100	-9980	26.4
1/24/2010	2200	-9980	26.3
1/24/2010	2300	-9980	26.2
1/25/2010	0	-9980	26.2
1/25/2010	100	-9980	26.2
1/25/2010	200	-9980	26.1
1/25/2010	300	-9980	25.9
1/25/2010	400	-9980	26
1/25/2010	500	-9980	25.8
1/25/2010	600	-9980	25.6
1/25/2010	700	-9980	25.7
1/25/2010	800	-9980	25.6
1/25/2010	900	-9980	25.7
1/25/2010	1000	-9980	26
1/25/2010	1100	-9980	26.3
1/25/2010	1200	-9980	26.4
1/25/2010	1300	-9980	26.6
1/25/2010	1400	-9980	26.9
1/25/2010	1500	-9980	26.9
1/25/2010	1600	-9980	26.7
1/25/2010	1700	-9980	26.9
1/25/2010	1800	-9980	27
1/25/2010	1900	-9980	26.9
1/25/2010	2000	-9980	26.9
1/25/2010	2100	-9980	27.2
1/25/2010	2200	-9980	27.2
1/25/2010	2300	-9980	27.4
1/26/2010	0	-9980	27.6
1/26/2010	100	-9980	27.4
1/26/2010	200	-9980	27.3
1/26/2010	300	-9980	27.2
1/26/2010	400	-9980	26.8
1/26/2010	500	-9980	26.7
1/26/2010	600	-9980	26.6
1/26/2010	700	-9980	26.5
1/26/2010	800	-9980	26.6
1/26/2010	900	-9980	26.6
1/26/2010	1000	-9980	26.6
1/26/2010	1100	-9980	26.9
1/26/2010	1200	-9980	27
1/26/2010	1300	-9980	27

1/26/2010	1400	-9980	27
1/26/2010	1500	-9980	27.2
1/26/2010	1600	-9980	27.2
1/26/2010	1700	-9980	27.2
1/26/2010	1800	-9980	27.3
1/26/2010	1900	-9980	27.3
1/26/2010	2000	-9980	27.2
1/26/2010	2100	-9980	27.3
1/26/2010	2200	-9980	27.3
1/26/2010	2300	-9980	27.1
1/27/2010	0	-9980	27.2
1/27/2010	100	-9980	27.2
1/27/2010	200	-9980	26.9
1/27/2010	300	-9980	26.9
1/27/2010	400	-9980	27
1/27/2010	500	-9980	26.7
1/27/2010	600	-9980	26.7
1/27/2010	700	-9980	26.9
1/27/2010	800	-9980	26.7
1/27/2010	900	-9980	26.7
1/27/2010	1000	-9980	26.9
1/27/2010	1100	-9980	27.1
1/27/2010	1200	-9980	27
1/27/2010	1300	-9980	27.2
1/27/2010	1400	-9980	27.4
1/27/2010	1500	-9980	27.5
1/27/2010	1600	-9980	27.6
1/27/2010	1700	-9980	27.7
1/27/2010	1800	-9980	27.6
1/27/2010	1900	-9980	27.4
1/27/2010	2000	-9980	27.3
1/27/2010	2100	-9980	27.5
1/27/2010	2200	-9980	27.5
1/27/2010	2300	-9980	27.3
1/28/2010	0	-9980	27.4
1/28/2010	100	-9980	27.5
1/28/2010	200	-9980	27.3
1/28/2010	300	-9980	27.2
1/28/2010	400	-9980	27.3
1/28/2010	500	-9980	27.1
1/28/2010	600	-9980	27
1/28/2010	700	-9980	27.2
1/28/2010	800	-9980	27.3
1/28/2010	900	-9980	27.4
1/28/2010	1000	-9980	27.3
1/28/2010	1100	-9980	27.3
1/28/2010	1200	-9980	27.5
1/28/2010	1300	-9980	27.6
1/28/2010	1400	-9980	27.4
1/28/2010	1500	-9980	27.3
1/28/2010	1600	-9980	27.4
1/28/2010	1700	-9980	27.4

1/28/2010	1800	-9980	27.3
1/28/2010	1900	-9980	27.2
1/28/2010	2000	-9980	27.4
1/28/2010	2100	-9980	27.5
1/28/2010	2200	-9980	27.6
1/28/2010	2300	-9980	27.4
1/29/2010	0	-9980	27.3
1/29/2010	100	-9980	27.3
1/29/2010	200	-9980	27.3
1/29/2010	300	-9980	27
1/29/2010	400	-9980	27
1/29/2010	500	-9980	27
1/29/2010	600	-9980	26.3
1/29/2010	700	-9980	26.2
1/29/2010	800	-9980	26.3
1/29/2010	900	-9980	26.6
1/29/2010	1000	-9980	26.3
1/29/2010	1100	-9980	26.5
1/29/2010	1200	-9980	26.8
1/29/2010	1300	-9980	27
1/29/2010	1400	-9980	26.7
1/29/2010	1500	-9980	26.5
1/29/2010	1600	-9980	26.7
1/29/2010	1700	-9980	26.9
1/29/2010	1800	-9980	27
1/29/2010	1900	-9980	26.9
1/29/2010	2000	-9980	26.9
1/29/2010	2100	-9980	27.1
1/29/2010	2200	-9980	27.2
1/29/2010	2300	-9980	27.1
1/30/2010	0	-9980	26.9
1/30/2010	100	-9980	27.1
1/30/2010	200	-9980	27.1
1/30/2010	300	-9980	26.8
1/30/2010	400	-9980	26.8
1/30/2010	500	-9980	26.8
1/30/2010	600	-9980	26.6
1/30/2010	700	-9980	26.7
1/30/2010	800	-9980	26.6
1/30/2010	900	-9980	26.5
1/30/2010	1000	-9980	26.6
1/30/2010	1100	-9980	26.5
1/30/2010	1200	-9980	26.4
1/30/2010	1300	-9980	26.5
1/30/2010	1400	-9980	26.4
1/30/2010	1500	-9980	26.4
1/30/2010	1600	-9980	26.5
1/30/2010	1700	-9980	26.3
1/30/2010	1800	-9980	26.3
1/30/2010	1900	-9980	26.4
1/30/2010	2000	-9980	26.3
1/30/2010	2100	-9980	26.2

1/30/2010	2200	-9980	26.4
1/30/2010	2300	-9980	26.2
1/31/2010	0	-9980	26.2
1/31/2010	100	-9980	26.3
1/31/2010	200	-9980	26.3
1/31/2010	300	-9980	26.1
1/31/2010	400	-9980	26.2
1/31/2010	500	-9980	26.2
1/31/2010	600	-9980	26
1/31/2010	700	-9980	25.9
1/31/2010	800	-9980	26
1/31/2010	900	-9980	25.9
1/31/2010	1000	-9980	25.8
1/31/2010	1100	-9980	25.9
1/31/2010	1200	-9980	25.9
1/31/2010	1300	-9980	25.7
1/31/2010	1400	-9980	25.9
1/31/2010	1500	-9980	25.9
1/31/2010	1600	-9980	25.8
1/31/2010	1700	-9980	25.8
1/31/2010	1800	-9980	26
1/31/2010	1900	-9980	26
1/31/2010	2000	-9980	25.8
1/31/2010	2100	-9980	25.9
1/31/2010	2200	-9980	26
1/31/2010	2300	-9980	25.9

Data Collection Statistics
Montezuma County - Colorado

Preliminary Validation
02/01/2010 - 02/28/2010

Parameter	Interval	Par Code	Data Recovery			Valid Data	
			No. Possible	No. Collected	% Collected	No. Valid	% Valid
Ozone	hourly	O3	672	659	98.1	237	35.3
Station Temperature	hourly	STP	672	672	100.0	672	100.0

Note: The percent valid is calculated against the number possible.

Automatic zeros and spans are performed daily on most ambient gas analyzers, therefore, no ambient data can be collected during this time. As a result, the maximum percent valid for ambient gas data typically can not be greater than 95.8.

Performance Goals:


Quarterly Criteria:

100% of sites, >= 85% valid data capture
90% of sites, >= 90% valid data capture
80% of sites, >= 95% valid data capture

Monthly Criteria:


100% of sites, >= 60% valid data capture
90% of sites, >= 75% valid data capture
80% of sites, >= 85% valid data capture

Montezuma County, Colorado




February 2010

Montezuma County, Colorado




February 2010

Montezuma County, Colorado



February 2010

Montezuma County, Colorado



Ozone
 Summary of the Highest Daily Maximum 8-Hour Averages
 Montezuma County - Colorado

Preliminary Validation
 02/01/2010 - 02/28/2010

Date	Start and End Time of Daily Maximum 8-Hour Average	Daily Maximum 8-Hour Average (ppb)
02/28/2010	10 - 17	47
02/22/2010	13 - 20	46
02/27/2010	11 - 18	46
02/23/2010	10 - 17	45
02/25/2010	10 - 17	44
02/20/2010	09 - 16	41
02/21/2010	08 - 15	41
02/26/2010	09 - 16	41
02/24/2010	11 - 18	38
02/19/2010	23 - 06	36
0	Days this period with 8-hour averages > .075 ppm (75 ppb)	