

Montezuma County - Colorado Cortez County Health Building

Site Abbreviation: MOCO

Time Period: 05/01/16 - 05/31/16

Preliminary Validation

Site Number: 446

AIRS Site Number: 08-083-0006

DATE	TIME	O3-4	STP-1
DATE	TIME	hourly	hourly
DATE	TIME	ppb	degC
5/1/2016	0	16	24.11
5/1/2016	100	14	24.03
5/1/2016	200	14	23.92
5/1/2016	300	29	23.83
5/1/2016	400	28	23.77
5/1/2016	500	32	23.68
5/1/2016	600	30	23.62
5/1/2016	700	31	23.55
5/1/2016	800	34	23.6
5/1/2016	900	39	23.67
5/1/2016	1000	41	23.73
5/1/2016	1100	39	23.76
5/1/2016	1200	42	23.78
5/1/2016	1300	45	23.79
5/1/2016	1400	46	23.83
5/1/2016	1500	47	23.88
5/1/2016	1600	47	23.95
5/1/2016	1700	47	24.01
5/1/2016	1800	47	24.01
5/1/2016	1900	47	24.05
5/1/2016	2000	44	24.09
5/1/2016	2100	37	24.11
5/1/2016	2200	38	24.07
5/1/2016	2300	36	24.02
5/2/2016	0	39	24.01
5/2/2016	100	38	24
5/2/2016	200	37	23.92
5/2/2016	300	34	23.81
5/2/2016	400	24	23.65
5/2/2016	500	12	23.53
5/2/2016	600	23	23.38
5/2/2016	700	32	23.38
5/2/2016	800	38	23.45
5/2/2016	900	42	23.55
5/2/2016	1000	43	23.64
5/2/2016	1100	45	23.67
5/2/2016	1200	47	23.7

5/2/2016	1300	48	23.87
5/2/2016	1400	-9999	23.85
5/2/2016	1500	-9999	23.91
5/2/2016	1600	49	23.98
5/2/2016	1700	48	23.84
5/2/2016	1800	43	23.07
5/2/2016	1900	40	23.04
5/2/2016	2000	36	23.69
5/2/2016	2100	34	23.83
5/2/2016	2200	29	23.87
5/2/2016	2300	26	23.83
5/3/2016	0	23	23.75
5/3/2016	100	22	23.68
5/3/2016	200	17	23.59
5/3/2016	300	16	23.46
5/3/2016	400	16	23.3
5/3/2016	500	12	23.16
5/3/2016	600	12	23.05
5/3/2016	700	28	22.87
5/3/2016	800	37	22.81
5/3/2016	900	40	22.82
5/3/2016	1000	43	22.86
5/3/2016	1100	41	22.93
5/3/2016	1200	41	23.03
5/3/2016	1300	43	23.14
5/3/2016	1400	44	23.32
5/3/2016	1500	46	23.54
5/3/2016	1600	47	23.81
5/3/2016	1700	47	24.03
5/3/2016	1800	45	23.86
5/3/2016	1900	40	24.05
5/3/2016	2000	34	24.27
5/3/2016	2100	25	24.3
5/3/2016	2200	23	24.25
5/3/2016	2300	16	24.21
5/4/2016	0	17	24.13
5/4/2016	100	20	24.07
5/4/2016	200	21	23.96
5/4/2016	300	22	23.83
5/4/2016	400	22	23.7
5/4/2016	500	16	23.52
5/4/2016	600	17	23.38
5/4/2016	700	25	23.31
5/4/2016	800	40	23.32
5/4/2016	900	47	23.37
5/4/2016	1000	54	23.42
5/4/2016	1100	58	23.54

5/4/2016	1200	59	23.65
5/4/2016	1300	60	23.73
5/4/2016	1400	64	23.84
5/4/2016	1500	65	23.96
5/4/2016	1600	62	23.85
5/4/2016	1700	58	23.86
5/4/2016	1800	54	24.43
5/4/2016	1900	47	24.68
5/4/2016	2000	40	24.71
5/4/2016	2100	38	24.74
5/4/2016	2200	35	24.68
5/4/2016	2300	35	24.6
5/5/2016	0	36	24.5
5/5/2016	100	43	24.46
5/5/2016	200	38	24.36
5/5/2016	300	39	24.24
5/5/2016	400	48	24.08
5/5/2016	500	47	23.97
5/5/2016	600	34	23.86
5/5/2016	700	42	23.76
5/5/2016	800	55	23.78
5/5/2016	900	56	23.87
5/5/2016	1000	56	23.93
5/5/2016	1100	58	24.01
5/5/2016	1200	59	24.13
5/5/2016	1300	63	24.29
5/5/2016	1400	63	24.45
5/5/2016	1500	64	24.67
5/5/2016	1600	64	25.02
5/5/2016	1700	61	24.84
5/5/2016	1800	58	24.98
5/5/2016	1900	57	24.93
5/5/2016	2000	58	24.92
5/5/2016	2100	59	25
5/5/2016	2200	58	25.04
5/5/2016	2300	57	25.03
5/6/2016	0	55	25.03
5/6/2016	100	54	25.05
5/6/2016	200	52	24.99
5/6/2016	300	48	24.92
5/6/2016	400	47	24.82
5/6/2016	500	45	24.74
5/6/2016	600	40	24.63
5/6/2016	700	45	24.53
5/6/2016	800	50	24.41
5/6/2016	900	52	24.42
5/6/2016	1000	-9999	24.5

5/6/2016	1100	-9999	24.61
5/6/2016	1200	61	24.68
5/6/2016	1300	59	24.68
5/6/2016	1400	54	24.78
5/6/2016	1500	47	24.88
5/6/2016	1600	47	24.96
5/6/2016	1700	48	24.99
5/6/2016	1800	46	24.99
5/6/2016	1900	40	24.93
5/6/2016	2000	39	24.91
5/6/2016	2100	39	24.88
5/6/2016	2200	41	24.8
5/6/2016	2300	55	24.76
5/7/2016	0	55	24.64
5/7/2016	100	54	24.59
5/7/2016	200	53	24.5
5/7/2016	300	53	24.38
5/7/2016	400	52	24.24
5/7/2016	500	57	24.1
5/7/2016	600	53	24.01
5/7/2016	700	52	23.96
5/7/2016	800	51	23.83
5/7/2016	900	56	23.73
5/7/2016	1000	57	23.66
5/7/2016	1100	57	23.62
5/7/2016	1200	54	23.68
5/7/2016	1300	51	23.69
5/7/2016	1400	50	23.7
5/7/2016	1500	50	23.74
5/7/2016	1600	50	23.84
5/7/2016	1700	50	23.88
5/7/2016	1800	48	23.87
5/7/2016	1900	44	23.85
5/7/2016	2000	29	23.85
5/7/2016	2100	24	23.83
5/7/2016	2200	17	23.72
5/7/2016	2300	18	23.68
5/8/2016	0	20	23.56
5/8/2016	100	20	23.48
5/8/2016	200	18	23.39
5/8/2016	300	16	23.27
5/8/2016	400	20	23.13
5/8/2016	500	19	23.03
5/8/2016	600	20	22.91
5/8/2016	700	29	22.83
5/8/2016	800	44	22.79
5/8/2016	900	49	22.8

5/8/2016	1000	48	22.8
5/8/2016	1100	48	22.83
5/8/2016	1200	51	22.88
5/8/2016	1300	51	22.94
5/8/2016	1400	53	23.02
5/8/2016	1500	54	22.81
5/8/2016	1600	54	22.01
5/8/2016	1700	54	22.04
5/8/2016	1800	52	22.64
5/8/2016	1900	46	22.83
5/8/2016	2000	46	22.93
5/8/2016	2100	50	23.01
5/8/2016	2200	48	23.03
5/8/2016	2300	48	23.07
5/9/2016	0	43	23.07
5/9/2016	100	42	23.09
5/9/2016	200	39	23.1
5/9/2016	300	39	23.07
5/9/2016	400	35	22.98
5/9/2016	500	37	22.94
5/9/2016	600	38	22.91
5/9/2016	700	38	22.87
5/9/2016	800	38	22.87
5/9/2016	900	38	22.87
5/9/2016	1000	38	22.88
5/9/2016	1100	40	22.9
5/9/2016	1200	42	22.95
5/9/2016	1300	42	23.08
5/9/2016	1400	44	23.24
5/9/2016	1500	45	23.43
5/9/2016	1600	46	23.62
5/9/2016	1700	45	23.32
5/9/2016	1800	47	23.06
5/9/2016	1900	40	23.25
5/9/2016	2000	28	23.8
5/9/2016	2100	23	23.95
5/9/2016	2200	21	24
5/9/2016	2300	19	24.03
5/10/2016	0	23	23.96
5/10/2016	100	22	23.97
5/10/2016	200	25	23.89
5/10/2016	300	22	23.79
5/10/2016	400	20	23.7
5/10/2016	500	18	23.6
5/10/2016	600	20	23.54
5/10/2016	700	33	23.49
5/10/2016	800	43	23.49

5/10/2016	900	49	23.52
5/10/2016	1000	50	23.55
5/10/2016	1100	49	23.59
5/10/2016	1200	51	23.65
5/10/2016	1300	50	23.73
5/10/2016	1400	49	23.87
5/10/2016	1500	45	23.98
5/10/2016	1600	46	23.81
5/10/2016	1700	45	24.09
5/10/2016	1800	42	24.34
5/10/2016	1900	42	24.35
5/10/2016	2000	45	24.35
5/10/2016	2100	45	24.25
5/10/2016	2200	44	24.16
5/10/2016	2300	38	24.05
5/11/2016	0	33	23.91
5/11/2016	100	26	23.77
5/11/2016	200	19	23.6
5/11/2016	300	17	23.44
5/11/2016	400	16	23.29
5/11/2016	500	11	23.08
5/11/2016	600	16	22.93
5/11/2016	700	17	22.88
5/11/2016	800	33	22.81
5/11/2016	900	41	22.77
5/11/2016	1000	53	22.84
5/11/2016	1100	53	22.97
5/11/2016	1200	52	23.12
5/11/2016	1300	52	23.27
5/11/2016	1400	55	23.42
5/11/2016	1500	56	23.63
5/11/2016	1600	54	23.77
5/11/2016	1700	52	23.63
5/11/2016	1800	48	24.06
5/11/2016	1900	42	24.22
5/11/2016	2000	31	24.26
5/11/2016	2100	31	24.21
5/11/2016	2200	30	24.11
5/11/2016	2300	28	23.98
5/12/2016	0	24	23.82
5/12/2016	100	21	23.67
5/12/2016	200	26	23.5
5/12/2016	300	26	23.32
5/12/2016	400	24	23.12
5/12/2016	500	15	22.96
5/12/2016	600	20	22.83
5/12/2016	700	-9999	22.49

5/12/2016	800	-9999	22.94
5/12/2016	900	49	22.92
5/12/2016	1000	55	22.88
5/12/2016	1100	58	22.88
5/12/2016	1200	58	22.91
5/12/2016	1300	59	22.98
5/12/2016	1400	58	23.11
5/12/2016	1500	60	23.35
5/12/2016	1600	60	23.27
5/12/2016	1700	60	23.64
5/12/2016	1800	61	23.91
5/12/2016	1900	51	24.26
5/12/2016	2000	37	24.33
5/12/2016	2100	37	24.31
5/12/2016	2200	29	24.24
5/12/2016	2300	23	24.14
5/13/2016	0	28	23.99
5/13/2016	100	27	23.87
5/13/2016	200	26	23.73
5/13/2016	300	27	23.55
5/13/2016	400	22	23.4
5/13/2016	500	17	23.26
5/13/2016	600	21	23.11
5/13/2016	700	30	22.99
5/13/2016	800	40	22.99
5/13/2016	900	52	23.06
5/13/2016	1000	54	23.2
5/13/2016	1100	53	23.36
5/13/2016	1200	54	23.52
5/13/2016	1300	55	23.83
5/13/2016	1400	56	24.15
5/13/2016	1500	59	24.41
5/13/2016	1600	61	24.73
5/13/2016	1700	59	25.01
5/13/2016	1800	54	25.28
5/13/2016	1900	43	25.47
5/13/2016	2000	41	25.34
5/13/2016	2100	46	25.69
5/13/2016	2200	43	25.78
5/13/2016	2300	24	25.77
5/14/2016	0	22	25.71
5/14/2016	100	28	25.66
5/14/2016	200	27	25.55
5/14/2016	300	27	25.4
5/14/2016	400	29	25.27
5/14/2016	500	28	25.11
5/14/2016	600	28	24.98

5/14/2016	700	34	24.9
5/14/2016	800	45	24.91
5/14/2016	900	55	24.9
5/14/2016	1000	58	24.82
5/14/2016	1100	60	24.83
5/14/2016	1200	63	24.86
5/14/2016	1300	65	24.95
5/14/2016	1400	64	25.06
5/14/2016	1500	61	25.17
5/14/2016	1600	57	25.3
5/14/2016	1700	53	25.41
5/14/2016	1800	51	25.51
5/14/2016	1900	46	25.31
5/14/2016	2000	41	25.22
5/14/2016	2100	43	25.62
5/14/2016	2200	44	25.64
5/14/2016	2300	43	25.67
5/15/2016	0	47	25.62
5/15/2016	100	42	25.6
5/15/2016	200	38	25.54
5/15/2016	300	32	25.42
5/15/2016	400	36	25.34
5/15/2016	500	36	25.19
5/15/2016	600	33	25.06
5/15/2016	700	45	25.03
5/15/2016	800	46	25.02
5/15/2016	900	45	24.96
5/15/2016	1000	47	24.91
5/15/2016	1100	48	24.92
5/15/2016	1200	48	24.95
5/15/2016	1300	48	24.99
5/15/2016	1400	46	25.05
5/15/2016	1500	47	25.07
5/15/2016	1600	52	25.11
5/15/2016	1700	51	25.18
5/15/2016	1800	52	25.18
5/15/2016	1900	47	25.21
5/15/2016	2000	31	25.11
5/15/2016	2100	33	25.06
5/15/2016	2200	43	25.03
5/15/2016	2300	47	24.96
5/16/2016	0	46	24.83
5/16/2016	100	44	24.71
5/16/2016	200	43	24.68
5/16/2016	300	49	24.61
5/16/2016	400	47	24.52
5/16/2016	500	35	24.36

5/16/2016	600	35	24.22
5/16/2016	700	42	24.1
5/16/2016	800	43	24.01
5/16/2016	900	50	23.98
5/16/2016	1000	51	24.01
5/16/2016	1100	53	24.03
5/16/2016	1200	50	24.08
5/16/2016	1300	50	24.2
5/16/2016	1400	59	24.23
5/16/2016	1500	55	24.19
5/16/2016	1600	53	24.25
5/16/2016	1700	52	23.73
5/16/2016	1800	44	23.36
5/16/2016	1900	49	23.65
5/16/2016	2000	49	23.99
5/16/2016	2100	41	23.93
5/16/2016	2200	43	23.89
5/16/2016	2300	41	23.83
5/17/2016	0	39	23.71
5/17/2016	100	28	23.59
5/17/2016	200	20	23.51
5/17/2016	300	20	23.35
5/17/2016	400	13	23.17
5/17/2016	500	14	22.98
5/17/2016	600	18	22.84
5/17/2016	700	31	22.77
5/17/2016	800	42	22.66
5/17/2016	900	49	22.6
5/17/2016	1000	51	22.59
5/17/2016	1100	52	22.62
5/17/2016	1200	53	22.59
5/17/2016	1300	-9999	22.76
5/17/2016	1400	-9999	23.16
5/17/2016	1500	55	23.48
5/17/2016	1600	54	23.59
5/17/2016	1700	53	23.63
5/17/2016	1800	50	23.38
5/17/2016	1900	46	23.73
5/17/2016	2000	47	23.99
5/17/2016	2100	46	24.06
5/17/2016	2200	47	24.01
5/17/2016	2300	48	23.98
5/18/2016	0	48	23.93
5/18/2016	100	45	23.87
5/18/2016	200	42	23.83
5/18/2016	300	42	23.75
5/18/2016	400	37	23.57

5/18/2016	500	33	23.43
5/18/2016	600	27	23.34
5/18/2016	700	27	23.22
5/18/2016	800	31	23.11
5/18/2016	900	35	23.13
5/18/2016	1000	33	23.24
5/18/2016	1100	33	23.34
5/18/2016	1200	35	23.53
5/18/2016	1300	40	23.72
5/18/2016	1400	42	23.92
5/18/2016	1500	35	24.03
5/18/2016	1600	34	23.52
5/18/2016	1700	36	23.22
5/18/2016	1800	37	23.75
5/18/2016	1900	33	23.9
5/18/2016	2000	27	24
5/18/2016	2100	20	24
5/18/2016	2200	15	23.95
5/18/2016	2300	15	23.84
5/19/2016	0	12	23.74
5/19/2016	100	10	23.68
5/19/2016	200	9	23.6
5/19/2016	300	8	23.47
5/19/2016	400	9	23.33
5/19/2016	500	6	23.21
5/19/2016	600	7	23.1
5/19/2016	700	23	22.99
5/19/2016	800	42	23.03
5/19/2016	900	45	23.03
5/19/2016	1000	44	23.01
5/19/2016	1100	46	23.05
5/19/2016	1200	49	23.14
5/19/2016	1300	51	23.25
5/19/2016	1400	54	23.4
5/19/2016	1500	56	23.56
5/19/2016	1600	56	23.53
5/19/2016	1700	55	23.6
5/19/2016	1800	52	23.84
5/19/2016	1900	45	23.83
5/19/2016	2000	38	23.81
5/19/2016	2100	36	23.84
5/19/2016	2200	38	23.83
5/19/2016	2300	37	23.79
5/20/2016	0	40	23.71
5/20/2016	100	37	23.68
5/20/2016	200	30	23.64
5/20/2016	300	33	23.56

5/20/2016	400	28	23.45
5/20/2016	500	24	23.32
5/20/2016	600	28	23.22
5/20/2016	700	46	23.24
5/20/2016	800	48	23.24
5/20/2016	900	54	23.28
5/20/2016	1000	56	23.35
5/20/2016	1100	56	23.47
5/20/2016	1200	56	23.6
5/20/2016	1300	56	23.71
5/20/2016	1400	57	23.85
5/20/2016	1500	58	23.99
5/20/2016	1600	59	24.15
5/20/2016	1700	59	24.29
5/20/2016	1800	56	24.46
5/20/2016	1900	51	24.58
5/20/2016	2000	49	24.64
5/20/2016	2100	48	24.67
5/20/2016	2200	44	24.62
5/20/2016	2300	45	24.5
5/21/2016	0	28	24.38
5/21/2016	100	36	24.3
5/21/2016	200	29	24.17
5/21/2016	300	33	23.98
5/21/2016	400	36	23.83
5/21/2016	500	42	23.72
5/21/2016	600	41	23.66
5/21/2016	700	46	23.6
5/21/2016	800	47	23.58
5/21/2016	900	52	23.59
5/21/2016	1000	54	23.6
5/21/2016	1100	56	23.63
5/21/2016	1200	58	23.7
5/21/2016	1300	60	23.77
5/21/2016	1400	61	23.86
5/21/2016	1500	62	23.96
5/21/2016	1600	63	24.11
5/21/2016	1700	59	24.25
5/21/2016	1800	56	24.15
5/21/2016	1900	54	23.88
5/21/2016	2000	55	23.85
5/21/2016	2100	56	24.41
5/21/2016	2200	52	24.49
5/21/2016	2300	52	24.49
5/22/2016	0	51	24.45
5/22/2016	100	52	24.38
5/22/2016	200	53	24.27

5/22/2016	300	50	24.11
5/22/2016	400	49	23.96
5/22/2016	500	50	23.78
5/22/2016	600	49	23.68
5/22/2016	700	54	23.64
5/22/2016	800	55	23.62
5/22/2016	900	55	23.6
5/22/2016	1000	53	23.59
5/22/2016	1100	50	23.59
5/22/2016	1200	51	23.59
5/22/2016	1300	52	23.69
5/22/2016	1400	53	23.79
5/22/2016	1500	55	23.91
5/22/2016	1600	57	24.02
5/22/2016	1700	56	24.17
5/22/2016	1800	58	24.34
5/22/2016	1900	57	24.41
5/22/2016	2000	48	24.41
5/22/2016	2100	34	24.41
5/22/2016	2200	30	24.36
5/22/2016	2300	23	24.27
5/23/2016	0	25	24.16
5/23/2016	100	25	24.07
5/23/2016	200	25	23.94
5/23/2016	300	25	23.79
5/23/2016	400	27	23.6
5/23/2016	500	18	23.41
5/23/2016	600	27	23.25
5/23/2016	700	36	23.07
5/23/2016	800	53	22.95
5/23/2016	900	56	23.01
5/23/2016	1000	58	23.07
5/23/2016	1100	62	23.13
5/23/2016	1200	64	23.22
5/23/2016	1300	64	23.35
5/23/2016	1400	64	23.48
5/23/2016	1500	62	23.68
5/23/2016	1600	63	23.97
5/23/2016	1700	63	23.77
5/23/2016	1800	62	23.73
5/23/2016	1900	54	24.24
5/23/2016	2000	45	24.45
5/23/2016	2100	38	24.5
5/23/2016	2200	34	24.48
5/23/2016	2300	31	24.43
5/24/2016	0	34	24.33
5/24/2016	100	37	24.26

5/24/2016	200	33	24.17
5/24/2016	300	46	24.03
5/24/2016	400	41	23.87
5/24/2016	500	34	23.69
5/24/2016	600	30	23.52
5/24/2016	700	56	23.38
5/24/2016	800	55	23.36
5/24/2016	900	55	23.36
5/24/2016	1000	54	23.35
5/24/2016	1100	54	23.37
5/24/2016	1200	52	23.44
5/24/2016	1300	55	23.58
5/24/2016	1400	60	23.79
5/24/2016	1500	59	23.97
5/24/2016	1600	62	24.2
5/24/2016	1700	61	24.46
5/24/2016	1800	60	24.64
5/24/2016	1900	58	24.79
5/24/2016	2000	57	24.84
5/24/2016	2100	58	24.8
5/24/2016	2200	59	24.74
5/24/2016	2300	60	24.62
5/25/2016	0	58	24.48
5/25/2016	100	56	24.41
5/25/2016	200	55	24.3
5/25/2016	300	50	24.2
5/25/2016	400	41	23.99
5/25/2016	500	31	23.79
5/25/2016	600	31	23.62
5/25/2016	700	39	23.43
5/25/2016	800	53	23.34
5/25/2016	900	58	23.32
5/25/2016	1000	56	23.4
5/25/2016	1100	62	23.49
5/25/2016	1200	66	23.49
5/25/2016	1300	67	23.48
5/25/2016	1400	67	23.66
5/25/2016	1500	66	23.91
5/25/2016	1600	65	24.01
5/25/2016	1700	64	24.32
5/25/2016	1800	60	24.64
5/25/2016	1900	57	24.84
5/25/2016	2000	51	24.85
5/25/2016	2100	45	24.99
5/25/2016	2200	42	25.02
5/25/2016	2300	37	24.95
5/26/2016	0	30	24.9

5/26/2016	100	40	24.87
5/26/2016	200	42	24.76
5/26/2016	300	44	24.61
5/26/2016	400	37	24.43
5/26/2016	500	35	24.29
5/26/2016	600	60	24.13
5/26/2016	700	61	23.93
5/26/2016	800	-9999	23.81
5/26/2016	900	61	23.75
5/26/2016	1000	63	23.74
5/26/2016	1100	63	23.78
5/26/2016	1200	67	23.86
5/26/2016	1300	64	23.95
5/26/2016	1400	65	24.04
5/26/2016	1500	64	24.19
5/26/2016	1600	63	23.5
5/26/2016	1700	61	23.15
5/26/2016	1800	61	23.61
5/26/2016	1900	52	23.96
5/26/2016	2000	51	24.08
5/26/2016	2100	50	24.12
5/26/2016	2200	47	24.16
5/26/2016	2300	41	24.12
5/27/2016	0	40	24.07
5/27/2016	100	36	24.02
5/27/2016	200	29	23.99
5/27/2016	300	29	23.9
5/27/2016	400	22	23.77
5/27/2016	500	15	23.66
5/27/2016	600	24	23.55
5/27/2016	700	40	23.4
5/27/2016	800	51	23.34
5/27/2016	900	54	23.31
5/27/2016	1000	55	23.36
5/27/2016	1100	54	23.46
5/27/2016	1200	55	23.63
5/27/2016	1300	57	23.77
5/27/2016	1400	58	23.92
5/27/2016	1500	56	24.11
5/27/2016	1600	58	24.24
5/27/2016	1700	58	24.37
5/27/2016	1800	53	24.48
5/27/2016	1900	49	24.51
5/27/2016	2000	46	24.58
5/27/2016	2100	43	24.6
5/27/2016	2200	37	24.56
5/27/2016	2300	37	24.53

5/28/2016	0	34	24.43
5/28/2016	100	29	24.34
5/28/2016	200	24	24.23
5/28/2016	300	25	24.08
5/28/2016	400	22	23.92
5/28/2016	500	23	23.76
5/28/2016	600	26	23.66
5/28/2016	700	38	23.54
5/28/2016	800	50	23.43
5/28/2016	900	54	23.36
5/28/2016	1000	54	23.32
5/28/2016	1100	55	23.29
5/28/2016	1200	54	23.35
5/28/2016	1300	53	23.44
5/28/2016	1400	54	23.56
5/28/2016	1500	55	23.7
5/28/2016	1600	54	23.83
5/28/2016	1700	54	24.01
5/28/2016	1800	52	24.16
5/28/2016	1900	44	24.28
5/28/2016	2000	40	24.41
5/28/2016	2100	42	24.49
5/28/2016	2200	42	24.5
5/28/2016	2300	38	24.49
5/29/2016	0	32	24.43
5/29/2016	100	30	24.34
5/29/2016	200	32	24.28
5/29/2016	300	30	24.19
5/29/2016	400	23	24.07
5/29/2016	500	29	23.94
5/29/2016	600	31	23.81
5/29/2016	700	39	23.69
5/29/2016	800	50	23.59
5/29/2016	900	56	23.55
5/29/2016	1000	59	23.57
5/29/2016	1100	60	23.58
5/29/2016	1200	63	23.62
5/29/2016	1300	67	23.69
5/29/2016	1400	70	23.83
5/29/2016	1500	70	23.97
5/29/2016	1600	67	24.13
5/29/2016	1700	66	24.31
5/29/2016	1800	60	24.43
5/29/2016	1900	53	24.63
5/29/2016	2000	49	24.75
5/29/2016	2100	47	24.8
5/29/2016	2200	47	24.82

5/29/2016	2300	39	24.77
5/30/2016	0	37	24.69
5/30/2016	100	37	24.65
5/30/2016	200	41	24.55
5/30/2016	300	34	24.42
5/30/2016	400	34	24.28
5/30/2016	500	32	24.14
5/30/2016	600	34	23.99
5/30/2016	700	37	23.82
5/30/2016	800	50	23.75
5/30/2016	900	56	23.76
5/30/2016	1000	55	23.78
5/30/2016	1100	57	23.83
5/30/2016	1200	56	23.58
5/30/2016	1300	56	23.97
5/30/2016	1400	55	24.25
5/30/2016	1500	53	24.41
5/30/2016	1600	53	24.57
5/30/2016	1700	55	24.69
5/30/2016	1800	51	24.82
5/30/2016	1900	49	24.94
5/30/2016	2000	46	25.03
5/30/2016	2100	45	25.09
5/30/2016	2200	44	25.06
5/30/2016	2300	39	25.02
5/31/2016	0	33	24.92
5/31/2016	100	32	24.84
5/31/2016	200	34	24.75
5/31/2016	300	33	24.6
5/31/2016	400	28	24.42
5/31/2016	500	26	24.22
5/31/2016	600	27	24.08
5/31/2016	700	35	23.93
5/31/2016	800	44	23.77
5/31/2016	900	50	23.68
5/31/2016	1000	55	23.63
5/31/2016	1100	54	23.66
5/31/2016	1200	54	23.73
5/31/2016	1300	54	23.84
5/31/2016	1400	53	24.03
5/31/2016	1500	51	24.31
5/31/2016	1600	51	24.45
5/31/2016	1700	52	24.74
5/31/2016	1800	50	25.11
5/31/2016	1900	44	25.35
5/31/2016	2000	35	25.49
5/31/2016	2100	28	25.53

5/31/2016	2200	29	25.47
5/31/2016	2300	30	25.36