

Montezuma County - Colorado Cortez County Health Building

Site Abbreviation: MOCO

Time Period: 11/01/16 - 11/30/16

Preliminary Validation

Site Number: 446

AIRS Site Number: 08-083-0006

DATE	TIME	O3-4	STP-1
DATE	TIME	hourly	hourly
DATE	TIME	ppb	degC
11/1/2016	0	20	23.75
11/1/2016	100	21	23.78
11/1/2016	200	20	23.71
11/1/2016	300	11	23.61
11/1/2016	400	9	23.53
11/1/2016	500	8	23.48
11/1/2016	600	6	23.48
11/1/2016	700	3	23.42
11/1/2016	800	11	23.31
11/1/2016	900	28	23.34
11/1/2016	1000	30	23.38
11/1/2016	1100	28	23.39
11/1/2016	1200	33	23.4
11/1/2016	1300	39	23.42
11/1/2016	1400	38	23.54
11/1/2016	1500	36	23.65
11/1/2016	1600	35	23.74
11/1/2016	1700	24	23.57
11/1/2016	1800	17	23.45
11/1/2016	1900	18	23.63
11/1/2016	2000	11	23.57
11/1/2016	2100	14	23.52
11/1/2016	2200	17	23.46
11/1/2016	2300	19	23.44
11/2/2016	0	24	23.43
11/2/2016	100	22	23.41
11/2/2016	200	27	23.41
11/2/2016	300	33	23.41
11/2/2016	400	25	23.39
11/2/2016	500	13	23.4
11/2/2016	600	12	23.33
11/2/2016	700	10	23.29
11/2/2016	800	16	23.14
11/2/2016	900	29	23.08
11/2/2016	1000	33	23.05
11/2/2016	1100	41	23.06
11/2/2016	1200	40	23.13

11/2/2016	1300	43	23.25
11/2/2016	1400	42	23.4
11/2/2016	1500	41	23.56
11/2/2016	1600	40	23.56
11/2/2016	1700	36	23.41
11/2/2016	1800	30	23.66
11/2/2016	1900	23	23.71
11/2/2016	2000	28	23.69
11/2/2016	2100	28	23.59
11/2/2016	2200	30	23.5
11/2/2016	2300	27	23.44
11/3/2016	0	27	23.37
11/3/2016	100	26	23.39
11/3/2016	200	25	23.32
11/3/2016	300	20	23.26
11/3/2016	400	20	23.19
11/3/2016	500	12	23.19
11/3/2016	600	8	23.16
11/3/2016	700	11	23.06
11/3/2016	800	14	23.07
11/3/2016	900	25	23
11/3/2016	1000	33	23
11/3/2016	1100	36	23.09
11/3/2016	1200	37	23.18
11/3/2016	1300	39	23.28
11/3/2016	1400	39	23.38
11/3/2016	1500	39	23.52
11/3/2016	1600	36	23.91
11/3/2016	1700	29	24.15
11/3/2016	1800	30	24.05
11/3/2016	1900	29	23.91
11/3/2016	2000	29	23.92
11/3/2016	2100	25	23.89
11/3/2016	2200	23	23.74
11/3/2016	2300	21	23.67
11/4/2016	0	20	23.56
11/4/2016	100	22	23.5
11/4/2016	200	25	23.46
11/4/2016	300	20	23.38
11/4/2016	400	17	23.33
11/4/2016	500	23	23.29
11/4/2016	600	10	23.25
11/4/2016	700	12	23.23
11/4/2016	800	19	23.2
11/4/2016	900	18	23.26
11/4/2016	1000	17	23.31
11/4/2016	1100	21	23.43

11/4/2016	1200	22	23.57
11/4/2016	1300	29	23.62
11/4/2016	1400	30	23.61
11/4/2016	1500	30	23.56
11/4/2016	1600	27	23.56
11/4/2016	1700	24	23.72
11/4/2016	1800	28	23.85
11/4/2016	1900	18	23.67
11/4/2016	2000	17	23.56
11/4/2016	2100	17	23.41
11/4/2016	2200	14	23.31
11/4/2016	2300	14	23.2
11/5/2016	0	18	23.12
11/5/2016	100	30	23.1
11/5/2016	200	30	23.08
11/5/2016	300	30	23.04
11/5/2016	400	31	22.96
11/5/2016	500	24	22.91
11/5/2016	600	18	22.88
11/5/2016	700	15	22.91
11/5/2016	800	13	22.91
11/5/2016	900	15	22.9
11/5/2016	1000	27	22.92
11/5/2016	1100	30	22.95
11/5/2016	1200	35	23
11/5/2016	1300	33	23.05
11/5/2016	1400	33	23.19
11/5/2016	1500	34	23.23
11/5/2016	1600	32	23.18
11/5/2016	1700	29	23.1
11/5/2016	1800	25	23.09
11/5/2016	1900	20	23.05
11/5/2016	2000	18	23.02
11/5/2016	2100	18	22.97
11/5/2016	2200	12	22.93
11/5/2016	2300	8	22.87
11/6/2016	0	4	22.79
11/6/2016	100	1	22.71
11/6/2016	200	2	22.61
11/6/2016	300	4	22.51
11/6/2016	400	2	22.42
11/6/2016	500	5	22.34
11/6/2016	600	3	22.25
11/6/2016	700	1	21.95
11/6/2016	800	7	21.09
11/6/2016	900	18	20.79
11/6/2016	1000	32	21.32

11/6/2016	1100	34	21.54
11/6/2016	1200	33	21.7
11/6/2016	1300	34	21.85
11/6/2016	1400	34	22.01
11/6/2016	1500	35	22.15
11/6/2016	1600	34	22.29
11/6/2016	1700	31	22.41
11/6/2016	1800	22	22.45
11/6/2016	1900	18	22.51
11/6/2016	2000	9	22.49
11/6/2016	2100	9	22.47
11/6/2016	2200	14	22.42
11/6/2016	2300	8	22.35
11/7/2016	0	13	22.27
11/7/2016	100	7	22.22
11/7/2016	200	9	22.14
11/7/2016	300	10	22.04
11/7/2016	400	7	21.91
11/7/2016	500	6	21.78
11/7/2016	600	4	21
11/7/2016	700	4	21.39
11/7/2016	800	9	21.42
11/7/2016	900	19	21.43
11/7/2016	1000	28	21.45
11/7/2016	1100	31	21.5
11/7/2016	1200	36	21.58
11/7/2016	1300	32	21.73
11/7/2016	1400	30	21.94
11/7/2016	1500	31	22.2
11/7/2016	1600	29	22.39
11/7/2016	1700	25	22.57
11/7/2016	1800	20	22.5
11/7/2016	1900	11	21.78
11/7/2016	2000	10	21.95
11/7/2016	2100	12	22.23
11/7/2016	2200	9	22.28
11/7/2016	2300	11	22.23
11/8/2016	0	13	22.14
11/8/2016	100	13	22.09
11/8/2016	200	17	22.01
11/8/2016	300	16	21.89
11/8/2016	400	12	21.8
11/8/2016	500	15	21.68
11/8/2016	600	11	21.62
11/8/2016	700	7	21.62
11/8/2016	800	13	21.51
11/8/2016	900	23	21.45

11/8/2016	1000	34	21.51
11/8/2016	1100	40	21.74
11/8/2016	1200	42	22
11/8/2016	1300	43	22.14
11/8/2016	1400	42	22.26
11/8/2016	1500	39	22.45
11/8/2016	1600	30	22.6
11/8/2016	1700	32	22.77
11/8/2016	1800	25	22.62
11/8/2016	1900	17	22.62
11/8/2016	2000	15	22.78
11/8/2016	2100	13	22.73
11/8/2016	2200	12	22.62
11/8/2016	2300	13	22.49
11/9/2016	0	14	22.35
11/9/2016	100	14	22.2
11/9/2016	200	14	22.08
11/9/2016	300	12	21.91
11/9/2016	400	15	21.78
11/9/2016	500	12	21.61
11/9/2016	600	8	21.48
11/9/2016	700	6	21.35
11/9/2016	800	12	21.27
11/9/2016	900	20	21.22
11/9/2016	1000	35	21.22
11/9/2016	1100	38	21.38
11/9/2016	1200	36	21.6
11/9/2016	1300	36	21.89
11/9/2016	1400	37	22.09
11/9/2016	1500	34	22.27
11/9/2016	1600	30	22.4
11/9/2016	1700	20	22.53
11/9/2016	1800	16	22.27
11/9/2016	1900	7	22.04
11/9/2016	2000	6	22.33
11/9/2016	2100	9	22.37
11/9/2016	2200	10	22.41
11/9/2016	2300	12	22.36
11/10/2016	0	14	22.23
11/10/2016	100	17	22.17
11/10/2016	200	17	22.08
11/10/2016	300	16	21.96
11/10/2016	400	15	21.84
11/10/2016	500	14	21.76
11/10/2016	600	10	21.71
11/10/2016	700	8	21.69
11/10/2016	800	15	21.6

11/10/2016	900	26	21.57
11/10/2016	1000	33	21.58
11/10/2016	1100	33	21.68
11/10/2016	1200	30	21.79
11/10/2016	1300	30	21.96
11/10/2016	1400	30	22.1
11/10/2016	1500	29	22.26
11/10/2016	1600	24	22.36
11/10/2016	1700	15	22.06
11/10/2016	1800	4	21.94
11/10/2016	1900	2	22.21
11/10/2016	2000	5	22.26
11/10/2016	2100	4	22.26
11/10/2016	2200	6	22.23
11/10/2016	2300	8	22.2
11/11/2016	0	10	22.08
11/11/2016	100	11	22.03
11/11/2016	200	11	21.95
11/11/2016	300	12	21.86
11/11/2016	400	11	21.78
11/11/2016	500	8	21.66
11/11/2016	600	7	21.57
11/11/2016	700	9	21.54
11/11/2016	800	11	21.55
11/11/2016	900	22	21.58
11/11/2016	1000	35	21.59
11/11/2016	1100	36	21.63
11/11/2016	1200	37	21.69
11/11/2016	1300	38	21.77
11/11/2016	1400	40	21.88
11/11/2016	1500	40	22.01
11/11/2016	1600	35	22.1
11/11/2016	1700	22	22.18
11/11/2016	1800	20	22.21
11/11/2016	1900	15	22.2
11/11/2016	2000	16	22.2
11/11/2016	2100	11	22.14
11/11/2016	2200	13	22.05
11/11/2016	2300	15	21.94
11/12/2016	0	18	21.81
11/12/2016	100	20	21.73
11/12/2016	200	17	21.66
11/12/2016	300	18	21.6
11/12/2016	400	19	21.56
11/12/2016	500	18	21.47
11/12/2016	600	16	21.43
11/12/2016	700	12	21.41

11/12/2016	800	14	21.4
11/12/2016	900	20	21.36
11/12/2016	1000	33	21.33
11/12/2016	1100	39	21.38
11/12/2016	1200	41	21.39
11/12/2016	1300	40	21.47
11/12/2016	1400	42	21.58
11/12/2016	1500	44	21.7
11/12/2016	1600	43	21.79
11/12/2016	1700	40	21.9
11/12/2016	1800	29	21.91
11/12/2016	1900	16	21.89
11/12/2016	2000	14	21.86
11/12/2016	2100	14	21.79
11/12/2016	2200	14	21.73
11/12/2016	2300	17	21.67
11/13/2016	0	16	21.6
11/13/2016	100	17	21.56
11/13/2016	200	17	21.58
11/13/2016	300	18	21.5
11/13/2016	400	16	21.46
11/13/2016	500	15	21.41
11/13/2016	600	14	21.37
11/13/2016	700	17	21.39
11/13/2016	800	19	21.36
11/13/2016	900	29	21.36
11/13/2016	1000	37	21.32
11/13/2016	1100	39	21.3
11/13/2016	1200	42	21.35
11/13/2016	1300	41	21.43
11/13/2016	1400	40	21.53
11/13/2016	1500	42	21.64
11/13/2016	1600	41	21.74
11/13/2016	1700	36	21.85
11/13/2016	1800	30	21.92
11/13/2016	1900	29	21.9
11/13/2016	2000	21	21.85
11/13/2016	2100	27	21.8
11/13/2016	2200	25	21.75
11/13/2016	2300	23	21.68
11/14/2016	0	23	21.59
11/14/2016	100	19	21.57
11/14/2016	200	24	21.53
11/14/2016	300	29	21.49
11/14/2016	400	23	21.43
11/14/2016	500	20	21.37
11/14/2016	600	15	21.32

11/14/2016	700	8	21.35
11/14/2016	800	18	21.29
11/14/2016	900	34	21.24
11/14/2016	1000	36	21.17
11/14/2016	1100	35	21.23
11/14/2016	1200	36	21.32
11/14/2016	1300	40	21.44
11/14/2016	1400	40	21.6
11/14/2016	1500	40	21.73
11/14/2016	1600	39	21.84
11/14/2016	1700	32	21.47
11/14/2016	1800	23	21.35
11/14/2016	1900	21	21.68
11/14/2016	2000	17	21.76
11/14/2016	2100	17	21.8
11/14/2016	2200	16	21.84
11/14/2016	2300	19	21.81
11/15/2016	0	21	21.78
11/15/2016	100	23	21.76
11/15/2016	200	18	21.69
11/15/2016	300	19	21.56
11/15/2016	400	18	21.52
11/15/2016	500	14	21.5
11/15/2016	600	13	21.46
11/15/2016	700	10	21.4
11/15/2016	800	16	21.38
11/15/2016	900	21	21.3
11/15/2016	1000	29	21.28
11/15/2016	1100	38	21.25
11/15/2016	1200	40	21.31
11/15/2016	1300	41	21.43
11/15/2016	1400	41	21.6
11/15/2016	1500	40	21.82
11/15/2016	1600	30	22.02
11/15/2016	1700	13	22.17
11/15/2016	1800	9	22.17
11/15/2016	1900	9	22.23
11/15/2016	2000	12	22.27
11/15/2016	2100	15	22.24
11/15/2016	2200	19	22.24
11/15/2016	2300	22	22.19
11/16/2016	0	20	22.16
11/16/2016	100	22	22.13
11/16/2016	200	26	22.08
11/16/2016	300	23	22.03
11/16/2016	400	23	21.95
11/16/2016	500	19	21.87

11/16/2016	600	20	21.83
11/16/2016	700	13	21.81
11/16/2016	800	16	21.82
11/16/2016	900	27	21.8
11/16/2016	1000	40	21.87
11/16/2016	1100	42	22.01
11/16/2016	1200	43	22.14
11/16/2016	1300	43	22.34
11/16/2016	1400	40	22.54
11/16/2016	1500	39	22.63
11/16/2016	1600	34	22.67
11/16/2016	1700	35	22.6
11/16/2016	1800	38	22.04
11/16/2016	1900	38	22.25
11/16/2016	2000	41	22.47
11/16/2016	2100	42	22.48
11/16/2016	2200	44	22.49
11/16/2016	2300	45	22.48
11/17/2016	0	46	22.42
11/17/2016	100	45	22.37
11/17/2016	200	42	22.31
11/17/2016	300	44	22.24
11/17/2016	400	45	22.18
11/17/2016	500	43	22.1
11/17/2016	600	39	22.02
11/17/2016	700	36	21.97
11/17/2016	800	36	21.83
11/17/2016	900	36	21.74
11/17/2016	1000	36	21.64
11/17/2016	1100	36	21.6
11/17/2016	1200	37	21.63
11/17/2016	1300	34	21.69
11/17/2016	1400	33	21.77
11/17/2016	1500	33	21.85
11/17/2016	1600	31	21.75
11/17/2016	1700	27	20.77
11/17/2016	1800	25	20.68
11/17/2016	1900	29	21.24
11/17/2016	2000	27	21.41
11/17/2016	2100	23	21.51
11/17/2016	2200	21	21.58
11/17/2016	2300	22	21.56
11/18/2016	0	20	21.57
11/18/2016	100	19	21.65
11/18/2016	200	15	21.69
11/18/2016	300	10	21.7
11/18/2016	400	8	21.71

11/18/2016	500	6	21.71
11/18/2016	600	5	21.69
11/18/2016	700	7	21.67
11/18/2016	800	18	21.66
11/18/2016	900	26	21.63
11/18/2016	1000	32	21.58
11/18/2016	1100	34	21.55
11/18/2016	1200	36	21.55
11/18/2016	1300	-9999	21.39
11/18/2016	1400	-9999	21.66
11/18/2016	1500	36	21.84
11/18/2016	1600	30	21.62
11/18/2016	1700	20	20.8
11/18/2016	1800	21	20.98
11/18/2016	1900	9	21.31
11/18/2016	2000	6	21.41
11/18/2016	2100	8	21.47
11/18/2016	2200	13	21.53
11/18/2016	2300	9	21.54
11/19/2016	0	10	21.57
11/19/2016	100	13	21.61
11/19/2016	200	10	21.62
11/19/2016	300	16	21.57
11/19/2016	400	22	21.55
11/19/2016	500	20	21.55
11/19/2016	600	22	21.55
11/19/2016	700	17	21.56
11/19/2016	800	22	21.54
11/19/2016	900	30	21.54
11/19/2016	1000	41	21.54
11/19/2016	1100	41	21.48
11/19/2016	1200	40	21.55
11/19/2016	1300	40	21.62
11/19/2016	1400	42	21.74
11/19/2016	1500	41	21.84
11/19/2016	1600	37	21.94
11/19/2016	1700	21	22.03
11/19/2016	1800	17	22.04
11/19/2016	1900	19	22.07
11/19/2016	2000	19	22.07
11/19/2016	2100	21	22.04
11/19/2016	2200	22	22
11/19/2016	2300	17	21.97
11/20/2016	0	16	21.96
11/20/2016	100	17	22
11/20/2016	200	19	21.95
11/20/2016	300	15	21.95

11/20/2016	400	17	21.93
11/20/2016	500	18	21.93
11/20/2016	600	16	21.87
11/20/2016	700	17	21.84
11/20/2016	800	10	21.87
11/20/2016	900	22	21.9
11/20/2016	1000	28	21.94
11/20/2016	1100	35	21.96
11/20/2016	1200	38	22.01
11/20/2016	1300	41	22.08
11/20/2016	1400	39	22.15
11/20/2016	1500	34	22.26
11/20/2016	1600	29	22.33
11/20/2016	1700	37	22.37
11/20/2016	1800	35	22.41
11/20/2016	1900	38	22.5
11/20/2016	2000	34	22.55
11/20/2016	2100	31	22.62
11/20/2016	2200	26	22.61
11/20/2016	2300	32	22.6
11/21/2016	0	33	22.55
11/21/2016	100	32	22.59
11/21/2016	200	32	22.6
11/21/2016	300	34	22.56
11/21/2016	400	29	22.53
11/21/2016	500	27	22.48
11/21/2016	600	26	22.5
11/21/2016	700	26	22.51
11/21/2016	800	24	22.45
11/21/2016	900	24	22.46
11/21/2016	1000	26	22.49
11/21/2016	1100	29	22.53
11/21/2016	1200	30	22.6
11/21/2016	1300	24	22.69
11/21/2016	1400	27	22.84
11/21/2016	1500	26	23.02
11/21/2016	1600	23	22.36
11/21/2016	1700	22	21.42
11/21/2016	1800	23	20.86
11/21/2016	1900	17	21.39
11/21/2016	2000	14	22.22
11/21/2016	2100	12	22.51
11/21/2016	2200	22	22.68
11/21/2016	2300	25	22.78
11/22/2016	0	28	22.87
11/22/2016	100	25	22.98
11/22/2016	200	20	22.98

11/22/2016	300	21	22.96
11/22/2016	400	21	22.9
11/22/2016	500	24	22.88
11/22/2016	600	20	22.91
11/22/2016	700	17	22.91
11/22/2016	800	23	22.82
11/22/2016	900	28	22.89
11/22/2016	1000	28	22.95
11/22/2016	1100	29	23
11/22/2016	1200	29	23.12
11/22/2016	1300	30	23.34
11/22/2016	1400	30	23.62
11/22/2016	1500	31	23.75
11/22/2016	1600	27	23.8
11/22/2016	1700	18	23.88
11/22/2016	1800	17	23.84
11/22/2016	1900	18	23.4
11/22/2016	2000	13	23.44
11/22/2016	2100	6	23.65
11/22/2016	2200	7	23.76
11/22/2016	2300	6	23.78
11/23/2016	0	7	23.76
11/23/2016	100	6	23.77
11/23/2016	200	6	23.83
11/23/2016	300	9	23.83
11/23/2016	400	9	23.77
11/23/2016	500	9	23.7
11/23/2016	600	7	23.67
11/23/2016	700	4	23.68
11/23/2016	800	10	23.71
11/23/2016	900	20	23.72
11/23/2016	1000	25	23.72
11/23/2016	1100	29	23.69
11/23/2016	1200	32	23.71
11/23/2016	1300	35	23.72
11/23/2016	1400	37	23.75
11/23/2016	1500	35	23.82
11/23/2016	1600	32	23.47
11/23/2016	1700	19	23.24
11/23/2016	1800	20	23.7
11/23/2016	1900	17	23.78
11/23/2016	2000	16	23.88
11/23/2016	2100	17	23.96
11/23/2016	2200	12	23.95
11/23/2016	2300	15	23.96
11/24/2016	0	21	23.99
11/24/2016	100	34	24.02

11/24/2016	200	40	23.98
11/24/2016	300	38	23.93
11/24/2016	400	37	23.89
11/24/2016	500	33	23.82
11/24/2016	600	33	23.77
11/24/2016	700	32	23.78
11/24/2016	800	30	23.82
11/24/2016	900	36	23.83
11/24/2016	1000	38	23.81
11/24/2016	1100	40	23.8
11/24/2016	1200	42	23.79
11/24/2016	1300	43	23.8
11/24/2016	1400	43	23.78
11/24/2016	1500	39	23.8
11/24/2016	1600	37	23.79
11/24/2016	1700	32	23.77
11/24/2016	1800	31	23.81
11/24/2016	1900	24	23.9
11/24/2016	2000	12	23.92
11/24/2016	2100	10	23.94
11/24/2016	2200	11	23.93
11/24/2016	2300	13	23.9
11/25/2016	0	13	23.85
11/25/2016	100	18	23.83
11/25/2016	200	10	23.75
11/25/2016	300	13	23.68
11/25/2016	400	21	23.63
11/25/2016	500	10	23.55
11/25/2016	600	15	23.52
11/25/2016	700	14	23.48
11/25/2016	800	19	23.47
11/25/2016	900	26	23.45
11/25/2016	1000	35	23.5
11/25/2016	1100	38	23.55
11/25/2016	1200	41	23.63
11/25/2016	1300	40	23.7
11/25/2016	1400	39	23.75
11/25/2016	1500	40	23.59
11/25/2016	1600	41	23.36
11/25/2016	1700	34	23.53
11/25/2016	1800	26	23.72
11/25/2016	1900	15	23.83
11/25/2016	2000	14	23.88
11/25/2016	2100	18	23.92
11/25/2016	2200	21	23.95
11/25/2016	2300	23	23.93
11/26/2016	0	22	23.91

11/26/2016	100	23	23.9
11/26/2016	200	23	23.87
11/26/2016	300	22	23.85
11/26/2016	400	22	23.79
11/26/2016	500	23	23.74
11/26/2016	600	21	23.71
11/26/2016	700	20	23.65
11/26/2016	800	23	23.51
11/26/2016	900	31	23.42
11/26/2016	1000	38	23.58
11/26/2016	1100	41	23.7
11/26/2016	1200	43	23.79
11/26/2016	1300	42	23.82
11/26/2016	1400	42	23.82
11/26/2016	1500	39	23.82
11/26/2016	1600	37	23.59
11/26/2016	1700	36	23.69
11/26/2016	1800	38	23.81
11/26/2016	1900	39	23.87
11/26/2016	2000	37	23.91
11/26/2016	2100	35	23.98
11/26/2016	2200	34	23.99
11/26/2016	2300	32	24.01
11/27/2016	0	31	24
11/27/2016	100	29	24.09
11/27/2016	200	40	24.15
11/27/2016	300	41	24.18
11/27/2016	400	37	24.2
11/27/2016	500	38	24.22
11/27/2016	600	43	24.21
11/27/2016	700	43	24.17
11/27/2016	800	42	24.16
11/27/2016	900	42	24.1
11/27/2016	1000	43	24.08
11/27/2016	1100	42	24.05
11/27/2016	1200	41	24.1
11/27/2016	1300	42	24.09
11/27/2016	1400	43	23.98
11/27/2016	1500	43	23.88
11/27/2016	1600	42	23.89
11/27/2016	1700	41	23.83
11/27/2016	1800	40	23.77
11/27/2016	1900	41	23.84
11/27/2016	2000	40	23.86
11/27/2016	2100	36	23.76
11/27/2016	2200	37	23.74
11/27/2016	2300	31	23.77

11/28/2016	0	31	23.81
11/28/2016	100	31	23.85
11/28/2016	200	23	23.84
11/28/2016	300	18	23.85
11/28/2016	400	16	23.78
11/28/2016	500	18	23.72
11/28/2016	600	11	23.72
11/28/2016	700	10	23.79
11/28/2016	800	8	23.71
11/28/2016	900	22	23.71
11/28/2016	1000	31	23.67
11/28/2016	1100	31	23.67
11/28/2016	1200	29	23.66
11/28/2016	1300	32	23.63
11/28/2016	1400	31	23.58
11/28/2016	1500	31	23.55
11/28/2016	1600	31	23.61
11/28/2016	1700	22	23.75
11/28/2016	1800	25	23.79
11/28/2016	1900	31	22.68
11/28/2016	2000	32	22.78
11/28/2016	2100	37	23.5
11/28/2016	2200	36	23.72
11/28/2016	2300	36	23.77
11/29/2016	0	32	23.87
11/29/2016	100	35	23.97
11/29/2016	200	36	24.04
11/29/2016	300	36	24.08
11/29/2016	400	36	24.09
11/29/2016	500	34	24.11
11/29/2016	600	32	24.08
11/29/2016	700	29	24.11
11/29/2016	800	31	24.07
11/29/2016	900	33	24.04
11/29/2016	1000	35	23.91
11/29/2016	1100	36	23.82
11/29/2016	1200	36	23.81
11/29/2016	1300	37	23.84
11/29/2016	1400	36	23.93
11/29/2016	1500	35	23.96
11/29/2016	1600	31	23.97
11/29/2016	1700	31	24.04
11/29/2016	1800	31	23.91
11/29/2016	1900	30	22.73
11/29/2016	2000	25	22.9
11/29/2016	2100	23	23.45
11/29/2016	2200	23	23.66

11/29/2016	2300	23	23.76
11/30/2016	0	21	23.75
11/30/2016	100	17	23.78
11/30/2016	200	21	23.79
11/30/2016	300	22	23.81
11/30/2016	400	17	23.86
11/30/2016	500	13	23.85
11/30/2016	600	15	23.8
11/30/2016	700	11	23.82
11/30/2016	800	21	23.82
11/30/2016	900	25	23.83
11/30/2016	1000	31	23.81
11/30/2016	1100	34	23.82
11/30/2016	1200	37	23.74
11/30/2016	1300	36	23.72
11/30/2016	1400	36	23.72
11/30/2016	1500	36	23.73
11/30/2016	1600	36	23.84
11/30/2016	1700	25	23.92
11/30/2016	1800	14	23.56
11/30/2016	1900	16	22.73
11/30/2016	2000	24	23.31
11/30/2016	2100	26	23.74
11/30/2016	2200	24	23.94
11/30/2016	2300	23	23.99