

Montezuma County - Colorado Cortez County Health Building

Site Abbreviation: MOCO

Time Period: 11/01/17 - 11/30/17

Preliminary Validation

Site Number: 446

AIRS Site Number: 08-083-0006

DATE	TIME	O3-4	STP-1
DATE	TIME	hourly	hourly
DATE	TIME	ppb	degC
11/1/2017	0	15	23.65
11/1/2017	100	15	23.56
11/1/2017	200	12	23.55
11/1/2017	300	12	23.47
11/1/2017	400	10	23.34
11/1/2017	500	7	23.23
11/1/2017	600	8	23.25
11/1/2017	700	4	23.27
11/1/2017	800	13	23.17
11/1/2017	900	31	23.13
11/1/2017	1000	41	23.21
11/1/2017	1100	42	23.31
11/1/2017	1200	41	23.41
11/1/2017	1300	41	23.49
11/1/2017	1400	41	23.58
11/1/2017	1500	42	23.71
11/1/2017	1600	40	23.83
11/1/2017	1700	26	23.71
11/1/2017	1800	27	23.63
11/1/2017	1900	22	23.95
11/1/2017	2000	21	23.91
11/1/2017	2100	21	23.92
11/1/2017	2200	19	23.87
11/1/2017	2300	20	23.77
11/2/2017	0	24	23.64
11/2/2017	100	19	23.53
11/2/2017	200	19	23.4
11/2/2017	300	17	23.25
11/2/2017	400	15	23.11
11/2/2017	500	10	23.02
11/2/2017	600	8	23.14
11/2/2017	700	9	23.22
11/2/2017	800	12	23.22
11/2/2017	900	27	23.22
11/2/2017	1000	38	23.25
11/2/2017	1100	40	23.28
11/2/2017	1200	39	23.32

11/2/2017	1300	39	23.4
11/2/2017	1400	41	23.49
11/2/2017	1500	40	23.6
11/2/2017	1600	37	23.38
11/2/2017	1700	27	23.47
11/2/2017	1800	17	23.73
11/2/2017	1900	18	23.8
11/2/2017	2000	20	23.89
11/2/2017	2100	21	23.86
11/2/2017	2200	26	23.84
11/2/2017	2300	22	23.8
11/3/2017	0	24	23.72
11/3/2017	100	26	23.63
11/3/2017	200	26	23.55
11/3/2017	300	20	23.43
11/3/2017	400	19	23.3
11/3/2017	500	14	23.18
11/3/2017	600	11	23.24
11/3/2017	700	9	23.31
11/3/2017	800	21	23.32
11/3/2017	900	30	23.33
11/3/2017	1000	32	23.38
11/3/2017	1100	34	23.45
11/3/2017	1200	39	23.46
11/3/2017	1300	40	23.51
11/3/2017	1400	39	23.57
11/3/2017	1500	37	23.65
11/3/2017	1600	36	23.89
11/3/2017	1700	28	24.25
11/3/2017	1800	28	24.35
11/3/2017	1900	27	24.34
11/3/2017	2000	28	24.29
11/3/2017	2100	29	24.26
11/3/2017	2200	27	24.23
11/3/2017	2300	26	24.15
11/4/2017	0	26	24.08
11/4/2017	100	23	24.04
11/4/2017	200	24	23.96
11/4/2017	300	24	23.86
11/4/2017	400	27	23.76
11/4/2017	500	26	23.72
11/4/2017	600	25	23.78
11/4/2017	700	21	23.73
11/4/2017	800	18	23.66
11/4/2017	900	19	23.75
11/4/2017	1000	20	23.73
11/4/2017	1100	25	23.74

11/4/2017	1200	30	23.74
11/4/2017	1300	31	23.83
11/4/2017	1400	30	23.87
11/4/2017	1500	30	23.92
11/4/2017	1600	24	24
11/4/2017	1700	24	24.03
11/4/2017	1800	23	24.13
11/4/2017	1900	24	24.11
11/4/2017	2000	28	24.09
11/4/2017	2100	29	24.06
11/4/2017	2200	31	24.02
11/4/2017	2300	34	23.98
11/5/2017	0	35	23.9
11/5/2017	100	35	23.84
11/5/2017	200	34	23.79
11/5/2017	300	34	23.72
11/5/2017	400	33	23.62
11/5/2017	500	32	23.54
11/5/2017	600	28	23.46
11/5/2017	700	24	23.44
11/5/2017	800	22	23.41
11/5/2017	900	31	23.35
11/5/2017	1000	34	23.31
11/5/2017	1100	35	23.31
11/5/2017	1200	36	23.32
11/5/2017	1300	37	23.36
11/5/2017	1400	37	23.43
11/5/2017	1500	39	23.49
11/5/2017	1600	35	22.88
11/5/2017	1700	32	22.89
11/5/2017	1800	30	23.34
11/5/2017	1900	31	23.4
11/5/2017	2000	33	23.44
11/5/2017	2100	34	23.45
11/5/2017	2200	34	23.44
11/5/2017	2300	33	23.41
11/6/2017	0	34	23.33
11/6/2017	100	34	23.3
11/6/2017	200	34	23.26
11/6/2017	300	33	23.21
11/6/2017	400	33	23.16
11/6/2017	500	25	23.13
11/6/2017	600	13	23.15
11/6/2017	700	13	23.14
11/6/2017	800	22	23.12
11/6/2017	900	34	23.09
11/6/2017	1000	35	23.06

11/6/2017	1100	36	23.07
11/6/2017	1200	36	23.11
11/6/2017	1300	35	23.2
11/6/2017	1400	35	23.25
11/6/2017	1500	34	23.28
11/6/2017	1600	29	23.35
11/6/2017	1700	30	23.13
11/6/2017	1800	27	22.36
11/6/2017	1900	30	23.15
11/6/2017	2000	28	23.42
11/6/2017	2100	22	23.49
11/6/2017	2200	21	23.49
11/6/2017	2300	20	23.43
11/7/2017	0	20	23.35
11/7/2017	100	22	23.31
11/7/2017	200	26	23.26
11/7/2017	300	30	23.21
11/7/2017	400	27	23.17
11/7/2017	500	20	23.19
11/7/2017	600	21	23.27
11/7/2017	700	19	23.35
11/7/2017	800	25	23.45
11/7/2017	900	30	23.5
11/7/2017	1000	32	23.52
11/7/2017	1100	29	23.57
11/7/2017	1200	31	23.65
11/7/2017	1300	33	23.74
11/7/2017	1400	32	23.84
11/7/2017	1500	32	23.95
11/7/2017	1600	36	24.04
11/7/2017	1700	33	24.01
11/7/2017	1800	25	23.45
11/7/2017	1900	29	23.21
11/7/2017	2000	34	23.66
11/7/2017	2100	31	23.75
11/7/2017	2200	27	23.75
11/7/2017	2300	29	23.7
11/8/2017	0	30	23.63
11/8/2017	100	27	23.58
11/8/2017	200	26	23.53
11/8/2017	300	21	23.46
11/8/2017	400	17	23.37
11/8/2017	500	17	23.29
11/8/2017	600	12	23.27
11/8/2017	700	8	23.34
11/8/2017	800	19	23.32
11/8/2017	900	-9999	23.13

11/8/2017	1000	-9999	23.31
11/8/2017	1100	38	23.37
11/8/2017	1200	37	23.34
11/8/2017	1300	39	23.37
11/8/2017	1400	39	23.43
11/8/2017	1500	38	23.54
11/8/2017	1600	36	23.61
11/8/2017	1700	29	23.63
11/8/2017	1800	22	23.17
11/8/2017	1900	11	22.9
11/8/2017	2000	18	23.29
11/8/2017	2100	13	23.35
11/8/2017	2200	12	23.35
11/8/2017	2300	18	23.21
11/9/2017	0	17	23
11/9/2017	100	21	22.83
11/9/2017	200	20	22.65
11/9/2017	300	18	22.5
11/9/2017	400	18	22.37
11/9/2017	500	18	22.3
11/9/2017	600	19	22.41
11/9/2017	700	10	22.64
11/9/2017	800	21	22.84
11/9/2017	900	32	22.88
11/9/2017	1000	40	22.91
11/9/2017	1100	41	22.98
11/9/2017	1200	-9999	22.89
11/9/2017	1300	-9999	23.1
11/9/2017	1400	41	23.6
11/9/2017	1500	42	23.64
11/9/2017	1600	39	23.67
11/9/2017	1700	20	23.11
11/9/2017	1800	20	22.51
11/9/2017	1900	17	23.24
11/9/2017	2000	19	23.44
11/9/2017	2100	20	23.51
11/9/2017	2200	20	23.55
11/9/2017	2300	22	23.5
11/10/2017	0	19	23.42
11/10/2017	100	23	23.35
11/10/2017	200	24	23.23
11/10/2017	300	23	23.12
11/10/2017	400	24	23.01
11/10/2017	500	22	22.92
11/10/2017	600	22	22.98
11/10/2017	700	13	23.05
11/10/2017	800	13	23.16

11/10/2017	900	33	23.24
11/10/2017	1000	40	23.29
11/10/2017	1100	42	23.34
11/10/2017	1200	43	23.39
11/10/2017	1300	43	23.5
11/10/2017	1400	43	23.63
11/10/2017	1500	42	23.74
11/10/2017	1600	33	23.82
11/10/2017	1700	14	23.88
11/10/2017	1800	12	23.9
11/10/2017	1900	17	23.85
11/10/2017	2000	13	23.85
11/10/2017	2100	18	23.87
11/10/2017	2200	18	23.9
11/10/2017	2300	17	23.84
11/11/2017	0	-9999	23.72
11/11/2017	100	20	23.63
11/11/2017	200	22	23.48
11/11/2017	300	23	23.34
11/11/2017	400	20	23.23
11/11/2017	500	17	23.2
11/11/2017	600	18	23.24
11/11/2017	700	14	23.35
11/11/2017	800	21	23.45
11/11/2017	900	36	23.54
11/11/2017	1000	43	23.6
11/11/2017	1100	47	23.65
11/11/2017	1200	48	23.68
11/11/2017	1300	48	23.72
11/11/2017	1400	48	23.77
11/11/2017	1500	49	23.83
11/11/2017	1600	46	23.88
11/11/2017	1700	36	23.94
11/11/2017	1800	26	23.98
11/11/2017	1900	23	23.98
11/11/2017	2000	25	23.96
11/11/2017	2100	25	23.93
11/11/2017	2200	25	23.92
11/11/2017	2300	22	23.84
11/12/2017	0	26	23.74
11/12/2017	100	25	23.65
11/12/2017	200	25	23.52
11/12/2017	300	28	23.41
11/12/2017	400	27	23.3
11/12/2017	500	23	23.17
11/12/2017	600	26	23.08
11/12/2017	700	22	23.03

11/12/2017	800	28	23
11/12/2017	900	37	22.97
11/12/2017	1000	44	22.9
11/12/2017	1100	45	22.9
11/12/2017	1200	47	22.94
11/12/2017	1300	47	22.97
11/12/2017	1400	47	23.04
11/12/2017	1500	47	23.12
11/12/2017	1600	40	23.2
11/12/2017	1700	32	23.21
11/12/2017	1800	21	23.22
11/12/2017	1900	32	23.22
11/12/2017	2000	34	23.26
11/12/2017	2100	33	23.28
11/12/2017	2200	35	23.24
11/12/2017	2300	35	23.22
11/13/2017	0	32	23.16
11/13/2017	100	25	23.14
11/13/2017	200	28	23.13
11/13/2017	300	25	23.12
11/13/2017	400	29	23.05
11/13/2017	500	23	22.98
11/13/2017	600	18	22.98
11/13/2017	700	14	22.96
11/13/2017	800	21	22.96
11/13/2017	900	33	22.93
11/13/2017	1000	41	22.96
11/13/2017	1100	44	23.06
11/13/2017	1200	46	23.16
11/13/2017	1300	46	23.29
11/13/2017	1400	46	23.44
11/13/2017	1500	45	23.6
11/13/2017	1600	37	23.71
11/13/2017	1700	23	23.74
11/13/2017	1800	30	23.15
11/13/2017	1900	29	22.11
11/13/2017	2000	20	23.03
11/13/2017	2100	25	23.3
11/13/2017	2200	26	23.27
11/13/2017	2300	25	23.22
11/14/2017	0	26	23.17
11/14/2017	100	25	23.16
11/14/2017	200	23	23.11
11/14/2017	300	24	23.04
11/14/2017	400	21	22.96
11/14/2017	500	19	22.91
11/14/2017	600	18	22.97

11/14/2017	700	15	23.1
11/14/2017	800	18	23.24
11/14/2017	900	26	23.26
11/14/2017	1000	34	23.28
11/14/2017	1100	38	23.29
11/14/2017	1200	40	23.35
11/14/2017	1300	41	23.38
11/14/2017	1400	42	23.45
11/14/2017	1500	42	23.53
11/14/2017	1600	40	23.6
11/14/2017	1700	25	23.52
11/14/2017	1800	22	22.67
11/14/2017	1900	18	22.82
11/14/2017	2000	16	23.44
11/14/2017	2100	18	23.43
11/14/2017	2200	24	23.46
11/14/2017	2300	27	23.44
11/15/2017	0	23	23.33
11/15/2017	100	18	23.3
11/15/2017	200	24	23.18
11/15/2017	300	27	23.03
11/15/2017	400	27	22.87
11/15/2017	500	20	22.78
11/15/2017	600	18	22.84
11/15/2017	700	11	22.87
11/15/2017	800	14	22.87
11/15/2017	900	20	22.85
11/15/2017	1000	29	22.84
11/15/2017	1100	37	22.84
11/15/2017	1200	41	22.93
11/15/2017	1300	41	23
11/15/2017	1400	41	23.03
11/15/2017	1500	38	23.09
11/15/2017	1600	31	23.16
11/15/2017	1700	14	23.24
11/15/2017	1800	23	22.49
11/15/2017	1900	19	22.35
11/15/2017	2000	21	23.08
11/15/2017	2100	23	23.18
11/15/2017	2200	24	23.21
11/15/2017	2300	25	23.13
11/16/2017	0	26	23.01
11/16/2017	100	23	22.99
11/16/2017	200	22	22.84
11/16/2017	300	20	22.72
11/16/2017	400	21	22.58
11/16/2017	500	18	22.56

11/16/2017	600	13	22.63
11/16/2017	700	12	22.71
11/16/2017	800	17	22.78
11/16/2017	900	28	22.79
11/16/2017	1000	37	22.75
11/16/2017	1100	36	22.81
11/16/2017	1200	36	22.89
11/16/2017	1300	37	22.98
11/16/2017	1400	36	23.1
11/16/2017	1500	33	23.17
11/16/2017	1600	23	23.26
11/16/2017	1700	15	23.35
11/16/2017	1800	11	23.7
11/16/2017	1900	19	24.03
11/16/2017	2000	24	24.01
11/16/2017	2100	23	23.92
11/16/2017	2200	23	23.86
11/16/2017	2300	24	23.82
11/17/2017	0	29	23.7
11/17/2017	100	33	23.64
11/17/2017	200	33	23.63
11/17/2017	300	33	23.54
11/17/2017	400	32	23.46
11/17/2017	500	30	23.44
11/17/2017	600	30	23.41
11/17/2017	700	27	23.5
11/17/2017	800	27	23.57
11/17/2017	900	30	23.63
11/17/2017	1000	30	23.78
11/17/2017	1100	32	23.89
11/17/2017	1200	33	24.01
11/17/2017	1300	32	24.06
11/17/2017	1400	33	24.1
11/17/2017	1500	34	24.03
11/17/2017	1600	32	24.02
11/17/2017	1700	33	24.03
11/17/2017	1800	33	24.09
11/17/2017	1900	33	24.07
11/17/2017	2000	32	24.06
11/17/2017	2100	37	23.99
11/17/2017	2200	39	23.83
11/17/2017	2300	40	23.6
11/18/2017	0	39	23.37
11/18/2017	100	38	23.19
11/18/2017	200	37	23
11/18/2017	300	35	22.78
11/18/2017	400	36	22.64

11/18/2017	500	37	22.59
11/18/2017	600	37	22.66
11/18/2017	700	36	22.66
11/18/2017	800	34	22.67
11/18/2017	900	37	22.75
11/18/2017	1000	38	22.79
11/18/2017	1100	41	22.86
11/18/2017	1200	43	22.88
11/18/2017	1300	47	22.92
11/18/2017	1400	45	22.96
11/18/2017	1500	42	23.01
11/18/2017	1600	41	23.04
11/18/2017	1700	34	23.04
11/18/2017	1800	28	23.04
11/18/2017	1900	14	23.03
11/18/2017	2000	22	22.98
11/18/2017	2100	19	22.95
11/18/2017	2200	15	22.92
11/18/2017	2300	12	22.83
11/19/2017	0	14	22.61
11/19/2017	100	18	22.43
11/19/2017	200	16	22.3
11/19/2017	300	16	22.21
11/19/2017	400	18	22.18
11/19/2017	500	20	22.06
11/19/2017	600	19	21.99
11/19/2017	700	18	21.97
11/19/2017	800	19	21.94
11/19/2017	900	30	21.92
11/19/2017	1000	39	21.86
11/19/2017	1100	41	21.79
11/19/2017	1200	42	21.8
11/19/2017	1300	39	21.85
11/19/2017	1400	39	21.9
11/19/2017	1500	37	21.52
11/19/2017	1600	31	20.59
11/19/2017	1700	20	21.24
11/19/2017	1800	12	21.75
11/19/2017	1900	11	21.82
11/19/2017	2000	6	21.91
11/19/2017	2100	10	21.93
11/19/2017	2200	13	21.93
11/19/2017	2300	18	21.94
11/20/2017	0	17	21.89
11/20/2017	100	17	21.91
11/20/2017	200	15	21.91
11/20/2017	300	16	21.85

11/20/2017	400	16	21.81
11/20/2017	500	16	21.77
11/20/2017	600	16	21.76
11/20/2017	700	13	21.75
11/20/2017	800	12	21.8
11/20/2017	900	29	21.88
11/20/2017	1000	36	21.95
11/20/2017	1100	38	22.06
11/20/2017	1200	39	22.17
11/20/2017	1300	42	22.25
11/20/2017	1400	40	22.39
11/20/2017	1500	38	22.49
11/20/2017	1600	31	22.4
11/20/2017	1700	19	21.38
11/20/2017	1800	11	21.76
11/20/2017	1900	13	22.1
11/20/2017	2000	11	22.16
11/20/2017	2100	16	22.09
11/20/2017	2200	16	22.1
11/20/2017	2300	20	22.05
11/21/2017	0	21	22.04
11/21/2017	100	16	22.03
11/21/2017	200	22	21.99
11/21/2017	300	17	21.99
11/21/2017	400	23	21.96
11/21/2017	500	17	21.95
11/21/2017	600	6	22.09
11/21/2017	700	10	22.23
11/21/2017	800	18	22.33
11/21/2017	900	27	22.45
11/21/2017	1000	35	22.57
11/21/2017	1100	36	22.69
11/21/2017	1200	36	22.81
11/21/2017	1300	37	22.98
11/21/2017	1400	37	23.14
11/21/2017	1500	36	23.24
11/21/2017	1600	34	23.43
11/21/2017	1700	30	23.24
11/21/2017	1800	31	23.71
11/21/2017	1900	28	23.8
11/21/2017	2000	24	23.66
11/21/2017	2100	20	23.53
11/21/2017	2200	23	23.48
11/21/2017	2300	20	23.42
11/22/2017	0	20	23.28
11/22/2017	100	26	23.22
11/22/2017	200	27	23.12

11/22/2017	300	22	23.05
11/22/2017	400	20	22.96
11/22/2017	500	18	22.85
11/22/2017	600	13	22.91
11/22/2017	700	11	23.03
11/22/2017	800	13	23.08
11/22/2017	900	22	23.05
11/22/2017	1000	29	23.04
11/22/2017	1100	31	23.06
11/22/2017	1200	30	23.16
11/22/2017	1300	-9999	23.3
11/22/2017	1400	-9999	23.77
11/22/2017	1500	-9999	24.09
11/22/2017	1600	-9999	24.18
11/22/2017	1700	26	23.93
11/22/2017	1800	20	23.21
11/22/2017	1900	22	23.86
11/22/2017	2000	21	23.87
11/22/2017	2100	22	23.77
11/22/2017	2200	20	23.7
11/22/2017	2300	18	23.61
11/23/2017	0	19	23.43
11/23/2017	100	15	23.27
11/23/2017	200	13	23.11
11/23/2017	300	15	22.94
11/23/2017	400	10	22.78
11/23/2017	500	14	22.62
11/23/2017	600	14	22.7
11/23/2017	700	11	22.87
11/23/2017	800	13	22.96
11/23/2017	900	20	23
11/23/2017	1000	25	23.03
11/23/2017	1100	27	23.08
11/23/2017	1200	27	23.11
11/23/2017	1300	27	23.21
11/23/2017	1400	27	23.29
11/23/2017	1500	28	23.36
11/23/2017	1600	25	23.46
11/23/2017	1700	18	23.49
11/23/2017	1800	11	23.6
11/23/2017	1900	13	23.57
11/23/2017	2000	9	23.51
11/23/2017	2100	9	23.46
11/23/2017	2200	11	23.45
11/23/2017	2300	15	23.35
11/24/2017	0	16	23.14
11/24/2017	100	16	23.01

11/24/2017	200	14	22.85
11/24/2017	300	16	22.66
11/24/2017	400	16	22.51
11/24/2017	500	13	22.45
11/24/2017	600	10	22.53
11/24/2017	700	13	22.65
11/24/2017	800	16	22.72
11/24/2017	900	21	22.85
11/24/2017	1000	25	22.86
11/24/2017	1100	30	22.95
11/24/2017	1200	32	23.04
11/24/2017	1300	33	23.13
11/24/2017	1400	33	23.22
11/24/2017	1500	32	23.28
11/24/2017	1600	29	23.37
11/24/2017	1700	20	23.41
11/24/2017	1800	13	23.46
11/24/2017	1900	13	23.41
11/24/2017	2000	12	23.4
11/24/2017	2100	12	23.41
11/24/2017	2200	15	23.38
11/24/2017	2300	13	23.29
11/25/2017	0	14	23.15
11/25/2017	100	16	23.03
11/25/2017	200	18	22.94
11/25/2017	300	15	22.79
11/25/2017	400	20	22.61
11/25/2017	500	20	22.49
11/25/2017	600	18	22.57
11/25/2017	700	15	22.68
11/25/2017	800	19	22.47
11/25/2017	900	31	22.63
11/25/2017	1000	36	22.87
11/25/2017	1100	37	23.03
11/25/2017	1200	33	23.17
11/25/2017	1300	33	23.31
11/25/2017	1400	36	23.45
11/25/2017	1500	38	23.55
11/25/2017	1600	33	23.56
11/25/2017	1700	23	23.66
11/25/2017	1800	24	23.73
11/25/2017	1900	16	23.72
11/25/2017	2000	15	23.63
11/25/2017	2100	15	23.63
11/25/2017	2200	22	23.6
11/25/2017	2300	21	23.5
11/26/2017	0	29	23.36

11/26/2017	100	24	23.23
11/26/2017	200	24	23.07
11/26/2017	300	25	22.97
11/26/2017	400	25	22.86
11/26/2017	500	24	22.74
11/26/2017	600	24	22.65
11/26/2017	700	23	22.61
11/26/2017	800	26	22.6
11/26/2017	900	22	22.51
11/26/2017	1000	31	22.46
11/26/2017	1100	41	22.43
11/26/2017	1200	41	22.45
11/26/2017	1300	34	22.49
11/26/2017	1400	31	22.55
11/26/2017	1500	29	22.62
11/26/2017	1600	25	22.72
11/26/2017	1700	7	22.78
11/26/2017	1800	9	22.83
11/26/2017	1900	14	22.76
11/26/2017	2000	13	22.71
11/26/2017	2100	17	22.71
11/26/2017	2200	19	22.7
11/26/2017	2300	17	22.66
11/27/2017	0	17	22.61
11/27/2017	100	18	22.62
11/27/2017	200	19	22.64
11/27/2017	300	19	22.58
11/27/2017	400	17	22.5
11/27/2017	500	18	22.47
11/27/2017	600	19	22.48
11/27/2017	700	12	22.5
11/27/2017	800	16	22.45
11/27/2017	900	23	22.35
11/27/2017	1000	34	22.29
11/27/2017	1100	34	22.3
11/27/2017	1200	35	22.39
11/27/2017	1300	33	22.55
11/27/2017	1400	30	22.77
11/27/2017	1500	25	23.06
11/27/2017	1600	24	23.26
11/27/2017	1700	15	23.08
11/27/2017	1800	26	22.23
11/27/2017	1900	27	22.28
11/27/2017	2000	29	23.11
11/27/2017	2100	29	23.38
11/27/2017	2200	29	23.46
11/27/2017	2300	33	23.5

11/28/2017	0	36	23.52
11/28/2017	100	33	23.54
11/28/2017	200	43	23.65
11/28/2017	300	44	23.75
11/28/2017	400	37	23.72
11/28/2017	500	34	23.75
11/28/2017	600	28	23.87
11/28/2017	700	28	24.01
11/28/2017	800	34	24.12
11/28/2017	900	38	24.19
11/28/2017	1000	38	24.28
11/28/2017	1100	39	24.37
11/28/2017	1200	40	24.47
11/28/2017	1300	40	24.59
11/28/2017	1400	40	24.74
11/28/2017	1500	41	24.77
11/28/2017	1600	34	24.89
11/28/2017	1700	30	24.9
11/28/2017	1800	23	23.81
11/28/2017	1900	13	23.86
11/28/2017	2000	16	24.4
11/28/2017	2100	13	24.58
11/28/2017	2200	20	24.69
11/28/2017	2300	25	24.7
11/29/2017	0	26	24.65
11/29/2017	100	28	24.57
11/29/2017	200	29	24.48
11/29/2017	300	31	24.43
11/29/2017	400	26	24.37
11/29/2017	500	29	24.3
11/29/2017	600	25	24.32
11/29/2017	700	20	24.35
11/29/2017	800	21	24.37
11/29/2017	900	14	24.36
11/29/2017	1000	31	24.27
11/29/2017	1100	38	24.17
11/29/2017	1200	41	24.01
11/29/2017	1300	42	23.97
11/29/2017	1400	42	23.91
11/29/2017	1500	37	23.85
11/29/2017	1600	22	23.83
11/29/2017	1700	11	23.76
11/29/2017	1800	7	22.65
11/29/2017	1900	7	23.41
11/29/2017	2000	9	23.61
11/29/2017	2100	20	23.61
11/29/2017	2200	20	23.68

11/29/2017	2300	22	23.64
11/30/2017	0	24	23.48
11/30/2017	100	33	23.38
11/30/2017	200	26	23.21
11/30/2017	300	27	23.03
11/30/2017	400	22	22.92
11/30/2017	500	22	22.87
11/30/2017	600	17	22.98
11/30/2017	700	19	23.11
11/30/2017	800	15	23.08
11/30/2017	900	21	23.06
11/30/2017	1000	35	23.05
11/30/2017	1100	42	23.06
11/30/2017	1200	42	23.05
11/30/2017	1300	41	23.05
11/30/2017	1400	37	23.09
11/30/2017	1500	35	23.14
11/30/2017	1600	24	23.18
11/30/2017	1700	11	22.44
11/30/2017	1800	12	22.42
11/30/2017	1900	15	23.09
11/30/2017	2000	7	23.19
11/30/2017	2100	12	23.28
11/30/2017	2200	16	23.31
11/30/2017	2300	16	23.28