

Montezuma County - Colorado Cortez County Health Building

Site Abbreviation: MOCO

Time Period: 09/01/18 - 09/30/18

Preliminary Validation

Site Number: 446

AIRS Site Number: 08-083-0006

DATE	TIME	O3-4	STP-1
DATE	TIME	hourly	hourly
DATE	TIME	ppb	degC
9/1/2018	0	-9999	24.45
9/1/2018	100	-9999	24.4
9/1/2018	200	-9999	24.35
9/1/2018	300	-9999	24.27
9/1/2018	400	-9999	24.2
9/1/2018	500	-9999	24.11
9/1/2018	600	-9999	24.05
9/1/2018	700	-9999	24.05
9/1/2018	800	-9999	24.04
9/1/2018	900	-9999	24.07
9/1/2018	1000	-9999	24.09
9/1/2018	1100	-9999	24.13
9/1/2018	1200	-9999	24.16
9/1/2018	1300	-9999	24.21
9/1/2018	1400	-9999	24.28
9/1/2018	1500	-9999	24.31
9/1/2018	1600	-9999	24.32
9/1/2018	1700	-9999	24.29
9/1/2018	1800	-9999	24.23
9/1/2018	1900	-9999	24.24
9/1/2018	2000	-9999	24.24
9/1/2018	2100	-9999	24.18
9/1/2018	2200	-9999	24.06
9/1/2018	2300	-9999	23.99
9/2/2018	0	-9999	23.94
9/2/2018	100	-9999	23.85
9/2/2018	200	-9999	23.78
9/2/2018	300	-9999	23.68
9/2/2018	400	-9999	23.58
9/2/2018	500	-9999	23.43
9/2/2018	600	-9999	23.32
9/2/2018	700	-9999	23.3
9/2/2018	800	-9999	23.29
9/2/2018	900	-9999	23.3
9/2/2018	1000	-9999	23.33
9/2/2018	1100	-9999	23.4
9/2/2018	1200	-9999	23.48

9/2/2018	1300	-9999	23.58
9/2/2018	1400	-9999	23.62
9/2/2018	1500	-9999	23.69
9/2/2018	1600	-9999	23.77
9/2/2018	1700	-9999	23.85
9/2/2018	1800	-9999	23.9
9/2/2018	1900	-9999	23.91
9/2/2018	2000	-9999	23.89
9/2/2018	2100	-9999	23.87
9/2/2018	2200	-9999	23.8
9/2/2018	2300	-9999	23.77
9/3/2018	0	-9999	23.67
9/3/2018	100	-9999	23.66
9/3/2018	200	-9999	23.57
9/3/2018	300	-9999	23.48
9/3/2018	400	-9999	23.42
9/3/2018	500	-9999	23.34
9/3/2018	600	-9999	23.2
9/3/2018	700	-9999	23.07
9/3/2018	800	-9999	22.96
9/3/2018	900	-9999	22.9
9/3/2018	1000	-9999	22.9
9/3/2018	1100	-9999	22.89
9/3/2018	1200	-9999	22.91
9/3/2018	1300	-9999	22.96
9/3/2018	1400	-9999	23.1
9/3/2018	1500	-9999	23.13
9/3/2018	1600	-9999	23.13
9/3/2018	1700	-9999	23.18
9/3/2018	1800	-9999	23.24
9/3/2018	1900	-9999	23.19
9/3/2018	2000	-9999	23.15
9/3/2018	2100	-9999	23.11
9/3/2018	2200	-9999	23.04
9/3/2018	2300	-9999	22.96
9/4/2018	0	-9999	22.87
9/4/2018	100	-9999	22.8
9/4/2018	200	-9999	22.73
9/4/2018	300	-9999	22.65
9/4/2018	400	-9999	22.6
9/4/2018	500	-9999	22.54
9/4/2018	600	-9999	22.51
9/4/2018	700	-9999	22.53
9/4/2018	800	-9999	22.61
9/4/2018	900	-9999	22.67
9/4/2018	1000	-9999	22.76
9/4/2018	1100	-9999	22.86

9/4/2018	1200	-9999	22.95
9/4/2018	1300	-9999	23.09
9/4/2018	1400	-9999	23.19
9/4/2018	1500	-9999	23.23
9/4/2018	1600	-9999	23.02
9/4/2018	1700	45	22.59
9/4/2018	1800	41	23.24
9/4/2018	1900	-9999	23.37
9/4/2018	2000	-9999	23.34
9/4/2018	2100	-9999	23.34
9/4/2018	2200	-9999	23.28
9/4/2018	2300	-9999	23.25
9/5/2018	0	-9999	23.16
9/5/2018	100	-9999	23.14
9/5/2018	200	-9999	23.05
9/5/2018	300	-9999	22.96
9/5/2018	400	-9999	22.91
9/5/2018	500	14	22.94
9/5/2018	600	11	22.89
9/5/2018	700	12	22.92
9/5/2018	800	23	22.95
9/5/2018	900	38	22.95
9/5/2018	1000	46	22.99
9/5/2018	1100	49	23.11
9/5/2018	1200	49	23.15
9/5/2018	1300	48	23.23
9/5/2018	1400	49	23.39
9/5/2018	1500	47	23.53
9/5/2018	1600	49	23.61
9/5/2018	1700	50	23.36
9/5/2018	1800	44	23.21
9/5/2018	1900	40	23.69
9/5/2018	2000	35	23.84
9/5/2018	2100	32	23.89
9/5/2018	2200	27	23.87
9/5/2018	2300	32	23.85
9/6/2018	0	35	23.83
9/6/2018	100	36	23.83
9/6/2018	200	45	23.79
9/6/2018	300	38	23.72
9/6/2018	400	33	23.66
9/6/2018	500	34	23.61
9/6/2018	600	29	23.56
9/6/2018	700	29	23.5
9/6/2018	800	44	23.53
9/6/2018	900	46	23.56
9/6/2018	1000	47	23.62

9/6/2018	1100	48	23.67
9/6/2018	1200	48	23.7
9/6/2018	1300	46	23.92
9/6/2018	1400	46	24.11
9/6/2018	1500	48	24.18
9/6/2018	1600	44	23.6
9/6/2018	1700	45	23.36
9/6/2018	1800	42	23.22
9/6/2018	1900	36	23.05
9/6/2018	2000	31	23.04
9/6/2018	2100	29	23.27
9/6/2018	2200	26	23.34
9/6/2018	2300	22	23.42
9/7/2018	0	20	23.41
9/7/2018	100	17	23.48
9/7/2018	200	16	23.47
9/7/2018	300	17	23.38
9/7/2018	400	15	23.32
9/7/2018	500	14	23.28
9/7/2018	600	9	23.24
9/7/2018	700	18	23.09
9/7/2018	800	-9999	23.01
9/7/2018	900	43	23.18
9/7/2018	1000	50	23.3
9/7/2018	1100	49	23.36
9/7/2018	1200	50	23.52
9/7/2018	1300	-9999	23.65
9/7/2018	1400	-9999	23.81
9/7/2018	1500	49	23.88
9/7/2018	1600	49	24.04
9/7/2018	1700	46	24.18
9/7/2018	1800	40	24.25
9/7/2018	1900	34	24.3
9/7/2018	2000	28	24.32
9/7/2018	2100	32	24.24
9/7/2018	2200	34	24.17
9/7/2018	2300	27	24.1
9/8/2018	0	-9999	23.97
9/8/2018	100	-9999	23.96
9/8/2018	200	23	23.84
9/8/2018	300	23	23.74
9/8/2018	400	21	23.62
9/8/2018	500	18	23.5
9/8/2018	600	22	23.43
9/8/2018	700	25	23.39
9/8/2018	800	33	23.41
9/8/2018	900	44	23.44

9/8/2018	1000	47	23.45
9/8/2018	1100	50	23.54
9/8/2018	1200	50	23.64
9/8/2018	1300	51	23.78
9/8/2018	1400	52	23.87
9/8/2018	1500	52	23.99
9/8/2018	1600	52	24.11
9/8/2018	1700	53	24.26
9/8/2018	1800	48	24.35
9/8/2018	1900	42	24.38
9/8/2018	2000	29	24.43
9/8/2018	2100	30	24.42
9/8/2018	2200	27	24.37
9/8/2018	2300	24	24.31
9/9/2018	0	-9999	24.24
9/9/2018	100	-9999	24.21
9/9/2018	200	28	24.14
9/9/2018	300	30	24.06
9/9/2018	400	31	23.99
9/9/2018	500	37	23.89
9/9/2018	600	29	23.9
9/9/2018	700	27	23.91
9/9/2018	800	33	23.89
9/9/2018	900	39	23.91
9/9/2018	1000	43	23.78
9/9/2018	1100	46	23.23
9/9/2018	1200	48	23.82
9/9/2018	1300	47	24.05
9/9/2018	1400	49	24.18
9/9/2018	1500	48	24.3
9/9/2018	1600	48	24.41
9/9/2018	1700	44	24.48
9/9/2018	1800	42	24.55
9/9/2018	1900	38	24.59
9/9/2018	2000	36	24.54
9/9/2018	2100	33	24.5
9/9/2018	2200	27	24.44
9/9/2018	2300	24	24.35
9/10/2018	0	-9999	24.26
9/10/2018	100	-9999	24.27
9/10/2018	200	24	24.18
9/10/2018	300	21	24.03
9/10/2018	400	22	23.88
9/10/2018	500	21	23.76
9/10/2018	600	17	23.69
9/10/2018	700	22	23.63
9/10/2018	800	25	23.64

9/10/2018	900	41	23.72
9/10/2018	1000	39	23.73
9/10/2018	1100	46	23.78
9/10/2018	1200	47	23.89
9/10/2018	1300	48	23.99
9/10/2018	1400	49	24.11
9/10/2018	1500	50	24.21
9/10/2018	1600	51	24.27
9/10/2018	1700	50	23.87
9/10/2018	1800	45	24.08
9/10/2018	1900	27	24.42
9/10/2018	2000	27	24.46
9/10/2018	2100	30	24.39
9/10/2018	2200	24	24.35
9/10/2018	2300	27	24.32
9/11/2018	0	-9999	24.25
9/11/2018	100	-9999	24.22
9/11/2018	200	25	24.14
9/11/2018	300	28	24.05
9/11/2018	400	25	23.94
9/11/2018	500	20	23.81
9/11/2018	600	14	23.73
9/11/2018	700	17	23.66
9/11/2018	800	32	23.66
9/11/2018	900	41	23.68
9/11/2018	1000	46	23.69
9/11/2018	1100	47	23.77
9/11/2018	1200	47	23.9
9/11/2018	1300	46	24.02
9/11/2018	1400	46	24.21
9/11/2018	1500	45	24.35
9/11/2018	1600	45	24.36
9/11/2018	1700	45	23.99
9/11/2018	1800	40	24.15
9/11/2018	1900	27	24.53
9/11/2018	2000	31	24.59
9/11/2018	2100	24	24.55
9/11/2018	2200	19	24.46
9/11/2018	2300	18	24.4
9/12/2018	0	-9999	24.27
9/12/2018	100	-9999	24.24
9/12/2018	200	24	24.13
9/12/2018	300	24	23.96
9/12/2018	400	21	23.81
9/12/2018	500	18	23.73
9/12/2018	600	15	23.65
9/12/2018	700	16	23.53

9/12/2018	800	32	23.57
9/12/2018	900	42	23.61
9/12/2018	1000	43	23.66
9/12/2018	1100	43	23.72
9/12/2018	1200	44	23.69
9/12/2018	1300	41	23.67
9/12/2018	1400	42	23.74
9/12/2018	1500	40	23.9
9/12/2018	1600	41	24.04
9/12/2018	1700	41	23.86
9/12/2018	1800	37	23.87
9/12/2018	1900	33	24.23
9/12/2018	2000	33	24.24
9/12/2018	2100	33	24.25
9/12/2018	2200	33	24.23
9/12/2018	2300	35	24.19
9/13/2018	0	-9999	24.15
9/13/2018	100	-9999	24.19
9/13/2018	200	26	24.14
9/13/2018	300	26	24.01
9/13/2018	400	21	23.89
9/13/2018	500	16	23.79
9/13/2018	600	13	23.65
9/13/2018	700	17	23.58
9/13/2018	800	33	23.56
9/13/2018	900	41	23.58
9/13/2018	1000	42	23.62
9/13/2018	1100	40	23.74
9/13/2018	1200	42	23.74
9/13/2018	1300	42	23.79
9/13/2018	1400	41	23.95
9/13/2018	1500	40	24.09
9/13/2018	1600	40	23.59
9/13/2018	1700	37	23.55
9/13/2018	1800	28	23.87
9/13/2018	1900	19	23.35
9/13/2018	2000	19	23.13
9/13/2018	2100	20	23.37
9/13/2018	2200	19	23.51
9/13/2018	2300	20	23.58
9/14/2018	0	-9999	23.57
9/14/2018	100	-9999	23.59
9/14/2018	200	22	23.54
9/14/2018	300	22	23.47
9/14/2018	400	22	23.35
9/14/2018	500	19	23.25
9/14/2018	600	13	23.2

9/14/2018	700	15	23.1
9/14/2018	800	21	23.07
9/14/2018	900	35	23.02
9/14/2018	1000	39	23.04
9/14/2018	1100	42	23.15
9/14/2018	1200	45	23.26
9/14/2018	1300	45	23.38
9/14/2018	1400	45	23.51
9/14/2018	1500	46	23.69
9/14/2018	1600	47	23.9
9/14/2018	1700	46	24.06
9/14/2018	1800	33	24.21
9/14/2018	1900	24	24.35
9/14/2018	2000	26	24.38
9/14/2018	2100	20	24.39
9/14/2018	2200	19	24.34
9/14/2018	2300	23	24.32
9/15/2018	0	23	24.22
9/15/2018	100	26	24.16
9/15/2018	200	26	24.09
9/15/2018	300	26	23.97
9/15/2018	400	25	23.86
9/15/2018	500	26	23.78
9/15/2018	600	19	23.68
9/15/2018	700	21	23.61
9/15/2018	800	28	23.55
9/15/2018	900	40	23.55
9/15/2018	1000	42	23.55
9/15/2018	1100	45	23.57
9/15/2018	1200	46	23.64
9/15/2018	1300	49	23.76
9/15/2018	1400	51	23.88
9/15/2018	1500	49	24.05
9/15/2018	1600	48	24.21
9/15/2018	1700	46	24.34
9/15/2018	1800	41	24.53
9/15/2018	1900	25	24.58
9/15/2018	2000	27	24.67
9/15/2018	2100	27	24.65
9/15/2018	2200	23	24.65
9/15/2018	2300	24	24.6
9/16/2018	0	25	24.53
9/16/2018	100	24	24.48
9/16/2018	200	26	24.45
9/16/2018	300	25	24.38
9/16/2018	400	23	24.22
9/16/2018	500	23	24.12

9/16/2018	600	23	24.06
9/16/2018	700	24	23.98
9/16/2018	800	30	23.86
9/16/2018	900	39	22.81
9/16/2018	1000	44	22.51
9/16/2018	1100	45	22.84
9/16/2018	1200	47	23.46
9/16/2018	1300	46	23.73
9/16/2018	1400	46	23.88
9/16/2018	1500	46	24.06
9/16/2018	1600	46	24.2
9/16/2018	1700	45	24.38
9/16/2018	1800	38	24.54
9/16/2018	1900	29	24.62
9/16/2018	2000	31	24.69
9/16/2018	2100	30	24.64
9/16/2018	2200	24	24.62
9/16/2018	2300	24	24.53
9/17/2018	0	22	24.51
9/17/2018	100	24	24.48
9/17/2018	200	24	24.41
9/17/2018	300	25	24.31
9/17/2018	400	23	24.2
9/17/2018	500	21	24.1
9/17/2018	600	16	24
9/17/2018	700	17	23.9
9/17/2018	800	28	23.79
9/17/2018	900	39	23.8
9/17/2018	1000	44	23.81
9/17/2018	1100	45	23.87
9/17/2018	1200	45	23.91
9/17/2018	1300	47	23.93
9/17/2018	1400	46	24.01
9/17/2018	1500	45	23.89
9/17/2018	1600	46	22.98
9/17/2018	1700	44	23.19
9/17/2018	1800	36	23.96
9/17/2018	1900	25	24.13
9/17/2018	2000	24	24.23
9/17/2018	2100	20	24.24
9/17/2018	2200	17	24.22
9/17/2018	2300	21	24.2
9/18/2018	0	23	24.14
9/18/2018	100	22	24.09
9/18/2018	200	22	24.02
9/18/2018	300	23	23.95
9/18/2018	400	23	23.83

9/18/2018	500	20	23.71
9/18/2018	600	15	23.63
9/18/2018	700	17	23.47
9/18/2018	800	26	23.43
9/18/2018	900	39	23.47
9/18/2018	1000	43	23.54
9/18/2018	1100	43	23.63
9/18/2018	1200	44	23.7
9/18/2018	1300	43	23.85
9/18/2018	1400	43	23.99
9/18/2018	1500	41	24.15
9/18/2018	1600	42	24.25
9/18/2018	1700	42	24.08
9/18/2018	1800	37	23.49
9/18/2018	1900	30	23.88
9/18/2018	2000	27	24.28
9/18/2018	2100	25	24.34
9/18/2018	2200	20	24.31
9/18/2018	2300	20	24.28
9/19/2018	0	22	24.2
9/19/2018	100	23	24.19
9/19/2018	200	25	24.1
9/19/2018	300	23	24.03
9/19/2018	400	20	23.95
9/19/2018	500	15	23.84
9/19/2018	600	15	23.76
9/19/2018	700	18	23.67
9/19/2018	800	16	23.63
9/19/2018	900	14	23.65
9/19/2018	1000	22	23.76
9/19/2018	1100	22	23.86
9/19/2018	1200	33	23.96
9/19/2018	1300	-9999	23.82
9/19/2018	1400	-9999	23.57
9/19/2018	1500	-9999	23.72
9/19/2018	1600	28	23.61
9/19/2018	1700	27	22.89
9/19/2018	1800	20	22.77
9/19/2018	1900	22	23.57
9/19/2018	2000	25	23.81
9/19/2018	2100	24	23.9
9/19/2018	2200	23	23.91
9/19/2018	2300	17	23.94
9/20/2018	0	15	23.92
9/20/2018	100	17	23.92
9/20/2018	200	20	23.88
9/20/2018	300	24	23.86

9/20/2018	400	14	23.81
9/20/2018	500	11	23.74
9/20/2018	600	8	23.66
9/20/2018	700	10	23.55
9/20/2018	800	23	23.53
9/20/2018	900	35	23.54
9/20/2018	1000	39	23.58
9/20/2018	1100	43	23.62
9/20/2018	1200	45	23.6
9/20/2018	1300	48	23.62
9/20/2018	1400	52	23.65
9/20/2018	1500	50	23.59
9/20/2018	1600	50	23
9/20/2018	1700	47	23.56
9/20/2018	1800	41	23.65
9/20/2018	1900	34	23.09
9/20/2018	2000	33	22.51
9/20/2018	2100	29	22.15
9/20/2018	2200	33	21.74
9/20/2018	2300	40	21.4
9/21/2018	0	34	21.06
9/21/2018	100	-9999	20.73
9/21/2018	200	-9999	20.42
9/21/2018	300	-9999	20.1
9/21/2018	400	25	19.82
9/21/2018	500	24	19.5
9/21/2018	600	9	19.54
9/21/2018	700	19	19.78
9/21/2018	800	30	20.08
9/21/2018	900	46	20.36
9/21/2018	1000	47	20.56
9/21/2018	1100	51	20.78
9/21/2018	1200	52	21.06
9/21/2018	1300	56	21.35
9/21/2018	1400	57	21.86
9/21/2018	1500	58	21.94
9/21/2018	1600	58	21.21
9/21/2018	1700	56	22.01
9/21/2018	1800	49	22.42
9/21/2018	1900	39	22.56
9/21/2018	2000	34	22.68
9/21/2018	2100	33	22.69
9/21/2018	2200	27	22.66
9/21/2018	2300	32	22.62
9/22/2018	0	33	22.56
9/22/2018	100	35	22.6
9/22/2018	200	35	22.6

9/22/2018	300	29	22.55
9/22/2018	400	25	22.5
9/22/2018	500	24	22.42
9/22/2018	600	23	22.42
9/22/2018	700	23	22.39
9/22/2018	800	35	22.37
9/22/2018	900	42	22.36
9/22/2018	1000	45	22.39
9/22/2018	1100	47	22.47
9/22/2018	1200	49	22.51
9/22/2018	1300	49	22.61
9/22/2018	1400	50	22.69
9/22/2018	1500	51	22.88
9/22/2018	1600	52	23.07
9/22/2018	1700	51	23.24
9/22/2018	1800	44	23.37
9/22/2018	1900	36	23.51
9/22/2018	2000	31	23.55
9/22/2018	2100	33	23.53
9/22/2018	2200	32	23.44
9/22/2018	2300	21	23.32
9/23/2018	0	25	23.25
9/23/2018	100	28	23.22
9/23/2018	200	28	23.1
9/23/2018	300	28	23.01
9/23/2018	400	26	22.9
9/23/2018	500	26	22.77
9/23/2018	600	27	22.68
9/23/2018	700	30	22.59
9/23/2018	800	36	22.54
9/23/2018	900	44	22.52
9/23/2018	1000	49	22.53
9/23/2018	1100	51	22.6
9/23/2018	1200	51	22.68
9/23/2018	1300	52	22.77
9/23/2018	1400	53	22.89
9/23/2018	1500	53	23.08
9/23/2018	1600	51	23.27
9/23/2018	1700	49	23.48
9/23/2018	1800	42	23.66
9/23/2018	1900	31	23.74
9/23/2018	2000	30	23.77
9/23/2018	2100	29	23.79
9/23/2018	2200	25	23.75
9/23/2018	2300	27	23.7
9/24/2018	0	25	23.61
9/24/2018	100	26	23.66

9/24/2018	200	23	23.62
9/24/2018	300	26	23.55
9/24/2018	400	24	23.46
9/24/2018	500	17	23.41
9/24/2018	600	12	23.31
9/24/2018	700	13	23.23
9/24/2018	800	21	23.22
9/24/2018	900	30	23.2
9/24/2018	1000	46	23.23
9/24/2018	1100	48	23.26
9/24/2018	1200	48	23.31
9/24/2018	1300	48	23.37
9/24/2018	1400	48	23.38
9/24/2018	1500	48	23.46
9/24/2018	1600	47	23.37
9/24/2018	1700	47	22.74
9/24/2018	1800	45	23.34
9/24/2018	1900	40	23.55
9/24/2018	2000	39	23.58
9/24/2018	2100	39	23.62
9/24/2018	2200	37	23.57
9/24/2018	2300	39	23.57
9/25/2018	0	38	23.52
9/25/2018	100	31	23.57
9/25/2018	200	28	23.51
9/25/2018	300	22	23.45
9/25/2018	400	18	23.32
9/25/2018	500	16	23.2
9/25/2018	600	13	23.07
9/25/2018	700	15	22.95
9/25/2018	800	28	22.94
9/25/2018	900	38	22.94
9/25/2018	1000	46	22.93
9/25/2018	1100	49	22.91
9/25/2018	1200	48	22.9
9/25/2018	1300	48	22.98
9/25/2018	1400	49	23.09
9/25/2018	1500	49	23.22
9/25/2018	1600	48	23.37
9/25/2018	1700	46	23.54
9/25/2018	1800	35	23.7
9/25/2018	1900	28	23.82
9/25/2018	2000	33	23.81
9/25/2018	2100	25	23.78
9/25/2018	2200	30	23.7
9/25/2018	2300	32	23.57
9/26/2018	0	30	23.45

9/26/2018	100	34	23.47
9/26/2018	200	29	23.36
9/26/2018	300	29	23.27
9/26/2018	400	28	23.14
9/26/2018	500	20	23.01
9/26/2018	600	13	22.88
9/26/2018	700	19	22.84
9/26/2018	800	32	22.77
9/26/2018	900	45	22.73
9/26/2018	1000	52	22.75
9/26/2018	1100	54	22.83
9/26/2018	1200	56	22.88
9/26/2018	1300	58	22.98
9/26/2018	1400	58	23.08
9/26/2018	1500	55	23.21
9/26/2018	1600	55	23.38
9/26/2018	1700	53	22.91
9/26/2018	1800	46	22.33
9/26/2018	1900	40	23.16
9/26/2018	2000	37	23.39
9/26/2018	2100	32	23.39
9/26/2018	2200	34	23.33
9/26/2018	2300	33	23.27
9/27/2018	0	24	23.17
9/27/2018	100	32	23.09
9/27/2018	200	29	22.98
9/27/2018	300	33	22.85
9/27/2018	400	31	22.7
9/27/2018	500	24	22.54
9/27/2018	600	21	22.41
9/27/2018	700	20	22.26
9/27/2018	800	37	22.19
9/27/2018	900	46	22.18
9/27/2018	1000	55	22.2
9/27/2018	1100	56	22.21
9/27/2018	1200	56	22.33
9/27/2018	1300	55	22.48
9/27/2018	1400	53	22.64
9/27/2018	1500	49	22.23
9/27/2018	1600	50	21.92
9/27/2018	1700	49	22.71
9/27/2018	1800	46	22.73
9/27/2018	1900	35	22.09
9/27/2018	2000	25	21.84
9/27/2018	2100	26	22.07
9/27/2018	2200	-9999	22.2
9/27/2018	2300	-9999	22.15

9/28/2018	0	-9999	22.13
9/28/2018	100	26	22.23
9/28/2018	200	25	22.23
9/28/2018	300	25	22.17
9/28/2018	400	24	22.05
9/28/2018	500	21	21.92
9/28/2018	600	16	21.82
9/28/2018	700	21	21.72
9/28/2018	800	26	21.69
9/28/2018	900	37	21.73
9/28/2018	1000	44	21.99
9/28/2018	1100	45	22.4
9/28/2018	1200	44	22.77
9/28/2018	1300	44	23.07
9/28/2018	1400	44	23.3
9/28/2018	1500	44	23.29
9/28/2018	1600	44	23.36
9/28/2018	1700	41	24.01
9/28/2018	1800	29	24.31
9/28/2018	1900	26	24.48
9/28/2018	2000	26	24.54
9/28/2018	2100	22	24.53
9/28/2018	2200	21	24.48
9/28/2018	2300	22	24.48
9/29/2018	0	20	24.48
9/29/2018	100	22	24.47
9/29/2018	200	22	24.39
9/29/2018	300	23	24.32
9/29/2018	400	20	24.23
9/29/2018	500	20	24.17
9/29/2018	600	20	24.14
9/29/2018	700	21	24.08
9/29/2018	800	22	23.99
9/29/2018	900	36	24.1
9/29/2018	1000	45	24.21
9/29/2018	1100	46	24.27
9/29/2018	1200	46	24.34
9/29/2018	1300	45	24.42
9/29/2018	1400	43	24.54
9/29/2018	1500	41	24.7
9/29/2018	1600	42	24.86
9/29/2018	1700	40	24.98
9/29/2018	1800	26	25.09
9/29/2018	1900	15	25.18
9/29/2018	2000	30	25.17
9/29/2018	2100	-9999	25.15
9/29/2018	2200	-9999	25.08

9/29/2018	2300	-9999	25.12
9/30/2018	0	22	25.15
9/30/2018	100	22	25.18
9/30/2018	200	22	25.15
9/30/2018	300	23	25.12
9/30/2018	400	24	25.09
9/30/2018	500	20	25.04
9/30/2018	600	18	24.98
9/30/2018	700	20	24.93
9/30/2018	800	27	24.96
9/30/2018	900	38	25.02
9/30/2018	1000	39	25.05
9/30/2018	1100	40	25.05
9/30/2018	1200	40	25.08
9/30/2018	1300	40	25.14
9/30/2018	1400	39	25.21
9/30/2018	1500	38	25.3
9/30/2018	1600	38	25.39
9/30/2018	1700	36	25.44
9/30/2018	1800	28	25.51
9/30/2018	1900	23	25.56
9/30/2018	2000	21	25.56
9/30/2018	2100	20	25.57
9/30/2018	2200	20	25.59
9/30/2018	2300	19	25.58