

Montezuma County - Colorado Cortez County Health Building

Site Abbreviation: MOCO

Time Period: 11/01/18 - 11/30/18

Preliminary Validation

Site Number: 446

AIRS Site Number: 08-083-0006

DATE	TIME	O3-4	STP-1
DATE	TIME	hourly	hourly
DATE	TIME	ppb	degC
11/1/2018	0	21	24.82
11/1/2018	100	25	24.83
11/1/2018	200	20	24.85
11/1/2018	300	10	24.86
11/1/2018	400	16	24.82
11/1/2018	500	16	24.84
11/1/2018	600	11	24.79
11/1/2018	700	19	24.71
11/1/2018	800	29	24.71
11/1/2018	900	37	24.6
11/1/2018	1000	40	24.51
11/1/2018	1100	43	24.48
11/1/2018	1200	44	24.4
11/1/2018	1300	44	24.28
11/1/2018	1400	43	24.23
11/1/2018	1500	43	24.38
11/1/2018	1600	42	23.88
11/1/2018	1700	39	23.25
11/1/2018	1800	30	23.52
11/1/2018	1900	26	24.13
11/1/2018	2000	23	24.36
11/1/2018	2100	24	24.4
11/1/2018	2200	28	24.41
11/1/2018	2300	22	24.37
11/2/2018	0	19	24.33
11/2/2018	100	21	24.26
11/2/2018	200	22	24.22
11/2/2018	300	18	24.19
11/2/2018	400	15	24.15
11/2/2018	500	19	24.08
11/2/2018	600	11	24.06
11/2/2018	700	8	24.01
11/2/2018	800	15	23.92
11/2/2018	900	31	23.94
11/2/2018	1000	35	24
11/2/2018	1100	39	24.17
11/2/2018	1200	37	24.32

11/2/2018	1300	35	24.44
11/2/2018	1400	36	24.63
11/2/2018	1500	37	24.75
11/2/2018	1600	35	24.83
11/2/2018	1700	33	24.83
11/2/2018	1800	22	24.85
11/2/2018	1900	11	24.81
11/2/2018	2000	12	24.74
11/2/2018	2100	11	24.68
11/2/2018	2200	10	24.61
11/2/2018	2300	10	24.54
11/3/2018	0	11	24.46
11/3/2018	100	12	24.33
11/3/2018	200	31	24.32
11/3/2018	300	38	24.33
11/3/2018	400	39	24.26
11/3/2018	500	38	24.2
11/3/2018	600	38	24.1
11/3/2018	700	38	24.07
11/3/2018	800	40	24.03
11/3/2018	900	46	24.02
11/3/2018	1000	45	23.99
11/3/2018	1100	45	23.91
11/3/2018	1200	47	23.92
11/3/2018	1300	47	23.93
11/3/2018	1400	47	23.94
11/3/2018	1500	47	23.97
11/3/2018	1600	46	23.92
11/3/2018	1700	41	23.91
11/3/2018	1800	36	23.94
11/3/2018	1900	35	23.92
11/3/2018	2000	29	23.9
11/3/2018	2100	25	23.88
11/3/2018	2200	27	23.86
11/3/2018	2300	18	23.84
11/4/2018	0	24	23.76
11/4/2018	100	25	23.7
11/4/2018	200	19	23.61
11/4/2018	300	16	23.59
11/4/2018	400	17	23.53
11/4/2018	500	16	23.45
11/4/2018	600	15	23.4
11/4/2018	700	16	23.36
11/4/2018	800	24	23.35
11/4/2018	900	32	23.33
11/4/2018	1000	40	23.21
11/4/2018	1100	45	22.63

11/4/2018	1200	46	23.25
11/4/2018	1300	45	23.47
11/4/2018	1400	47	23.54
11/4/2018	1500	46	23.6
11/4/2018	1600	46	23.59
11/4/2018	1700	40	23.6
11/4/2018	1800	37	23.67
11/4/2018	1900	34	23.72
11/4/2018	2000	24	23.73
11/4/2018	2100	24	23.72
11/4/2018	2200	27	23.76
11/4/2018	2300	29	23.76
11/5/2018	0	24	23.74
11/5/2018	100	23	23.68
11/5/2018	200	21	23.7
11/5/2018	300	25	23.73
11/5/2018	400	29	23.75
11/5/2018	500	27	23.73
11/5/2018	600	26	23.75
11/5/2018	700	26	23.73
11/5/2018	800	35	23.64
11/5/2018	900	43	23.64
11/5/2018	1000	46	23.69
11/5/2018	1100	47	23.52
11/5/2018	1200	47	23.85
11/5/2018	1300	47	24.04
11/5/2018	1400	47	24.19
11/5/2018	1500	46	24.32
11/5/2018	1600	45	24.16
11/5/2018	1700	35	23.45
11/5/2018	1800	30	23.6
11/5/2018	1900	24	24.17
11/5/2018	2000	32	24.33
11/5/2018	2100	20	24.43
11/5/2018	2200	24	24.51
11/5/2018	2300	24	24.54
11/6/2018	0	25	24.52
11/6/2018	100	25	24.53
11/6/2018	200	21	24.55
11/6/2018	300	21	24.57
11/6/2018	400	18	24.55
11/6/2018	500	18	24.52
11/6/2018	600	17	24.47
11/6/2018	700	15	24.46
11/6/2018	800	18	24.41
11/6/2018	900	31	24.4
11/6/2018	1000	41	24.4

11/6/2018	1100	43	24.45
11/6/2018	1200	44	24.52
11/6/2018	1300	47	24.62
11/6/2018	1400	46	24.69
11/6/2018	1500	45	24.65
11/6/2018	1600	43	24.42
11/6/2018	1700	26	23.57
11/6/2018	1800	24	23.13
11/6/2018	1900	26	23.51
11/6/2018	2000	19	23.8
11/6/2018	2100	24	23.95
11/6/2018	2200	23	24.02
11/6/2018	2300	24	23.97
11/7/2018	0	22	24.01
11/7/2018	100	20	23.97
11/7/2018	200	21	23.98
11/7/2018	300	21	23.98
11/7/2018	400	17	23.92
11/7/2018	500	17	23.87
11/7/2018	600	17	23.8
11/7/2018	700	16	23.77
11/7/2018	800	20	23.7
11/7/2018	900	32	23.67
11/7/2018	1000	41	23.68
11/7/2018	1100	47	23.92
11/7/2018	1200	46	24.09
11/7/2018	1300	45	24.09
11/7/2018	1400	44	23.99
11/7/2018	1500	44	24.01
11/7/2018	1600	41	24.03
11/7/2018	1700	27	23.92
11/7/2018	1800	24	23.03
11/7/2018	1900	18	22.93
11/7/2018	2000	17	23.46
11/7/2018	2100	15	23.62
11/7/2018	2200	19	23.71
11/7/2018	2300	19	23.78
11/8/2018	0	21	23.8
11/8/2018	100	21	23.73
11/8/2018	200	20	23.76
11/8/2018	300	14	23.74
11/8/2018	400	20	23.72
11/8/2018	500	13	23.66
11/8/2018	600	16	23.65
11/8/2018	700	15	23.64
11/8/2018	800	25	23.57
11/8/2018	900	39	23.48

11/8/2018	1000	43	23.47
11/8/2018	1100	44	23.42
11/8/2018	1200	45	23.38
11/8/2018	1300	46	23.38
11/8/2018	1400	46	23.46
11/8/2018	1500	45	23.52
11/8/2018	1600	45	23.49
11/8/2018	1700	37	22.74
11/8/2018	1800	31	22.39
11/8/2018	1900	37	22.73
11/8/2018	2000	34	23.17
11/8/2018	2100	35	23.3
11/8/2018	2200	35	23.37
11/8/2018	2300	34	23.39
11/9/2018	0	27	23.33
11/9/2018	100	23	23.3
11/9/2018	200	25	23.32
11/9/2018	300	21	23.33
11/9/2018	400	22	23.3
11/9/2018	500	17	23.27
11/9/2018	600	12	23.26
11/9/2018	700	17	23.29
11/9/2018	800	19	23.45
11/9/2018	900	34	23.56
11/9/2018	1000	41	23.56
11/9/2018	1100	43	23.54
11/9/2018	1200	43	23.58
11/9/2018	1300	41	23.59
11/9/2018	1400	40	23.65
11/9/2018	1500	37	23.76
11/9/2018	1600	33	23.77
11/9/2018	1700	28	23.71
11/9/2018	1800	18	23.73
11/9/2018	1900	9	23.76
11/9/2018	2000	12	23.74
11/9/2018	2100	10	23.72
11/9/2018	2200	14	23.7
11/9/2018	2300	19	23.65
11/10/2018	0	17	23.64
11/10/2018	100	17	23.63
11/10/2018	200	17	23.66
11/10/2018	300	19	23.61
11/10/2018	400	21	23.59
11/10/2018	500	20	23.58
11/10/2018	600	22	23.56
11/10/2018	700	20	23.5
11/10/2018	800	27	23.53

11/10/2018	900	35	23.54
11/10/2018	1000	40	23.51
11/10/2018	1100	40	23.47
11/10/2018	1200	42	23.51
11/10/2018	1300	43	23.56
11/10/2018	1400	44	23.62
11/10/2018	1500	45	23.69
11/10/2018	1600	43	23.33
11/10/2018	1700	30	22.53
11/10/2018	1800	24	23.17
11/10/2018	1900	30	23.41
11/10/2018	2000	16	23.54
11/10/2018	2100	15	23.62
11/10/2018	2200	22	23.68
11/10/2018	2300	22	23.71
11/11/2018	0	20	23.72
11/11/2018	100	13	23.69
11/11/2018	200	11	23.77
11/11/2018	300	15	23.75
11/11/2018	400	15	23.7
11/11/2018	500	15	23.68
11/11/2018	600	15	23.62
11/11/2018	700	12	23.57
11/11/2018	800	16	23.56
11/11/2018	900	27	23.56
11/11/2018	1000	36	23.57
11/11/2018	1100	39	23.55
11/11/2018	1200	42	23.55
11/11/2018	1300	42	23.54
11/11/2018	1400	41	23.55
11/11/2018	1500	40	23.54
11/11/2018	1600	39	23.54
11/11/2018	1700	38	23.55
11/11/2018	1800	34	23.59
11/11/2018	1900	34	23.61
11/11/2018	2000	34	23.62
11/11/2018	2100	33	23.6
11/11/2018	2200	35	23.57
11/11/2018	2300	36	23.52
11/12/2018	0	35	23.5
11/12/2018	100	33	23.42
11/12/2018	200	35	23.45
11/12/2018	300	34	23.4
11/12/2018	400	33	23.38
11/12/2018	500	33	23.36
11/12/2018	600	31	23.31
11/12/2018	700	30	23.28

11/12/2018	800	33	23.27
11/12/2018	900	35	23.26
11/12/2018	1000	36	23.27
11/12/2018	1100	37	23.25
11/12/2018	1200	36	23.26
11/12/2018	1300	36	23.28
11/12/2018	1400	37	23.31
11/12/2018	1500	37	23.35
11/12/2018	1600	35	23.31
11/12/2018	1700	30	23.31
11/12/2018	1800	32	23.38
11/12/2018	1900	32	23.4
11/12/2018	2000	31	23.44
11/12/2018	2100	29	23.4
11/12/2018	2200	29	23.39
11/12/2018	2300	25	23.36
11/13/2018	0	27	23.31
11/13/2018	100	25	23.2
11/13/2018	200	20	23.22
11/13/2018	300	21	23.17
11/13/2018	400	19	23.17
11/13/2018	500	16	23.16
11/13/2018	600	13	23.18
11/13/2018	700	14	23.16
11/13/2018	800	24	23.11
11/13/2018	900	31	23.11
11/13/2018	1000	34	22.99
11/13/2018	1100	37	23.06
11/13/2018	1200	38	23.11
11/13/2018	1300	38	23.19
11/13/2018	1400	38	23.22
11/13/2018	1500	35	23.31
11/13/2018	1600	31	23.28
11/13/2018	1700	28	23.23
11/13/2018	1800	23	23.2
11/13/2018	1900	9	23.2
11/13/2018	2000	12	23.24
11/13/2018	2100	14	23.27
11/13/2018	2200	13	23.33
11/13/2018	2300	11	23.32
11/14/2018	0	13	23.32
11/14/2018	100	12	23.25
11/14/2018	200	15	23.23
11/14/2018	300	15	23.28
11/14/2018	400	11	23.23
11/14/2018	500	9	23.21
11/14/2018	600	9	23.21

11/14/2018	700	8	23.23
11/14/2018	800	-9999	22.69
11/14/2018	900	-9999	22.73
11/14/2018	1000	-9999	22.73
11/14/2018	1100	-9999	22.86
11/14/2018	1200	-9999	23.01
11/14/2018	1300	-9999	23.33
11/14/2018	1400	-9999	23.43
11/14/2018	1500	29	23.58
11/14/2018	1600	25	22.62
11/14/2018	1700	18	22.21
11/14/2018	1800	8	23.03
11/14/2018	1900	6	23.35
11/14/2018	2000	9	23.53
11/14/2018	2100	5	23.61
11/14/2018	2200	7	23.64
11/14/2018	2300	11	23.71
11/15/2018	0	13	23.68
11/15/2018	100	13	23.77
11/15/2018	200	9	23.82
11/15/2018	300	11	23.74
11/15/2018	400	10	23.66
11/15/2018	500	13	23.66
11/15/2018	600	5	23.62
11/15/2018	700	8	23.65
11/15/2018	800	11	23.59
11/15/2018	900	20	23.54
11/15/2018	1000	27	23.56
11/15/2018	1100	31	23.57
11/15/2018	1200	29	23.59
11/15/2018	1300	28	23.66
11/15/2018	1400	27	23.7
11/15/2018	1500	26	23.75
11/15/2018	1600	24	23.74
11/15/2018	1700	20	22.84
11/15/2018	1800	7	22.16
11/15/2018	1900	5	22.47
11/15/2018	2000	6	23.12
11/15/2018	2100	10	23.34
11/15/2018	2200	9	23.41
11/15/2018	2300	8	23.42
11/16/2018	0	8	23.42
11/16/2018	100	12	23.46
11/16/2018	200	13	23.49
11/16/2018	300	14	23.46
11/16/2018	400	15	23.45
11/16/2018	500	13	23.41

11/16/2018	600	8	23.4
11/16/2018	700	9	23.37
11/16/2018	800	16	23.37
11/16/2018	900	26	23.46
11/16/2018	1000	29	23.53
11/16/2018	1100	31	23.52
11/16/2018	1200	32	23.53
11/16/2018	1300	33	23.59
11/16/2018	1400	31	23.67
11/16/2018	1500	31	23.76
11/16/2018	1600	27	23.77
11/16/2018	1700	14	23.81
11/16/2018	1800	9	23.79
11/16/2018	1900	11	23.78
11/16/2018	2000	14	23.79
11/16/2018	2100	13	23.77
11/16/2018	2200	17	23.77
11/16/2018	2300	16	23.79
11/17/2018	0	18	23.78
11/17/2018	100	20	23.83
11/17/2018	200	20	23.78
11/17/2018	300	20	23.79
11/17/2018	400	19	23.77
11/17/2018	500	17	23.75
11/17/2018	600	17	23.71
11/17/2018	700	14	23.75
11/17/2018	800	17	23.71
11/17/2018	900	24	23.7
11/17/2018	1000	32	23.68
11/17/2018	1100	36	23.66
11/17/2018	1200	37	23.25
11/17/2018	1300	37	22.31
11/17/2018	1400	37	22.61
11/17/2018	1500	39	23.44
11/17/2018	1600	37	23.62
11/17/2018	1700	31	23.63
11/17/2018	1800	15	23.71
11/17/2018	1900	16	23.72
11/17/2018	2000	13	23.72
11/17/2018	2100	12	23.78
11/17/2018	2200	19	23.8
11/17/2018	2300	20	23.79
11/18/2018	0	19	23.8
11/18/2018	100	11	23.9
11/18/2018	200	12	23.87
11/18/2018	300	15	23.83
11/18/2018	400	16	23.8

11/18/2018	500	14	23.78
11/18/2018	600	17	23.78
11/18/2018	700	21	23.8
11/18/2018	800	24	23.79
11/18/2018	900	30	23.75
11/18/2018	1000	39	23.71
11/18/2018	1100	43	23.68
11/18/2018	1200	45	23.69
11/18/2018	1300	47	23.71
11/18/2018	1400	46	23.75
11/18/2018	1500	44	23.8
11/18/2018	1600	42	23.76
11/18/2018	1700	37	23.74
11/18/2018	1800	34	23.75
11/18/2018	1900	31	23.76
11/18/2018	2000	27	23.73
11/18/2018	2100	21	23.65
11/18/2018	2200	17	23.59
11/18/2018	2300	16	23.52
11/19/2018	0	17	23.47
11/19/2018	100	13	23.46
11/19/2018	200	16	23.43
11/19/2018	300	15	23.41
11/19/2018	400	16	23.4
11/19/2018	500	14	23.36
11/19/2018	600	14	23.33
11/19/2018	700	9	23.3
11/19/2018	800	17	23.29
11/19/2018	900	26	23.37
11/19/2018	1000	35	23.39
11/19/2018	1100	36	23.34
11/19/2018	1200	36	23.32
11/19/2018	1300	36	23.27
11/19/2018	1400	37	23.4
11/19/2018	1500	36	23.51
11/19/2018	1600	33	23.53
11/19/2018	1700	27	23.21
11/19/2018	1800	13	22.16
11/19/2018	1900	8	22.81
11/19/2018	2000	10	23.3
11/19/2018	2100	10	23.44
11/19/2018	2200	14	23.47
11/19/2018	2300	14	23.52
11/20/2018	0	15	23.51
11/20/2018	100	17	23.54
11/20/2018	200	16	23.57
11/20/2018	300	14	23.57

11/20/2018	400	17	23.57
11/20/2018	500	15	23.58
11/20/2018	600	12	23.55
11/20/2018	700	10	23.53
11/20/2018	800	14	23.5
11/20/2018	900	24	23.49
11/20/2018	1000	32	23.45
11/20/2018	1100	33	23.46
11/20/2018	1200	35	23.46
11/20/2018	1300	34	23.51
11/20/2018	1400	34	23.6
11/20/2018	1500	32	23.53
11/20/2018	1600	25	22.54
11/20/2018	1700	12	22.13
11/20/2018	1800	4	22.98
11/20/2018	1900	9	23.35
11/20/2018	2000	9	23.5
11/20/2018	2100	12	23.59
11/20/2018	2200	15	23.6
11/20/2018	2300	15	23.59
11/21/2018	0	15	23.61
11/21/2018	100	17	23.66
11/21/2018	200	16	23.6
11/21/2018	300	15	23.54
11/21/2018	400	16	23.47
11/21/2018	500	18	23.49
11/21/2018	600	15	23.43
11/21/2018	700	16	23.39
11/21/2018	800	17	23.37
11/21/2018	900	26	23.39
11/21/2018	1000	34	23.36
11/21/2018	1100	39	23.38
11/21/2018	1200	38	23.44
11/21/2018	1300	38	23.5
11/21/2018	1400	38	23.53
11/21/2018	1500	35	23.53
11/21/2018	1600	30	23.49
11/21/2018	1700	22	22.49
11/21/2018	1800	9	23.16
11/21/2018	1900	8	23.4
11/21/2018	2000	7	23.48
11/21/2018	2100	13	23.55
11/21/2018	2200	19	23.57
11/21/2018	2300	16	23.6
11/22/2018	0	18	23.58
11/22/2018	100	20	23.61
11/22/2018	200	19	23.6

11/22/2018	300	22	23.56
11/22/2018	400	18	23.55
11/22/2018	500	19	23.51
11/22/2018	600	21	23.5
11/22/2018	700	22	23.54
11/22/2018	800	17	23.53
11/22/2018	900	24	23.57
11/22/2018	1000	30	23.61
11/22/2018	1100	39	23.62
11/22/2018	1200	40	23.65
11/22/2018	1300	41	23.71
11/22/2018	1400	42	23.77
11/22/2018	1500	40	23.78
11/22/2018	1600	38	23.82
11/22/2018	1700	34	23.89
11/22/2018	1800	31	23.91
11/22/2018	1900	30	23.93
11/22/2018	2000	22	23.91
11/22/2018	2100	21	23.97
11/22/2018	2200	17	23.98
11/22/2018	2300	21	23.98
11/23/2018	0	22	23.98
11/23/2018	100	17	23.99
11/23/2018	200	17	24.03
11/23/2018	300	10	23.99
11/23/2018	400	12	23.98
11/23/2018	500	12	23.96
11/23/2018	600	12	23.93
11/23/2018	700	13	23.9
11/23/2018	800	15	23.92
11/23/2018	900	14	23.96
11/23/2018	1000	26	23.95
11/23/2018	1100	33	23.95
11/23/2018	1200	35	23.98
11/23/2018	1300	35	23.97
11/23/2018	1400	37	24
11/23/2018	1500	39	23.89
11/23/2018	1600	37	23.9
11/23/2018	1700	27	23.9
11/23/2018	1800	21	24
11/23/2018	1900	22	24.01
11/23/2018	2000	21	24.05
11/23/2018	2100	14	24.02
11/23/2018	2200	17	24
11/23/2018	2300	14	23.94
11/24/2018	0	17	23.94
11/24/2018	100	17	24.01

11/24/2018	200	19	23.98
11/24/2018	300	15	23.95
11/24/2018	400	16	23.92
11/24/2018	500	17	23.9
11/24/2018	600	14	23.89
11/24/2018	700	14	23.87
11/24/2018	800	15	23.84
11/24/2018	900	27	23.88
11/24/2018	1000	35	24.05
11/24/2018	1100	38	24.16
11/24/2018	1200	39	24.27
11/24/2018	1300	40	24.39
11/24/2018	1400	40	24.47
11/24/2018	1500	38	24.49
11/24/2018	1600	40	23.75
11/24/2018	1700	41	23.67
11/24/2018	1800	43	23.85
11/24/2018	1900	43	23.86
11/24/2018	2000	40	23.82
11/24/2018	2100	35	23.83
11/24/2018	2200	36	23.82
11/24/2018	2300	34	23.78
11/25/2018	0	30	23.77
11/25/2018	100	23	23.79
11/25/2018	200	26	23.74
11/25/2018	300	28	23.73
11/25/2018	400	24	23.7
11/25/2018	500	13	23.72
11/25/2018	600	12	23.76
11/25/2018	700	20	23.71
11/25/2018	800	29	23.74
11/25/2018	900	35	23.75
11/25/2018	1000	35	23.7
11/25/2018	1100	36	23.72
11/25/2018	1200	38	23.73
11/25/2018	1300	40	23.75
11/25/2018	1400	40	23.75
11/25/2018	1500	39	23.74
11/25/2018	1600	37	23.72
11/25/2018	1700	33	23.74
11/25/2018	1800	31	23.77
11/25/2018	1900	26	23.85
11/25/2018	2000	23	23.91
11/25/2018	2100	19	23.92
11/25/2018	2200	14	23.93
11/25/2018	2300	17	23.91
11/26/2018	0	14	23.87

11/26/2018	100	14	23.83
11/26/2018	200	14	23.79
11/26/2018	300	12	23.79
11/26/2018	400	14	23.76
11/26/2018	500	13	23.76
11/26/2018	600	10	23.79
11/26/2018	700	11	23.75
11/26/2018	800	15	23.7
11/26/2018	900	24	23.66
11/26/2018	1000	33	23.53
11/26/2018	1100	33	23.49
11/26/2018	1200	33	23.52
11/26/2018	1300	34	23.54
11/26/2018	1400	33	23.59
11/26/2018	1500	34	23.66
11/26/2018	1600	33	23.62
11/26/2018	1700	25	22.96
11/26/2018	1800	10	22.1
11/26/2018	1900	10	22.53
11/26/2018	2000	9	23.17
11/26/2018	2100	6	23.35
11/26/2018	2200	12	23.47
11/26/2018	2300	12	23.53
11/27/2018	0	11	23.54
11/27/2018	100	13	23.64
11/27/2018	200	15	23.6
11/27/2018	300	13	23.57
11/27/2018	400	14	23.57
11/27/2018	500	14	23.54
11/27/2018	600	10	23.56
11/27/2018	700	7	23.54
11/27/2018	800	13	23.46
11/27/2018	900	25	23.41
11/27/2018	1000	30	23.4
11/27/2018	1100	34	23.34
11/27/2018	1200	36	23.31
11/27/2018	1300	-9999	22.92
11/27/2018	1400	-9999	23.51
11/27/2018	1500	27	23.67
11/27/2018	1600	23	22.57
11/27/2018	1700	10	22.74
11/27/2018	1800	9	23.38
11/27/2018	1900	10	23.52
11/27/2018	2000	11	23.57
11/27/2018	2100	11	23.58
11/27/2018	2200	14	23.63
11/27/2018	2300	17	23.71

11/28/2018	0	18	23.71
11/28/2018	100	18	23.75
11/28/2018	200	23	23.78
11/28/2018	300	17	23.7
11/28/2018	400	19	23.64
11/28/2018	500	11	23.64
11/28/2018	600	11	23.64
11/28/2018	700	11	23.68
11/28/2018	800	11	23.66
11/28/2018	900	19	23.58
11/28/2018	1000	35	23.55
11/28/2018	1100	39	23.54
11/28/2018	1200	40	23.63
11/28/2018	1300	40	23.67
11/28/2018	1400	41	23.72
11/28/2018	1500	40	23.78
11/28/2018	1600	32	23.81
11/28/2018	1700	11	23.88
11/28/2018	1800	9	22.95
11/28/2018	1900	9	23.23
11/28/2018	2000	10	23.75
11/28/2018	2100	14	23.82
11/28/2018	2200	22	23.86
11/28/2018	2300	17	23.9
11/29/2018	0	31	23.9
11/29/2018	100	35	23.93
11/29/2018	200	29	23.86
11/29/2018	300	26	23.79
11/29/2018	400	27	23.79
11/29/2018	500	25	23.75
11/29/2018	600	26	23.82
11/29/2018	700	27	23.84
11/29/2018	800	26	23.74
11/29/2018	900	19	23.7
11/29/2018	1000	39	23.73
11/29/2018	1100	42	23.76
11/29/2018	1200	45	23.76
11/29/2018	1300	47	23.81
11/29/2018	1400	47	23.83
11/29/2018	1500	46	23.87
11/29/2018	1600	44	23.79
11/29/2018	1700	42	23.8
11/29/2018	1800	44	24.06
11/29/2018	1900	43	24.19
11/29/2018	2000	40	24.12
11/29/2018	2100	36	24.11
11/29/2018	2200	37	24.09

11/29/2018	2300	39	24.09
11/30/2018	0	38	24.14
11/30/2018	100	42	24.25
11/30/2018	200	34	24.27
11/30/2018	300	31	24.29
11/30/2018	400	29	24.33
11/30/2018	500	33	24.36
11/30/2018	600	31	24.34
11/30/2018	700	22	24.38
11/30/2018	800	31	24.43
11/30/2018	900	33	24.32
11/30/2018	1000	34	24.19
11/30/2018	1100	34	24.12
11/30/2018	1200	36	24.06
11/30/2018	1300	34	24.02
11/30/2018	1400	34	24.04
11/30/2018	1500	27	24.05
11/30/2018	1600	21	24
11/30/2018	1700	13	23.95
11/30/2018	1800	19	23.99
11/30/2018	1900	13	24.01
11/30/2018	2000	20	24.01
11/30/2018	2100	18	24.04
11/30/2018	2200	25	24.02
11/30/2018	2300	34	23.98