

Montezuma County - Colorado Cortez County Health Building

Site Abbreviation: MOCO

Time Period: 11/01/19 - 11/30/19

Preliminary Validation

Site Number: 446

AIRS Site Number: 08-083-0006

DATE	TIME	O3-7	STP-1
DATE	TIME	hourly	hourly
DATE	TIME	ppb	degC
11/1/2019	0	16	23.97
11/1/2019	100	11	23.95
11/1/2019	200	13	23.94
11/1/2019	300	14	23.95
11/1/2019	400	14	24.04
11/1/2019	500	13	24.19
11/1/2019	600	11	24.31
11/1/2019	700	16	24.4
11/1/2019	800	27	24.42
11/1/2019	900	30	24.4
11/1/2019	1000	32	24.39
11/1/2019	1100	33	24.34
11/1/2019	1200	32	24.33
11/1/2019	1300	34	24.32
11/1/2019	1400	37	24.38
11/1/2019	1500	35	24.43
11/1/2019	1600	33	23.89
11/1/2019	1700	31	23.78
11/1/2019	1800	30	24.09
11/1/2019	1900	31	24.22
11/1/2019	2000	28	24.28
11/1/2019	2100	24	24.3
11/1/2019	2200	25	24.28
11/1/2019	2300	27	24.28
11/2/2019	0	24	24.24
11/2/2019	100	23	24.21
11/2/2019	200	21	24.19
11/2/2019	300	23	24.14
11/2/2019	400	16	24.21
11/2/2019	500	20	24.36
11/2/2019	600	16	24.47
11/2/2019	700	18	24.55
11/2/2019	800	24	24.61
11/2/2019	900	31	24.65
11/2/2019	1000	35	24.67
11/2/2019	1100	40	24.66
11/2/2019	1200	41	24.63

11/2/2019	1300	43	24.64
11/2/2019	1400	42	24.68
11/2/2019	1500	41	24.74
11/2/2019	1600	37	24.75
11/2/2019	1700	26	24.77
11/2/2019	1800	16	24.82
11/2/2019	1900	15	24.79
11/2/2019	2000	14	24.77
11/2/2019	2100	14	24.77
11/2/2019	2200	20	24.73
11/2/2019	2300	21	24.64
11/3/2019	0	25	24.57
11/3/2019	100	23	24.53
11/3/2019	200	25	24.44
11/3/2019	300	28	24.38
11/3/2019	400	26	24.41
11/3/2019	500	22	24.57
11/3/2019	600	24	24.67
11/3/2019	700	25	24.72
11/3/2019	800	28	24.79
11/3/2019	900	35	24.82
11/3/2019	1000	39	24.84
11/3/2019	1100	42	24.82
11/3/2019	1200	43	24.83
11/3/2019	1300	43	24.87
11/3/2019	1400	43	24.91
11/3/2019	1500	42	24.96
11/3/2019	1600	44	25
11/3/2019	1700	40	24.97
11/3/2019	1800	24	24.98
11/3/2019	1900	21	25
11/3/2019	2000	20	24.99
11/3/2019	2100	19	24.99
11/3/2019	2200	23	24.94
11/3/2019	2300	24	24.88
11/4/2019	0	26	24.86
11/4/2019	100	-9999	24.81
11/4/2019	200	19	24.76
11/4/2019	300	22	24.69
11/4/2019	400	23	24.68
11/4/2019	500	23	24.75
11/4/2019	600	21	24.83
11/4/2019	700	15	24.91
11/4/2019	800	17	24.96
11/4/2019	900	31	24.94
11/4/2019	1000	38	24.9
11/4/2019	1100	38	24.83

11/4/2019	1200	40	24.82
11/4/2019	1300	39	24.86
11/4/2019	1400	39	24.89
11/4/2019	1500	40	24.93
11/4/2019	1600	38	24.89
11/4/2019	1700	33	24.06
11/4/2019	1800	29	23.61
11/4/2019	1900	26	24.31
11/4/2019	2000	24	24.64
11/4/2019	2100	19	24.79
11/4/2019	2200	21	24.85
11/4/2019	2300	22	24.86
11/5/2019	0	22	24.85
11/5/2019	100	20	24.83
11/5/2019	200	19	24.77
11/5/2019	300	20	24.68
11/5/2019	400	19	24.63
11/5/2019	500	18	24.79
11/5/2019	600	13	24.86
11/5/2019	700	9	24.9
11/5/2019	800	20	24.93
11/5/2019	900	29	24.81
11/5/2019	1000	37	24.71
11/5/2019	1100	41	24.71
11/5/2019	1200	40	24.75
11/5/2019	1300	38	24.74
11/5/2019	1400	38	24.75
11/5/2019	1500	38	24.87
11/5/2019	1600	33	24.9
11/5/2019	1700	13	24.34
11/5/2019	1800	14	24.26
11/5/2019	1900	13	24.7
11/5/2019	2000	13	24.88
11/5/2019	2100	16	24.93
11/5/2019	2200	20	24.89
11/5/2019	2300	24	24.91
11/6/2019	0	25	24.89
11/6/2019	100	21	24.83
11/6/2019	200	22	24.78
11/6/2019	300	22	24.72
11/6/2019	400	21	24.66
11/6/2019	500	21	24.73
11/6/2019	600	19	24.78
11/6/2019	700	13	24.77
11/6/2019	800	20	24.81
11/6/2019	900	25	24.79
11/6/2019	1000	33	24.71

11/6/2019	1100	36	24.69
11/6/2019	1200	36	24.68
11/6/2019	1300	37	24.7
11/6/2019	1400	33	24.74
11/6/2019	1500	29	24.78
11/6/2019	1600	28	24.87
11/6/2019	1700	12	24.66
11/6/2019	1800	12	24.05
11/6/2019	1900	13	24.63
11/6/2019	2000	14	24.71
11/6/2019	2100	14	24.81
11/6/2019	2200	16	24.85
11/6/2019	2300	19	24.81
11/7/2019	0	21	24.78
11/7/2019	100	20	24.78
11/7/2019	200	18	24.75
11/7/2019	300	15	24.66
11/7/2019	400	16	24.62
11/7/2019	500	17	24.67
11/7/2019	600	11	24.77
11/7/2019	700	13	24.85
11/7/2019	800	18	24.86
11/7/2019	900	28	24.77
11/7/2019	1000	32	24.74
11/7/2019	1100	35	24.73
11/7/2019	1200	36	24.7
11/7/2019	1300	36	24.63
11/7/2019	1400	36	24.69
11/7/2019	1500	36	24.72
11/7/2019	1600	34	24.83
11/7/2019	1700	31	24.49
11/7/2019	1800	22	24.11
11/7/2019	1900	18	24.21
11/7/2019	2000	18	24.46
11/7/2019	2100	17	24.58
11/7/2019	2200	17	24.59
11/7/2019	2300	19	24.6
11/8/2019	0	18	24.59
11/8/2019	100	19	24.51
11/8/2019	200	22	24.48
11/8/2019	300	18	24.4
11/8/2019	400	18	24.38
11/8/2019	500	20	24.49
11/8/2019	600	21	24.55
11/8/2019	700	17	24.63
11/8/2019	800	20	24.61
11/8/2019	900	33	24.56

11/8/2019	1000	35	24.51
11/8/2019	1100	34	24.45
11/8/2019	1200	35	24.45
11/8/2019	1300	35	24.44
11/8/2019	1400	37	24.42
11/8/2019	1500	37	24.45
11/8/2019	1600	35	24.55
11/8/2019	1700	32	24.61
11/8/2019	1800	22	24.69
11/8/2019	1900	23	24.67
11/8/2019	2000	21	24.68
11/8/2019	2100	17	24.57
11/8/2019	2200	16	24.58
11/8/2019	2300	20	24.56
11/9/2019	0	23	24.51
11/9/2019	100	24	24.44
11/9/2019	200	20	24.41
11/9/2019	300	21	24.32
11/9/2019	400	22	24.29
11/9/2019	500	18	24.39
11/9/2019	600	21	24.47
11/9/2019	700	20	24.51
11/9/2019	800	23	24.58
11/9/2019	900	30	24.57
11/9/2019	1000	35	24.58
11/9/2019	1100	39	24.59
11/9/2019	1200	40	24.59
11/9/2019	1300	38	24.62
11/9/2019	1400	37	24.63
11/9/2019	1500	36	24.64
11/9/2019	1600	34	24.66
11/9/2019	1700	25	24.73
11/9/2019	1800	16	24.65
11/9/2019	1900	15	24.6
11/9/2019	2000	13	24.55
11/9/2019	2100	16	24.47
11/9/2019	2200	20	24.41
11/9/2019	2300	18	24.34
11/10/2019	0	21	24.32
11/10/2019	100	19	24.29
11/10/2019	200	19	24.21
11/10/2019	300	21	24.13
11/10/2019	400	18	24.09
11/10/2019	500	20	24.16
11/10/2019	600	15	24.24
11/10/2019	700	18	24.34
11/10/2019	800	18	24.35

11/10/2019	900	28	24.38
11/10/2019	1000	33	24.34
11/10/2019	1100	35	24.34
11/10/2019	1200	37	23.73
11/10/2019	1300	39	23.79
11/10/2019	1400	39	24.07
11/10/2019	1500	40	24.19
11/10/2019	1600	35	24.21
11/10/2019	1700	26	24.28
11/10/2019	1800	17	24.26
11/10/2019	1900	17	24.25
11/10/2019	2000	18	24.24
11/10/2019	2100	18	24.2
11/10/2019	2200	19	24.15
11/10/2019	2300	19	24.09
11/11/2019	0	21	23.99
11/11/2019	100	23	23.98
11/11/2019	200	19	23.91
11/11/2019	300	21	23.78
11/11/2019	400	21	23.75
11/11/2019	500	17	23.89
11/11/2019	600	17	24.02
11/11/2019	700	14	24.1
11/11/2019	800	18	24.19
11/11/2019	900	29	24.22
11/11/2019	1000	39	24.23
11/11/2019	1100	43	24.22
11/11/2019	1200	43	24.28
11/11/2019	1300	44	24.29
11/11/2019	1400	43	24.27
11/11/2019	1500	43	24.29
11/11/2019	1600	42	24.29
11/11/2019	1700	38	24.31
11/11/2019	1800	39	24.26
11/11/2019	1900	39	24.28
11/11/2019	2000	40	24.28
11/11/2019	2100	40	24.25
11/11/2019	2200	36	24.17
11/11/2019	2300	28	24.15
11/12/2019	0	28	24.09
11/12/2019	100	22	24.04
11/12/2019	200	23	23.97
11/12/2019	300	23	23.88
11/12/2019	400	21	23.83
11/12/2019	500	19	23.94
11/12/2019	600	16	24.02
11/12/2019	700	12	24.07

11/12/2019	800	15	24.06
11/12/2019	900	26	24.02
11/12/2019	1000	30	23.95
11/12/2019	1100	32	23.94
11/12/2019	1200	33	24
11/12/2019	1300	37	24
11/12/2019	1400	38	24.04
11/12/2019	1500	35	24.1
11/12/2019	1600	30	24.18
11/12/2019	1700	23	23.74
11/12/2019	1800	17	23.61
11/12/2019	1900	17	23.96
11/12/2019	2000	18	24.11
11/12/2019	2100	14	24.12
11/12/2019	2200	16	24.14
11/12/2019	2300	19	24.11
11/13/2019	0	20	24.08
11/13/2019	100	14	24.07
11/13/2019	200	19	24.02
11/13/2019	300	18	23.93
11/13/2019	400	17	23.82
11/13/2019	500	17	23.99
11/13/2019	600	16	24.09
11/13/2019	700	13	24.1
11/13/2019	800	17	24.03
11/13/2019	900	30	24.03
11/13/2019	1000	37	24.02
11/13/2019	1100	39	23.99
11/13/2019	1200	36	23.98
11/13/2019	1300	39	23.96
11/13/2019	1400	39	23.95
11/13/2019	1500	38	23.99
11/13/2019	1600	36	24.05
11/13/2019	1700	34	23.85
11/13/2019	1800	24	23.16
11/13/2019	1900	23	23.62
11/13/2019	2000	16	23.86
11/13/2019	2100	16	23.96
11/13/2019	2200	21	23.96
11/13/2019	2300	19	23.98
11/14/2019	0	20	23.93
11/14/2019	100	16	23.89
11/14/2019	200	18	23.82
11/14/2019	300	19	23.74
11/14/2019	400	21	23.72
11/14/2019	500	17	23.83
11/14/2019	600	13	23.96

11/14/2019	700	11	24.05
11/14/2019	800	15	23.81
11/14/2019	900	-9999	23.75
11/14/2019	1000	-9999	24.03
11/14/2019	1100	-9999	23.99
11/14/2019	1200	-9999	24.05
11/14/2019	1300	-9999	23.89
11/14/2019	1400	-9999	23.99
11/14/2019	1500	-9999	24.07
11/14/2019	1600	30	24.26
11/14/2019	1700	17	23.69
11/14/2019	1800	8	23.32
11/14/2019	1900	11	23.89
11/14/2019	2000	11	24.11
11/14/2019	2100	15	24.21
11/14/2019	2200	18	24.22
11/14/2019	2300	21	24.25
11/15/2019	0	19	24.22
11/15/2019	100	23	24.23
11/15/2019	200	24	24.25
11/15/2019	300	24	24.17
11/15/2019	400	22	24.17
11/15/2019	500	23	24.37
11/15/2019	600	22	24.39
11/15/2019	700	16	24.4
11/15/2019	800	19	24.03
11/15/2019	900	27	23.51
11/15/2019	1000	35	23.99
11/15/2019	1100	38	24.04
11/15/2019	1200	36	24.08
11/15/2019	1300	36	24.14
11/15/2019	1400	39	24.18
11/15/2019	1500	38	24.25
11/15/2019	1600	31	24.31
11/15/2019	1700	13	24.39
11/15/2019	1800	5	24.32
11/15/2019	1900	16	24.35
11/15/2019	2000	13	24.31
11/15/2019	2100	21	24.27
11/15/2019	2200	23	24.23
11/15/2019	2300	23	24.19
11/16/2019	0	22	24.12
11/16/2019	100	25	24.09
11/16/2019	200	26	23.98
11/16/2019	300	24	23.93
11/16/2019	400	25	24
11/16/2019	500	22	24.16

11/16/2019	600	20	23.64
11/16/2019	700	21	22.97
11/16/2019	800	16	23.37
11/16/2019	900	20	23.95
11/16/2019	1000	33	24.17
11/16/2019	1100	38	24.27
11/16/2019	1200	43	24.04
11/16/2019	1300	44	24.16
11/16/2019	1400	43	24.32
11/16/2019	1500	39	24.42
11/16/2019	1600	39	24.44
11/16/2019	1700	38	24.49
11/16/2019	1800	35	24.49
11/16/2019	1900	30	24.51
11/16/2019	2000	28	24.46
11/16/2019	2100	30	24.43
11/16/2019	2200	24	24.42
11/16/2019	2300	25	24.37
11/17/2019	0	-9999	24.34
11/17/2019	100	25	24.3
11/17/2019	200	27	24.26
11/17/2019	300	24	24.2
11/17/2019	400	21	24.18
11/17/2019	500	21	24.33
11/17/2019	600	21	24.42
11/17/2019	700	23	24.46
11/17/2019	800	30	24.52
11/17/2019	900	37	24.55
11/17/2019	1000	43	24.55
11/17/2019	1100	50	24.57
11/17/2019	1200	50	23.59
11/17/2019	1300	48	24.05
11/17/2019	1400	46	24.29
11/17/2019	1500	45	24.38
11/17/2019	1600	44	24.44
11/17/2019	1700	42	24.47
11/17/2019	1800	42	24.5
11/17/2019	1900	40	24.53
11/17/2019	2000	37	24.5
11/17/2019	2100	32	24.47
11/17/2019	2200	21	24.46
11/17/2019	2300	22	24.42
11/18/2019	0	25	24.36
11/18/2019	100	22	24.33
11/18/2019	200	19	24.29
11/18/2019	300	22	24.22
11/18/2019	400	25	24.21

11/18/2019	500	19	24.36
11/18/2019	600	16	24.42
11/18/2019	700	11	24.5
11/18/2019	800	19	24.53
11/18/2019	900	25	24.5
11/18/2019	1000	36	24.46
11/18/2019	1100	38	24.5
11/18/2019	1200	38	24.47
11/18/2019	1300	37	24.52
11/18/2019	1400	38	24.6
11/18/2019	1500	37	24.71
11/18/2019	1600	32	24.44
11/18/2019	1700	17	23.76
11/18/2019	1800	13	23.87
11/18/2019	1900	20	24.48
11/18/2019	2000	17	24.61
11/18/2019	2100	19	24.73
11/18/2019	2200	21	24.65
11/18/2019	2300	20	24.65
11/19/2019	0	23	24.62
11/19/2019	100	20	24.52
11/19/2019	200	18	24.44
11/19/2019	300	20	24.36
11/19/2019	400	19	24.32
11/19/2019	500	19	24.41
11/19/2019	600	20	24.51
11/19/2019	700	15	24.57
11/19/2019	800	17	24.56
11/19/2019	900	28	24.48
11/19/2019	1000	31	24.45
11/19/2019	1100	32	24.43
11/19/2019	1200	33	24.46
11/19/2019	1300	42	24.5
11/19/2019	1400	43	24.56
11/19/2019	1500	40	24.62
11/19/2019	1600	33	24.65
11/19/2019	1700	27	23.84
11/19/2019	1800	32	23.67
11/19/2019	1900	32	24.36
11/19/2019	2000	26	24.61
11/19/2019	2100	26	24.73
11/19/2019	2200	23	24.77
11/19/2019	2300	23	24.79
11/20/2019	0	19	24.82
11/20/2019	100	25	24.77
11/20/2019	200	25	24.73
11/20/2019	300	30	24.7

11/20/2019	400	25	24.7
11/20/2019	500	28	24.75
11/20/2019	600	28	24.84
11/20/2019	700	34	24.92
11/20/2019	800	34	24.89
11/20/2019	900	37	24.88
11/20/2019	1000	37	24.85
11/20/2019	1100	34	24.85
11/20/2019	1200	33	24.83
11/20/2019	1300	28	24.88
11/20/2019	1400	29	24.99
11/20/2019	1500	27	25.01
11/20/2019	1600	22	24.99
11/20/2019	1700	24	24.91
11/20/2019	1800	26	23.47
11/20/2019	1900	26	23.78
11/20/2019	2000	28	24.39
11/20/2019	2100	26	24.58
11/20/2019	2200	27	24.61
11/20/2019	2300	26	24.62
11/21/2019	0	34	24.57
11/21/2019	100	35	24.53
11/21/2019	200	32	24.43
11/21/2019	300	30	24.39
11/21/2019	400	28	24.39
11/21/2019	500	34	24.5
11/21/2019	600	39	24.6
11/21/2019	700	22	24.68
11/21/2019	800	19	24.7
11/21/2019	900	28	24.73
11/21/2019	1000	41	24.71
11/21/2019	1100	43	24.71
11/21/2019	1200	45	24.67
11/21/2019	1300	45	24.7
11/21/2019	1400	42	24.64
11/21/2019	1500	41	24.62
11/21/2019	1600	36	24.77
11/21/2019	1700	37	24.79
11/21/2019	1800	41	24.87
11/21/2019	1900	34	24.9
11/21/2019	2000	31	24.84
11/21/2019	2100	33	24.82
11/21/2019	2200	32	24.78
11/21/2019	2300	37	24.75
11/22/2019	0	31	24.7
11/22/2019	100	21	24.61
11/22/2019	200	21	24.53

11/22/2019	300	21	24.45
11/22/2019	400	18	24.41
11/22/2019	500	13	24.49
11/22/2019	600	9	24.51
11/22/2019	700	7	24.52
11/22/2019	800	13	24.51
11/22/2019	900	27	24.46
11/22/2019	1000	31	24.42
11/22/2019	1100	32	24.39
11/22/2019	1200	33	24.42
11/22/2019	1300	36	24.53
11/22/2019	1400	37	24.55
11/22/2019	1500	35	24.58
11/22/2019	1600	31	24.62
11/22/2019	1700	28	24.64
11/22/2019	1800	23	24.62
11/22/2019	1900	21	24.58
11/22/2019	2000	22	24.52
11/22/2019	2100	19	24.5
11/22/2019	2200	17	24.44
11/22/2019	2300	16	24.35
11/23/2019	0	22	24.28
11/23/2019	100	20	24.21
11/23/2019	200	19	24.15
11/23/2019	300	13	24.08
11/23/2019	400	13	24.04
11/23/2019	500	17	24.16
11/23/2019	600	20	24.26
11/23/2019	700	19	24.33
11/23/2019	800	25	24.38
11/23/2019	900	28	24.37
11/23/2019	1000	32	24.37
11/23/2019	1100	36	24.41
11/23/2019	1200	38	24.36
11/23/2019	1300	39	24.41
11/23/2019	1400	39	24.44
11/23/2019	1500	40	24.45
11/23/2019	1600	35	24.45
11/23/2019	1700	27	24.46
11/23/2019	1800	18	24.44
11/23/2019	1900	13	24.43
11/23/2019	2000	9	24.37
11/23/2019	2100	9	24.31
11/23/2019	2200	9	24.28
11/23/2019	2300	9	24.2
11/24/2019	0	6	24.1
11/24/2019	100	6	24

11/24/2019	200	8	23.93
11/24/2019	300	9	23.83
11/24/2019	400	7	23.81
11/24/2019	500	9	23.97
11/24/2019	600	9	24.07
11/24/2019	700	11	24.14
11/24/2019	800	16	24.21
11/24/2019	900	24	24.23
11/24/2019	1000	35	24.12
11/24/2019	1100	35	23.12
11/24/2019	1200	36	23.76
11/24/2019	1300	37	24
11/24/2019	1400	39	24.12
11/24/2019	1500	39	24.17
11/24/2019	1600	36	24.16
11/24/2019	1700	33	24.18
11/24/2019	1800	21	24.17
11/24/2019	1900	15	24.16
11/24/2019	2000	14	24.11
11/24/2019	2100	10	24.09
11/24/2019	2200	7	24.1
11/24/2019	2300	10	24.05
11/25/2019	0	13	23.94
11/25/2019	100	9	23.88
11/25/2019	200	10	23.81
11/25/2019	300	9	23.75
11/25/2019	400	8	23.77
11/25/2019	500	9	23.87
11/25/2019	600	12	23.95
11/25/2019	700	12	23.99
11/25/2019	800	12	24.04
11/25/2019	900	24	24.08
11/25/2019	1000	30	24.07
11/25/2019	1100	34	24.08
11/25/2019	1200	36	24.1
11/25/2019	1300	35	24.18
11/25/2019	1400	39	24.2
11/25/2019	1500	41	24.19
11/25/2019	1600	36	23.22
11/25/2019	1700	42	22.77
11/25/2019	1800	40	23.47
11/25/2019	1900	39	23.91
11/25/2019	2000	41	24.02
11/25/2019	2100	40	24.03
11/25/2019	2200	40	23.98
11/25/2019	2300	38	23.88
11/26/2019	0	38	23.83

11/26/2019	100	36	23.73
11/26/2019	200	36	23.66
11/26/2019	300	35	23.59
11/26/2019	400	34	23.56
11/26/2019	500	34	23.78
11/26/2019	600	32	23.89
11/26/2019	700	32	23.99
11/26/2019	800	36	24.06
11/26/2019	900	37	24.02
11/26/2019	1000	39	23.99
11/26/2019	1100	38	24.01
11/26/2019	1200	39	24.03
11/26/2019	1300	38	24.1
11/26/2019	1400	39	24.1
11/26/2019	1500	38	24.1
11/26/2019	1600	32	24.06
11/26/2019	1700	25	24.05
11/26/2019	1800	27	23.33
11/26/2019	1900	20	22.61
11/26/2019	2000	29	23.41
11/26/2019	2100	31	23.53
11/26/2019	2200	32	23.53
11/26/2019	2300	30	23.49
11/27/2019	0	21	23.44
11/27/2019	100	20	23.36
11/27/2019	200	24	23.3
11/27/2019	300	31	23.25
11/27/2019	400	36	23.35
11/27/2019	500	35	23.57
11/27/2019	600	37	23.7
11/27/2019	700	39	23.82
11/27/2019	800	42	23.85
11/27/2019	900	43	23.98
11/27/2019	1000	44	24.05
11/27/2019	1100	45	24.06
11/27/2019	1200	43	24.04
11/27/2019	1300	42	24.03
11/27/2019	1400	42	24.12
11/27/2019	1500	41	24.16
11/27/2019	1600	40	23.68
11/27/2019	1700	38	23.14
11/27/2019	1800	37	23.73
11/27/2019	1900	39	23.86
11/27/2019	2000	37	23.91
11/27/2019	2100	36	23.89
11/27/2019	2200	35	23.88
11/27/2019	2300	35	23.86

11/28/2019	0	34	23.83
11/28/2019	100	35	23.78
11/28/2019	200	36	23.75
11/28/2019	300	36	23.7
11/28/2019	400	35	23.76
11/28/2019	500	34	23.99
11/28/2019	600	34	24.09
11/28/2019	700	32	24.17
11/28/2019	800	32	24.26
11/28/2019	900	32	24.28
11/28/2019	1000	31	24.32
11/28/2019	1100	33	24.34
11/28/2019	1200	34	24.34
11/28/2019	1300	34	24.44
11/28/2019	1400	34	24.44
11/28/2019	1500	35	24.43
11/28/2019	1600	34	24.41
11/28/2019	1700	32	24.4
11/28/2019	1800	33	24.34
11/28/2019	1900	34	24.28
11/28/2019	2000	34	24.16
11/28/2019	2100	33	24.08
11/28/2019	2200	33	24.06
11/28/2019	2300	33	23.98
11/29/2019	0	34	23.87
11/29/2019	100	33	23.78
11/29/2019	200	33	23.71
11/29/2019	300	33	23.66
11/29/2019	400	32	23.72
11/29/2019	500	33	23.9
11/29/2019	600	33	24.03
11/29/2019	700	34	24.11
11/29/2019	800	36	24.16
11/29/2019	900	34	24.2
11/29/2019	1000	36	24.27
11/29/2019	1100	30	24.29
11/29/2019	1200	34	24.36
11/29/2019	1300	43	24.45
11/29/2019	1400	46	24.42
11/29/2019	1500	45	24.34
11/29/2019	1600	45	24.25
11/29/2019	1700	42	24.28
11/29/2019	1800	44	24.23
11/29/2019	1900	44	24.08
11/29/2019	2000	44	23.85
11/29/2019	2100	44	23.57
11/29/2019	2200	43	23.45

11/29/2019	2300	44	23.34
11/30/2019	0	43	23.19
11/30/2019	100	43	23.03
11/30/2019	200	42	22.9
11/30/2019	300	42	22.93
11/30/2019	400	41	23.2
11/30/2019	500	40	23.48
11/30/2019	600	39	23.66
11/30/2019	700	39	23.77
11/30/2019	800	38	23.77
11/30/2019	900	37	23.84
11/30/2019	1000	39	23.97
11/30/2019	1100	38	24.05
11/30/2019	1200	39	24.07
11/30/2019	1300	40	24.14
11/30/2019	1400	40	24.12
11/30/2019	1500	40	24.11
11/30/2019	1600	39	23.96
11/30/2019	1700	31	23.98
11/30/2019	1800	29	23.95
11/30/2019	1900	26	23.93
11/30/2019	2000	27	23.86
11/30/2019	2100	24	23.74
11/30/2019	2200	20	23.64
11/30/2019	2300	16	23.52