

Montezuma County - Colorado Cortez County Health Building

Site Abbreviation: MOCO

Time Period: 11/01/15 - 11/30/15

Preliminary Validation

Site Number: 446

AIRS Site Number: 08-083-0006

DATE	TIME	O3-4	STP-1
DATE	TIME	hourly	hourly
DATE	TIME	ppb	degC
11/1/2015	0	11	23.85
11/1/2015	100	11	23.86
11/1/2015	200	10	23.83
11/1/2015	300	11	23.75
11/1/2015	400	10	23.66
11/1/2015	500	10	23.58
11/1/2015	600	7	23.48
11/1/2015	700	9	23.43
11/1/2015	800	19	23.43
11/1/2015	900	28	23.46
11/1/2015	1000	35	23.51
11/1/2015	1100	35	23.59
11/1/2015	1200	34	23.62
11/1/2015	1300	36	23.11
11/1/2015	1400	35	23.41
11/1/2015	1500	36	23.74
11/1/2015	1600	33	23.79
11/1/2015	1700	24	23.83
11/1/2015	1800	19	23.93
11/1/2015	1900	17	23.96
11/1/2015	2000	15	23.96
11/1/2015	2100	16	23.97
11/1/2015	2200	15	23.98
11/1/2015	2300	13	23.99
11/2/2015	0	13	23.95
11/2/2015	100	15	23.97
11/2/2015	200	14	23.95
11/2/2015	300	16	23.91
11/2/2015	400	14	23.87
11/2/2015	500	12	23.84
11/2/2015	600	9	23.81
11/2/2015	700	9	23.8
11/2/2015	800	13	23.79
11/2/2015	900	25	23.8
11/2/2015	1000	29	23.81
11/2/2015	1100	32	23.8
11/2/2015	1200	35	23.8

11/2/2015	1300	38	23.8
11/2/2015	1400	40	23.85
11/2/2015	1500	41	23.89
11/2/2015	1600	35	23.8
11/2/2015	1700	30	23.41
11/2/2015	1800	30	23.32
11/2/2015	1900	16	23.3
11/2/2015	2000	25	23.22
11/2/2015	2100	19	23.03
11/2/2015	2200	23	22.5
11/2/2015	2300	26	21.98
11/3/2015	0	25	21.72
11/3/2015	100	19	21.57
11/3/2015	200	19	21.29
11/3/2015	300	22	21.04
11/3/2015	400	24	20.84
11/3/2015	500	27	20.66
11/3/2015	600	19	20.52
11/3/2015	700	28	20.42
11/3/2015	800	34	20.45
11/3/2015	900	36	20.6
11/3/2015	1000	40	20.73
11/3/2015	1100	39	20.89
11/3/2015	1200	38	21.02
11/3/2015	1300	38	21.88
11/3/2015	1400	35	22.57
11/3/2015	1500	35	22.97
11/3/2015	1600	34	23.31
11/3/2015	1700	33	23.56
11/3/2015	1800	33	23.61
11/3/2015	1900	32	22.63
11/3/2015	2000	34	22.93
11/3/2015	2100	35	23.03
11/3/2015	2200	32	23.07
11/3/2015	2300	30	23.07
11/4/2015	0	29	23.06
11/4/2015	100	37	23.09
11/4/2015	200	33	23.07
11/4/2015	300	27	22.93
11/4/2015	400	32	22.83
11/4/2015	500	32	22.78
11/4/2015	600	34	22.71
11/4/2015	700	32	22.65
11/4/2015	800	33	22.21
11/4/2015	900	-9999	21.48
11/4/2015	1000	37	21.82
11/4/2015	1100	40	22.11

11/4/2015	1200	40	22.16
11/4/2015	1300	40	22.19
11/4/2015	1400	38	22.28
11/4/2015	1500	37	22.36
11/4/2015	1600	40	21.38
11/4/2015	1700	34	20.83
11/4/2015	1800	42	21.37
11/4/2015	1900	42	22.03
11/4/2015	2000	38	22.22
11/4/2015	2100	37	22.36
11/4/2015	2200	33	22.45
11/4/2015	2300	29	22.53
11/5/2015	0	21	22.58
11/5/2015	100	22	22.62
11/5/2015	200	19	22.67
11/5/2015	300	20	22.67
11/5/2015	400	20	22.64
11/5/2015	500	18	22.63
11/5/2015	600	17	22.6
11/5/2015	700	23	22.57
11/5/2015	800	-9999	22.39
11/5/2015	900	-9999	22.41
11/5/2015	1000	33	22.42
11/5/2015	1100	35	22.37
11/5/2015	1200	36	22.32
11/5/2015	1300	35	22.31
11/5/2015	1400	35	22.34
11/5/2015	1500	37	22.37
11/5/2015	1600	36	22.4
11/5/2015	1700	31	21.34
11/5/2015	1800	26	20.54
11/5/2015	1900	21	20.79
11/5/2015	2000	24	21.66
11/5/2015	2100	17	21.96
11/5/2015	2200	5	22.13
11/5/2015	2300	8	22.22
11/6/2015	0	15	22.26
11/6/2015	100	18	22.28
11/6/2015	200	15	22.29
11/6/2015	300	15	22.28
11/6/2015	400	10	22.23
11/6/2015	500	7	22.14
11/6/2015	600	4	22.08
11/6/2015	700	7	22.05
11/6/2015	800	18	21.99
11/6/2015	900	32	21.91
11/6/2015	1000	35	21.88

11/6/2015	1100	37	21.99
11/6/2015	1200	38	22.16
11/6/2015	1300	40	22.45
11/6/2015	1400	41	22.74
11/6/2015	1500	41	22.93
11/6/2015	1600	39	23.18
11/6/2015	1700	34	23.43
11/6/2015	1800	27	23.64
11/6/2015	1900	25	23.75
11/6/2015	2000	26	23.79
11/6/2015	2100	15	23.82
11/6/2015	2200	24	23.86
11/6/2015	2300	19	23.84
11/7/2015	0	24	23.81
11/7/2015	100	28	23.8
11/7/2015	200	20	23.81
11/7/2015	300	21	23.82
11/7/2015	400	18	23.78
11/7/2015	500	10	23.74
11/7/2015	600	10	23.7
11/7/2015	700	13	23.72
11/7/2015	800	22	23.73
11/7/2015	900	27	23.75
11/7/2015	1000	38	23.78
11/7/2015	1100	40	23.83
11/7/2015	1200	43	23.91
11/7/2015	1300	45	24.03
11/7/2015	1400	45	24.15
11/7/2015	1500	46	24.3
11/7/2015	1600	43	24.39
11/7/2015	1700	35	24.46
11/7/2015	1800	26	24.52
11/7/2015	1900	21	24.59
11/7/2015	2000	15	24.64
11/7/2015	2100	17	24.67
11/7/2015	2200	17	24.67
11/7/2015	2300	17	24.6
11/8/2015	0	18	24.57
11/8/2015	100	20	24.54
11/8/2015	200	18	24.57
11/8/2015	300	15	24.53
11/8/2015	400	13	24.47
11/8/2015	500	14	24.4
11/8/2015	600	15	24.33
11/8/2015	700	18	24.25
11/8/2015	800	25	24.27
11/8/2015	900	34	24.27

11/8/2015	1000	37	24.32
11/8/2015	1100	38	24.41
11/8/2015	1200	40	24.45
11/8/2015	1300	40	23.85
11/8/2015	1400	43	23.97
11/8/2015	1500	45	24.45
11/8/2015	1600	43	24.63
11/8/2015	1700	26	24.76
11/8/2015	1800	24	24.89
11/8/2015	1900	24	24.98
11/8/2015	2000	22	24.98
11/8/2015	2100	24	24.98
11/8/2015	2200	24	24.97
11/8/2015	2300	19	24.93
11/9/2015	0	20	24.87
11/9/2015	100	19	24.84
11/9/2015	200	19	24.82
11/9/2015	300	18	24.77
11/9/2015	400	16	24.7
11/9/2015	500	16	24.6
11/9/2015	600	13	24.54
11/9/2015	700	13	24.5
11/9/2015	800	17	24.43
11/9/2015	900	32	24.49
11/9/2015	1000	40	24.56
11/9/2015	1100	43	24.63
11/9/2015	1200	44	24.69
11/9/2015	1300	43	24.79
11/9/2015	1400	43	24.86
11/9/2015	1500	42	24.93
11/9/2015	1600	39	25.01
11/9/2015	1700	31	24.67
11/9/2015	1800	26	24.11
11/9/2015	1900	29	23.84
11/9/2015	2000	29	24.51
11/9/2015	2100	27	24.77
11/9/2015	2200	29	24.89
11/9/2015	2300	27	24.94
11/10/2015	0	25	24.92
11/10/2015	100	28	24.94
11/10/2015	200	31	24.97
11/10/2015	300	30	24.96
11/10/2015	400	31	24.95
11/10/2015	500	28	24.96
11/10/2015	600	23	24.93
11/10/2015	700	26	24.92
11/10/2015	800	35	24.83

11/10/2015	900	38	24.75
11/10/2015	1000	40	24.63
11/10/2015	1100	41	24.51
11/10/2015	1200	40	24.43
11/10/2015	1300	41	24.41
11/10/2015	1400	41	24.36
11/10/2015	1500	40	24.34
11/10/2015	1600	37	24.33
11/10/2015	1700	39	24.31
11/10/2015	1800	41	23.36
11/10/2015	1900	41	22.58
11/10/2015	2000	38	23.35
11/10/2015	2100	39	23.53
11/10/2015	2200	37	23.54
11/10/2015	2300	36	23.48
11/11/2015	0	37	23.39
11/11/2015	100	35	23.34
11/11/2015	200	35	23.29
11/11/2015	300	33	23.24
11/11/2015	400	31	23.16
11/11/2015	500	32	23.06
11/11/2015	600	32	22.99
11/11/2015	700	32	22.98
11/11/2015	800	30	22.96
11/11/2015	900	30	23.01
11/11/2015	1000	31	23.06
11/11/2015	1100	34	23.06
11/11/2015	1200	33	23.01
11/11/2015	1300	33	22.94
11/11/2015	1400	35	22.94
11/11/2015	1500	35	22.95
11/11/2015	1600	33	22.94
11/11/2015	1700	22	22.93
11/11/2015	1800	24	22.88
11/11/2015	1900	17	22.86
11/11/2015	2000	9	22.87
11/11/2015	2100	6	22.89
11/11/2015	2200	19	22.92
11/11/2015	2300	23	22.93
11/12/2015	0	20	22.93
11/12/2015	100	15	22.93
11/12/2015	200	17	22.94
11/12/2015	300	14	22.92
11/12/2015	400	15	22.87
11/12/2015	500	16	22.83
11/12/2015	600	14	22.8
11/12/2015	700	9	22.78

11/12/2015	800	21	22.76
11/12/2015	900	28	22.77
11/12/2015	1000	35	22.76
11/12/2015	1100	38	22.63
11/12/2015	1200	37	22.56
11/12/2015	1300	39	22.63
11/12/2015	1400	39	22.72
11/12/2015	1500	39	22.75
11/12/2015	1600	32	22.86
11/12/2015	1700	11	22.18
11/12/2015	1800	8	21.46
11/12/2015	1900	4	22.71
11/12/2015	2000	10	23.24
11/12/2015	2100	12	23.5
11/12/2015	2200	13	23.68
11/12/2015	2300	14	23.73
11/13/2015	0	19	23.81
11/13/2015	100	14	23.87
11/13/2015	200	18	23.93
11/13/2015	300	20	23.92
11/13/2015	400	13	23.92
11/13/2015	500	16	23.9
11/13/2015	600	10	23.9
11/13/2015	700	7	23.91
11/13/2015	800	19	23.89
11/13/2015	900	29	23.83
11/13/2015	1000	34	23.8
11/13/2015	1100	35	23.76
11/13/2015	1200	38	23.72
11/13/2015	1300	37	23.75
11/13/2015	1400	35	23.77
11/13/2015	1500	32	23.87
11/13/2015	1600	23	23.94
11/13/2015	1700	15	23.91
11/13/2015	1800	9	23.88
11/13/2015	1900	5	23.8
11/13/2015	2000	5	23.72
11/13/2015	2100	7	23.62
11/13/2015	2200	15	23.55
11/13/2015	2300	17	23.48
11/14/2015	0	19	23.4
11/14/2015	100	17	23.33
11/14/2015	200	16	23.29
11/14/2015	300	19	23.19
11/14/2015	400	16	23.11
11/14/2015	500	18	23.03
11/14/2015	600	17	22.98

11/14/2015	700	16	22.96
11/14/2015	800	22	22.94
11/14/2015	900	29	22.95
11/14/2015	1000	36	23.12
11/14/2015	1100	38	23.14
11/14/2015	1200	39	23.15
11/14/2015	1300	38	23.19
11/14/2015	1400	39	23.26
11/14/2015	1500	37	23.34
11/14/2015	1600	27	23.36
11/14/2015	1700	16	23.27
11/14/2015	1800	13	23.24
11/14/2015	1900	9	23.19
11/14/2015	2000	8	23.09
11/14/2015	2100	17	23.04
11/14/2015	2200	19	22.94
11/14/2015	2300	18	22.87
11/15/2015	0	19	22.81
11/15/2015	100	18	22.78
11/15/2015	200	21	22.67
11/15/2015	300	23	22.6
11/15/2015	400	19	22.55
11/15/2015	500	20	22.47
11/15/2015	600	18	22.37
11/15/2015	700	17	22.3
11/15/2015	800	19	22.29
11/15/2015	900	21	22.31
11/15/2015	1000	37	22.42
11/15/2015	1100	43	22.46
11/15/2015	1200	43	21.69
11/15/2015	1300	47	20.89
11/15/2015	1400	49	21.22
11/15/2015	1500	48	21.37
11/15/2015	1600	42	21.37
11/15/2015	1700	36	21.36
11/15/2015	1800	36	21.42
11/15/2015	1900	33	21.48
11/15/2015	2000	32	21.6
11/15/2015	2100	31	21.66
11/15/2015	2200	29	21.71
11/15/2015	2300	32	21.83
11/16/2015	0	29	21.74
11/16/2015	100	26	21.75
11/16/2015	200	23	21.76
11/16/2015	300	32	21.7
11/16/2015	400	38	21.64
11/16/2015	500	37	21.56

11/16/2015	600	33	21.48
11/16/2015	700	31	21.47
11/16/2015	800	29	21.4
11/16/2015	900	28	21.39
11/16/2015	1000	38	21.47
11/16/2015	1100	39	21.64
11/16/2015	1200	36	21.76
11/16/2015	1300	37	21.86
11/16/2015	1400	39	21.93
11/16/2015	1500	38	21.88
11/16/2015	1600	33	21.84
11/16/2015	1700	33	21.87
11/16/2015	1800	34	21.35
11/16/2015	1900	31	20.89
11/16/2015	2000	34	21.06
11/16/2015	2100	29	21.57
11/16/2015	2200	35	21.71
11/16/2015	2300	36	21.84
11/17/2015	0	36	21.94
11/17/2015	100	35	21.94
11/17/2015	200	36	21.87
11/17/2015	300	34	21.84
11/17/2015	400	37	21.83
11/17/2015	500	34	21.82
11/17/2015	600	29	21.85
11/17/2015	700	28	21.86
11/17/2015	800	29	21.87
11/17/2015	900	30	21.94
11/17/2015	1000	34	22.01
11/17/2015	1100	34	22.11
11/17/2015	1200	36	22.12
11/17/2015	1300	37	22.08
11/17/2015	1400	36	22.13
11/17/2015	1500	35	22.33
11/17/2015	1600	33	22.44
11/17/2015	1700	32	22.46
11/17/2015	1800	33	21.52
11/17/2015	1900	32	20.75
11/17/2015	2000	32	21.06
11/17/2015	2100	29	21.43
11/17/2015	2200	27	21.51
11/17/2015	2300	30	21.54
11/18/2015	0	30	21.57
11/18/2015	100	25	21.56
11/18/2015	200	24	21.63
11/18/2015	300	27	21.65
11/18/2015	400	25	21.68

11/18/2015	500	18	21.69
11/18/2015	600	16	21.65
11/18/2015	700	16	21.69
11/18/2015	800	23	21.82
11/18/2015	900	26	21.98
11/18/2015	1000	36	22.15
11/18/2015	1100	39	22.25
11/18/2015	1200	40	22.41
11/18/2015	1300	39	22.53
11/18/2015	1400	37	22.59
11/18/2015	1500	37	22.58
11/18/2015	1600	34	22.55
11/18/2015	1700	18	21.94
11/18/2015	1800	13	21.23
11/18/2015	1900	14	21.66
11/18/2015	2000	11	21.75
11/18/2015	2100	8	21.71
11/18/2015	2200	15	21.65
11/18/2015	2300	20	21.59
11/19/2015	0	17	21.53
11/19/2015	100	14	21.48
11/19/2015	200	17	21.47
11/19/2015	300	15	21.41
11/19/2015	400	16	21.32
11/19/2015	500	19	21.28
11/19/2015	600	9	21.23
11/19/2015	700	9	21.22
11/19/2015	800	14	21.29
11/19/2015	900	28	21.58
11/19/2015	1000	31	21.73
11/19/2015	1100	36	21.87
11/19/2015	1200	37	22.02
11/19/2015	1300	36	22.11
11/19/2015	1400	38	22.22
11/19/2015	1500	36	22.33
11/19/2015	1600	28	22.47
11/19/2015	1700	14	22.25
11/19/2015	1800	5	21.89
11/19/2015	1900	10	21.49
11/19/2015	2000	6	22.04
11/19/2015	2100	8	22.23
11/19/2015	2200	12	22.27
11/19/2015	2300	15	22.25
11/20/2015	0	13	22.19
11/20/2015	100	16	22.16
11/20/2015	200	18	22.21
11/20/2015	300	18	22.19

11/20/2015	400	13	22.14
11/20/2015	500	14	22.12
11/20/2015	600	12	22.12
11/20/2015	700	11	22.12
11/20/2015	800	11	22.09
11/20/2015	900	19	22.18
11/20/2015	1000	29	22.26
11/20/2015	1100	30	22.36
11/20/2015	1200	34	22.54
11/20/2015	1300	36	22.64
11/20/2015	1400	37	22.61
11/20/2015	1500	37	22.79
11/20/2015	1600	35	22.86
11/20/2015	1700	33	22.82
11/20/2015	1800	34	22.81
11/20/2015	1900	30	22.7
11/20/2015	2000	28	22.6
11/20/2015	2100	30	22.42
11/20/2015	2200	28	22.34
11/20/2015	2300	31	22.26
11/21/2015	0	28	22.17
11/21/2015	100	32	22.11
11/21/2015	200	33	22.16
11/21/2015	300	34	22.13
11/21/2015	400	30	22.09
11/21/2015	500	30	22.08
11/21/2015	600	25	22.05
11/21/2015	700	24	22.08
11/21/2015	800	30	22.03
11/21/2015	900	35	21.99
11/21/2015	1000	39	21.96
11/21/2015	1100	38	21.98
11/21/2015	1200	40	22.15
11/21/2015	1300	40	22.34
11/21/2015	1400	38	22.43
11/21/2015	1500	39	22.43
11/21/2015	1600	35	22.38
11/21/2015	1700	21	22.28
11/21/2015	1800	20	22.18
11/21/2015	1900	15	22.18
11/21/2015	2000	14	22.19
11/21/2015	2100	13	22.19
11/21/2015	2200	12	22.2
11/21/2015	2300	15	22.22
11/22/2015	0	13	22.19
11/22/2015	100	20	22.15
11/22/2015	200	13	22.18

11/22/2015	300	16	22.23
11/22/2015	400	21	22.18
11/22/2015	500	15	22.12
11/22/2015	600	13	22.1
11/22/2015	700	16	22.15
11/22/2015	800	23	22.07
11/22/2015	900	26	21.98
11/22/2015	1000	33	21.91
11/22/2015	1100	35	22.04
11/22/2015	1200	33	22.26
11/22/2015	1300	32	22.34
11/22/2015	1400	33	22.33
11/22/2015	1500	33	22.31
11/22/2015	1600	30	22.26
11/22/2015	1700	13	22.21
11/22/2015	1800	9	22.17
11/22/2015	1900	15	22.16
11/22/2015	2000	8	22.13
11/22/2015	2100	7	22.17
11/22/2015	2200	9	22.21
11/22/2015	2300	11	22.23
11/23/2015	0	9	22.21
11/23/2015	100	14	22.21
11/23/2015	200	13	22.23
11/23/2015	300	12	22.22
11/23/2015	400	17	22.22
11/23/2015	500	19	22.2
11/23/2015	600	14	22.15
11/23/2015	700	9	22.15
11/23/2015	800	14	22.1
11/23/2015	900	24	22.12
11/23/2015	1000	29	22.17
11/23/2015	1100	32	22.26
11/23/2015	1200	30	22.37
11/23/2015	1300	29	22.47
11/23/2015	1400	27	22.62
11/23/2015	1500	25	22.74
11/23/2015	1600	19	22.75
11/23/2015	1700	5	22.67
11/23/2015	1800	7	22.16
11/23/2015	1900	6	21.61
11/23/2015	2000	4	22.32
11/23/2015	2100	11	22.39
11/23/2015	2200	14	22.3
11/23/2015	2300	16	22.18
11/24/2015	0	18	22.11
11/24/2015	100	20	22.06

11/24/2015	200	19	22.11
11/24/2015	300	21	22.08
11/24/2015	400	18	22.09
11/24/2015	500	17	22.05
11/24/2015	600	14	22.03
11/24/2015	700	13	22.07
11/24/2015	800	15	22.02
11/24/2015	900	25	22.11
11/24/2015	1000	33	22.11
11/24/2015	1100	38	22.13
11/24/2015	1200	43	22.27
11/24/2015	1300	46	22.39
11/24/2015	1400	46	22.35
11/24/2015	1500	44	22.41
11/24/2015	1600	39	22.54
11/24/2015	1700	29	21.99
11/24/2015	1800	21	21.6
11/24/2015	1900	24	21.9
11/24/2015	2000	27	22.07
11/24/2015	2100	22	21.97
11/24/2015	2200	21	21.94
11/24/2015	2300	23	21.93
11/25/2015	0	26	21.92
11/25/2015	100	32	21.92
11/25/2015	200	32	21.99
11/25/2015	300	33	21.98
11/25/2015	400	29	21.92
11/25/2015	500	32	21.9
11/25/2015	600	27	21.84
11/25/2015	700	33	21.93
11/25/2015	800	34	22.09
11/25/2015	900	37	22.25
11/25/2015	1000	37	22.4
11/25/2015	1100	35	22.54
11/25/2015	1200	34	22.69
11/25/2015	1300	33	22.8
11/25/2015	1400	33	22.86
11/25/2015	1500	34	22.82
11/25/2015	1600	33	22.13
11/25/2015	1700	32	22.3
11/25/2015	1800	34	22.63
11/25/2015	1900	35	22.71
11/25/2015	2000	33	22.72
11/25/2015	2100	31	22.79
11/25/2015	2200	33	22.67
11/25/2015	2300	32	22.47
11/26/2015	0	34	22.28

11/26/2015	100	35	22.16
11/26/2015	200	34	22.12
11/26/2015	300	35	22.04
11/26/2015	400	31	22.01
11/26/2015	500	27	21.99
11/26/2015	600	36	21.99
11/26/2015	700	31	22.03
11/26/2015	800	26	22.03
11/26/2015	900	38	22.11
11/26/2015	1000	39	22.1
11/26/2015	1100	42	22.09
11/26/2015	1200	43	22.16
11/26/2015	1300	43	22.37
11/26/2015	1400	43	22.56
11/26/2015	1500	43	22.5
11/26/2015	1600	41	22.39
11/26/2015	1700	33	22.23
11/26/2015	1800	28	22.17
11/26/2015	1900	17	22.1
11/26/2015	2000	14	22.1
11/26/2015	2100	15	22.15
11/26/2015	2200	17	22.16
11/26/2015	2300	24	22.19
11/27/2015	0	40	22.19
11/27/2015	100	27	22.09
11/27/2015	200	41	22.1
11/27/2015	300	42	22.09
11/27/2015	400	39	22.05
11/27/2015	500	36	22.05
11/27/2015	600	26	22.03
11/27/2015	700	22	22.03
11/27/2015	800	21	22.04
11/27/2015	900	31	22.07
11/27/2015	1000	35	22.22
11/27/2015	1100	36	22.34
11/27/2015	1200	36	22.43
11/27/2015	1300	37	22.55
11/27/2015	1400	36	22.76
11/27/2015	1500	30	22.82
11/27/2015	1600	26	22.85
11/27/2015	1700	23	22.78
11/27/2015	1800	24	22.88
11/27/2015	1900	31	22.9
11/27/2015	2000	28	22.77
11/27/2015	2100	16	22.62
11/27/2015	2200	22	22.55
11/27/2015	2300	14	22.47

11/28/2015	0	17	22.36
11/28/2015	100	12	22.36
11/28/2015	200	16	22.36
11/28/2015	300	13	22.36
11/28/2015	400	9	22.33
11/28/2015	500	14	22.29
11/28/2015	600	11	22.27
11/28/2015	700	9	22.32
11/28/2015	800	18	22.37
11/28/2015	900	25	22.39
11/28/2015	1000	35	22.41
11/28/2015	1100	37	22.54
11/28/2015	1200	38	22.67
11/28/2015	1300	41	22.79
11/28/2015	1400	45	22.92
11/28/2015	1500	46	22.97
11/28/2015	1600	40	22.75
11/28/2015	1700	32	22.22
11/28/2015	1800	24	22.11
11/28/2015	1900	12	21.98
11/28/2015	2000	18	21.89
11/28/2015	2100	28	21.85
11/28/2015	2200	28	21.82
11/28/2015	2300	26	21.74
11/29/2015	0	21	21.69
11/29/2015	100	19	21.64
11/29/2015	200	14	21.69
11/29/2015	300	10	21.71
11/29/2015	400	6	21.67
11/29/2015	500	9	21.64
11/29/2015	600	4	21.58
11/29/2015	700	6	21.66
11/29/2015	800	9	21.74
11/29/2015	900	17	21.69
11/29/2015	1000	27	21.63
11/29/2015	1100	35	21.6
11/29/2015	1200	36	21.58
11/29/2015	1300	34	21.57
11/29/2015	1400	36	21.6
11/29/2015	1500	37	21.6
11/29/2015	1600	37	21.58
11/29/2015	1700	35	21.59
11/29/2015	1800	31	21.6
11/29/2015	1900	35	21.63
11/29/2015	2000	35	21.68
11/29/2015	2100	38	21.72
11/29/2015	2200	36	21.73

11/29/2015	2300	35	21.74
11/30/2015	0	34	21.71
11/30/2015	100	34	21.63
11/30/2015	200	33	21.67
11/30/2015	300	32	21.72
11/30/2015	400	30	21.68
11/30/2015	500	29	21.67
11/30/2015	600	25	21.69
11/30/2015	700	18	21.71
11/30/2015	800	22	21.73
11/30/2015	900	26	21.94
11/30/2015	1000	31	22.03
11/30/2015	1100	35	21.98
11/30/2015	1200	37	22.04
11/30/2015	1300	37	22.08
11/30/2015	1400	37	22.09
11/30/2015	1500	36	22.15
11/30/2015	1600	33	22.06
11/30/2015	1700	22	21.9
11/30/2015	1800	23	21.34
11/30/2015	1900	17	20.81
11/30/2015	2000	17	20.65
11/30/2015	2100	16	21.21
11/30/2015	2200	22	21.4
11/30/2015	2300	19	21.38